



Aras Innovator 33

PDF Watermarking Setup Guide

Document #: D-008120

Last Modified: 8/22/2024

Copyright Information

Copyright © 2024 Aras Corporation. All Rights Reserved.

Aras Corporation
100 Brickstone Square
Suite 100
Andover, MA 01810
Phone: 978-691-8900

E-mail: support@aras.com

Website: <https://www.aras.com/>

Notice of Rights

Copyright © 2024 by Aras Corporation and/or its affiliates. All rights reserved.

This document is protected by U.S. and international copyright laws and conventions. No copyright may be obscured or removed from this document. This document may not be modified or altered, or reproduced or transmitted in any form, without the explicit permission of the copyright holder.

Aras Innovator, Aras, and the Aras Corp "A" logo are registered trademarks of Aras Corporation in the United States and other countries.

All other trademarks referenced herein are the property of their respective owners.

Notice of Liability

THIS DOCUMENT IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY, AND THE CONTENTS HEREOF ARE SUBJECT TO CHANGE WITHOUT NOTICE. THE INFORMATION CONTAINED IN THIS DOCUMENT IS DISTRIBUTED ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE OR A WARRANTY OF NON-INFRINGEMENT. ARAS SHALL HAVE NO LIABILITY TO ANY PERSON OR ENTITY WITH RESPECT TO ANY LOSS OR DAMAGE CAUSED OR ALLEGED TO BE CAUSED DIRECTLY OR INDIRECTLY BY THE INFORMATION CONTAINED IN THIS DOCUMENT OR BY THE SOFTWARE OR HARDWARE PRODUCTS DESCRIBED HEREIN.

Table of Contents

Send Us Your Comments 4

1 Overview 5

2 Prerequisites 6

3 Installing Watermarking 7

 3.1 Updating ConversionServerConfig 7

 3.2 Required Settings..... 7

4 Importing Sample Setup..... 15

 4.1 Importing Metadata 15

 4.2 Loading Data 16

 4.3 Testing the Sample 16



Send Us Your Comments

Aras Corporation welcomes your comments and suggestions on the quality and usefulness of this document. Your input is an important part of the information used for future revisions.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where and what level of detail?
- Are the examples correct? Do you need more examples?
- What features did you like most?

If you find any errors or have any other suggestions for improvement, indicate the document title, and the chapter, section, and page number (if available).

You can send comments to us in the following ways:

Email:

TechDocs@aras.com

Subject: Aras Product Documentation

Or,

Postal service:

Aras Corporation
100 Brickstone Square
Suite 100
Andover, MA 01810
Attention: Aras Technical Documentation

If you would like a reply, provide your name, email address, address, and telephone number.

If you have usage issues with the software, visit <https://www.aras.com/support/>

1 Overview

The PDF Watermarking feature provides the ability to officially mark PDF documents with information such as Life Cycle State (Released, Superseded, etc.).

Watermarking is triggered automatically during Life Cycle promotions, based on rules and templates defined by the administrator. This guide explains the setup required to activate the PDF Watermarking feature and guides the administrator through a sample PDF Watermarking setup.

2 Prerequisites

Before proceeding, you need to install a Conversion Server and ensure that you meet the additional prerequisites. For instructions on installing a Conversion Server, see the *Aras Innovator 33 - Conversion Server Setup Guide*.

You will also need to install Aras PDF Viewer. For instructions on installing Aras PDF Viewer, see Section 2.2 of the *Aras Innovator 33 - Visual Collaboration Administrator Guide*.

3 Installing Watermarking

Before proceeding, make sure the following components are installed:

- Aras Innovator
- Aras Conversion Server
- Aras PDF Viewer

3.1 Updating ConversionServerConfig

The PDF Watermarking feature requires the Conversion Server in order to run. For information on setting up the Conversion Server, see the *Aras Innovator 33 - Conversion Server Setup Guide*.

You must install The Microsoft Visual C++ 2010, 2012, 2013, and 2015 Redistributable Packages on the Conversion Server in order to run the Aras Innovator CAD to PDF Converter. The links to these downloads can be found at the latest supported Microsoft Visual C++ packages:

- **Microsoft Visual C++ 2010, 2012, 2013, and 2015 Redistributable Packages (x64)**
<https://support.microsoft.com/en-us/help/2977003/the-latest-supported-visual-c-downloads>

After the Conversion Server is installed and set up, edit the `ConversionServerConfig.xml` file as follows:

1. Navigate to the root of Conversion Server installation and open the `ConversionServerConfig.xml` file for editing.
1. Add the following line within the `Converters` tag.:

```
<Converter name="PDF.Watermarking"
type="Aras.PDF.Watermarking.PdfWatermarkConverter, Aras.PDF.Watermarking" />
```

2. Save and close the `ConversionServerConfig.xml` file.

3.2 Required Settings

To set up PDF Watermarking, the following Items will need to be created according to the needs of your system.

1. Log into Aras Innovator and go to TOC --> **Administration** --> **Watermarking** --> **Watermark Types**. The menu shown in Figure 2 appears.





Figure 1.

2. Click **Create New Watermark Type** to create a Watermark Type with the **wm_CreatePDFWatermarkingTasks** Conversion Task Method.



The screenshot shows a web-based configuration window titled "PDF WM Type". The window has a header bar with a tab labeled "PDF WM Type" and a toolbar containing buttons for "Edit", "Refresh", "Undo", "Share", "List", "Details", and a menu icon. Below the header, there is a section titled "Watermark Type" with a chevron icon. This section contains three fields: "Name" with the value "PDF WM Type", "Conversion Task Method" with the value "wm_CreatePDFWatermarkingTasks", and "Description" with an empty text area.

Figure 2.

3. Create a new Watermark Set using the recently created Watermark Type.

The **Event Context** property should be set to **OnAfterPromote** for the default Watermark Set.

Watermark Set 1

Watermark Set 1

Save

Done

Delete

^ Watermark Set

Name

Watermark Type

Event Context

Description

^ Template Collections

Watermark Configurations

Type	Name ↑	Description	Watermark C...
------	--------	-------------	----------------

Figure 3.

4. Create the PDF Collections for the appropriate Watermark Context.
 - a. **Name:** sets the name for the Collection.
 - b. **Watermark Context:** identifies the Context for the Watermark.
 - c. **Description:** provides a description for internal reference.
 - d. **Template File:** PDF file that contains the desired watermark.
 - e. **Placement Option:** sets overlay or underlay layer.
 - f. **Placement Order:** sets the order of the files, in the case more than one is used for the same layer.
 - g. **Pages On:** sets pages where the watermark should apply.

The screenshot shows the 'DocWMConf InReview' window. The 'PDF Collection' tab is active, showing fields for Name, Watermark Context, and Description. The 'PDF Templates' tab is also visible, showing a table of templates.

Template File [...]	Placement O...	Placement Or...	Pages On
WM_In_Review.pdf	Underlay	1	All Pages

Figure 4.

5. Create a Watermark Rule for your ItemType using the Watermark Set created in step 3.




Figure 5.

6. Add a Methods Relationship to your Rule using the following:
- a. **Watermark Type:** the Watermark Type created in step 2.
 - b. **Watermark Content Lookup:** the `wmdt_GetPDFWMContent` Method:
 - i. This Method works with the **Document File** relationship.
 - ii. To use an ItemType other than **Document File**, the `wm_SourceLookupTemplate` Method can be used as a template for developing a custom Method.
 - c. **Watermark Configuration Lookup:** the `wm_GetWMConfiguration` Method:
 - d. **Set Watermark Content:** `wmdt_UpdatePDFWMContent` Method.
 - i. This Method works with the **Document File** relationship.
 - ii. To use an ItemType other than **Document File**, the `wm_SourceUpdateTemplate` Method can be used as a template for developing a custom Method.




Figure 6.

7. Add the **State** Relationships from the ItemType where the Watermark Rule should apply.

Document WM ...

Document WM Rule

Save

Done

Discard

Watermark Rule

Name

Document WM Rule

ItemType

Document

Default Watermark Set

Document WM Set

Methods

States

Life Cycle States

Hidden

	Name ↑	X	Y	Relea...	Locka...	Image...	Item Behavior	Workflow [...]	History Temp...	State Permis...
	In Change	589	140	☒	☐		Float			
	In Review	220	140	☐	☐		Float			In Review Doc...

Figure 7.

©2024 Aras Corporation All Copyrights Reserved.

13

8. Add PDF Collections created in Step 4 to the Watermark Set created in Step 3.

Document WM ...

Document WM Set

Edit

Watermark Set

Name

Document WM Set

Watermark Type

PDF WM Type

Event Context

onAfterPromote

Description

Template Collections

Watermark Configurations

Hidden

	Type	Name ↑	Description	Watermark C...
	PDF Collection	DocWMConf InReview		In Review
	PDF Collection	DocWMConf InChange		In Change

Figure 8.

4 Importing Sample Setup

For testing the PDF Watermarking application, there is a PDF Watermarking Sample package available. This sample package is designed to let end-users experiment with Watermarking operations.

Warning This Sample is intended to be used with Out of the Box databases *only*. It makes changes to the Identity structure, creates sample Documents, and uploads files. It should not be applied in a production environment.

4.1 Importing Metadata

The following process imports metadata required for the Watermarking Sample. It includes sample Watermarking configurations.

1. Enable the **Super User** login to perform this step.
2. Go to the `\PackageImportExportUtilities\Import\` folder in the Aras Innovator CD Image and run the `Import.exe` file.




Figure 9.

3. Input the connection information
 - a. **Server:** a connection URL for Aras Innovator
 - b. **Database:** a target Aras Innovator 33 database
 - c. **Username:** root
 - d. **Password:** a password for the **root** login; the default is **innovator**
 - e. **Target Release = 27**
 - f. **Description:** Watermarking Sample Settings

- g.
 - h. **Manifest File Path:** a manifest is found in the unzipped `Imports\imports.mf` patch folder
 - i. **Available for Import:** `SampleWatermarking`
 - j. **Type:** Merge
 - k. **Mode:** Thorough Mode
4. Click **Import** to start the utility.

4.2 Loading Data

The following process loads sample data, including sample files, into the database by running BAT scripts:

1. Copy the **WMBatch** folder into the **C:\temp** directory.

Note: The **C:\temp\WMBatch** directory is hardcoded into the scripts.

2. Edit the **Tools\config.xml** file to specify the correct Aras Innovator URL, Database, and login credentials:

```
<BatchLoader>
  <server>http://localhost/InnovatorServer</server>
  <db>InnovatorSolutions</db>
  <user>root</user>
  <password>innovator</password>
  <delimiter>\t</delimiter>
  <max_processes>1</max_processes>
  <threads>1</threads>
  <lines_per_process>250</lines_per_process>
  <encoding>utf-8</encoding>
  <first_row>1</first_row>
  <log_level>3</log_level>
</BatchLoader>
```

3. Run the **002-Documents.bat** file.
4. Run the **003-WM.bat** file.

4.3 Testing the Sample

The following process describes a basic test for the Sample Watermarking process:

1. Log into Aras Innovator as **admin**.
2. Go to TOC --> **Documents** --> **Documents**.
3. Run a search for a PDF Watermark Document.
4. Right-click the PDF Watermark Document and click **Add Item to Change**.
5. Create a new Express DCO without closing it.
6. In the **Signoffs** tab, use the **VOTE NOW** options, and move the Document to **Initial Review**.
7. Navigate back to the PDF Watermark Document to view the watermark on the file.

If any part of this process fails, you may contact Aras Support for assistance at support@aras.com.