



Release Notes

Dassault Systèmes SOLIDWORKS integration
for
Aras Innovator

Valid for product version: 4.6.1

Published: 01.09.2025 | Build: 1096 | Revision: 0c66fd23a

XPLM Solution GmbH

Altmarkt-Galerie

Altmarkt 25

01067 Dresden

Office: +49 351 82658-0

Fax: +49 351 82658-88

Web: www.xplm.com

Legal information

Non-disclosure

The information in this document is to be treated confidentially.

Licensing

XPLM Solution GmbH (XPLM) does not issue licenses for the software components to be integrated. These licenses must be obtained from the respective software manufacturer. To license the integration software from XPLM, a software usage and maintenance contract must be concluded.

Support

In the event of problems with the integration software, access the XPLM Support Portal at <https://support.xplm.com> and file a ticket. If you don't have an account yet, write to support@xplm.com.

Feedback

If you discover any errors or inconsistencies in this documentation, write to documentation@xplm.com and let us know what we can improve.

Handling personal data

Against the background of the EU General Data Protection Regulation (GDPR), XPLM informs about the processing of personal data in its contracts and privacy policies. The extent to which XPLM comes into contact with personal data from the customer environment while providing services depends on the customer's IT systems and the data transmitted to XPLM. XPLM is generally not interested in gaining access to personal data from the customer environment. If this cannot be avoided, the customer is responsible for such personal data and must enter into a GDPR-compliant data processing agreement with XPLM.

Information exchange: The integration software exchanges information between the systems involved in the form of attributes. What is contained in these attributes is left to the customer's definition. For ECAD integrations, the exchanged attribute information is saved in the file `metadata.xml` in the configured project directory or directly in the project files.

For other integrations, the exchanged attribute information is saved in files or objects of the source system.

Log files: To record activities of integration functions, the integration software stores log files on the computer on which it is installed. These log files can also contain information from Windows environment variables, for example the user and computer name. For ECAD integrations, log files are stored in the directory `%TEMP%\integrate` by default. This directory can be deleted, but new log files will be created when the integration software is used again. For other integrations, logging is deactivated by default. Activation, protocol level and storage location must be set up in advance. Directories with log files can be deleted, but new log files will be created when the integration software is used again.

Support tickets: When submitting a support ticket in the event of problems with the integration software, information such as first and last name, email address, etc. can be transmitted to XPLM support. For more information on this topic, see *Legal Notices > Privacy Policy* in the support portal.

Other policies: XPLM also refers to the privacy policies of the software manufacturers involved for the handling of personal data in their systems.

Table of Contents

Recommendations..... 4

What's new in this release.....5

Version 4.6.1..... 5

Version 4.6.0..... 5

Platform matrix for Aras Innovator integrations.....9

Recommendations

Install and test this new version in a development environment before using it in production. The development environment should match the production environment as closely as possible to achieve accurate test results. Any issues or open questions found during testing should be resolved before going to production.

When upgrading an existing integration, make sure that the customer-specific modifications are carefully transferred to the new version. An incomplete upgrade with an incorrect configuration or customization can result in unexpected or deviating behavior, up to and including complete loss of functionality.



XPLM strongly recommends including upgrade services to transfer the existing customer-specific modifications successfully to the new integration version. Contact <https://support.xplm.com> for an offer.

What's new in this release

Version 4.6.1

New features and improvements

Common

- New version support:
 - 0019559: Support of PTC Creo Elements/Direct Modeling 20.8
- 0019496: Viewable files will be removed from copied CAD documents now

PTC Creo Parametric

- 0019398: Added support for avoiding running BOM-Update on Non-Master-Representation
- 0019476: Added support for IFX / AFX part handling

Fixed issues

PTC Creo Parametric

- 0016230: Fixed issue renaming standard parts during save

Version 4.6.0

New features and improvements

Common

- New version support:
 - 0018958: Support of Aras Innovator 34
 - 0019312: Support of Aras Innovator 35
 - 0019116: Support of Autodesk AutoCAD 2026
 - 0019122: Support of Autodesk Inventor 2026
 - 0019128: Support of Catia V5 2025 (R35)
 - 0019134: Support of Creo Parametric 12.4
- 0015457: Load handling process has been improved for assemblies containing components of different generations
- 0018864: Changed the functionality of **Unlock On Save** and user interface of the *Save dialog*
- 0019075: The integration Installer no longer shows the Aras Innovator version to be installed. It is always the latest available IOM version
- 0019097: Added the ability to regain a feature license if it was timed out by the server
- 0019326: Added a new tab in the *Info dialog* that displays information about current licenses. The default setting for license expiration notification pop up is deactivated (set to 0). The value represents days before expiration. This feature will remain deactivated until the next version release

Dassault Systèmes Catia V5

- 0015276: Improved performance by saving the CGRs of CATParts to Innovator and storing them in the Catia V5 Cache during load
- 0018731: Resolved exceptions caused by Catia V4 models during Save, Update Properties and BOM handling
- 0018968: Enhance BOM functionality with new BOM Conditions (0 = exclude, 1 = default, 2 = flexible, 3 = auxiliary) in order to support multiple CAD Documents on single Parts

PTC Creo Parametric

- 0018599: Enhanced the **Synchronize Part Library** function to only download new and modified parts since the last sync, rather than downloading all parts

- 0019243: Standardized UserExits PostAction Create and ChangeDocument behaviour. The PLM data is now accessible through the XPlmCollaboration Structure with corresponding improvements to renaming functionality
- 0019352: Added option to start non-install Creo Parametric version
- 0019477: Introduce UserExit `PostAction_SaveTraverseModel1` to support recognition and processing of Creo Parametric Intelligent Fasteners (IFX)

Dassault Systèmes SOLIDWORKS

- 0017335: Introduced **Replace by latest** function to the context menu of the *Save dialog*, SOLIDWORKS feature tree and *XPLM Edge Bar*. This function allows you to replace selected components in SOLIDWORKS with newer versions from Innovator
- 0018954: Silent connect method
 - Introduced new method `arasConnectSilent` which enables connection to Innovator without a dialog
 - Introduced new structure `ErrorInformation` in method output of the following methods: `arasConnectSilent`, `arasDisconnect`, `arasLoadFromExtern`, `arasLockItemTree2`, `arasSaveDefault`, `arasSaveSession` and `arasUnlockItemTree2`
 - `ErrorInformation` structure contains two fields: `Error` (True when an error occurred / False when no error occurred) and `ErrorMessage` (Message of the error / String.Empty when no error occurred)
- 0018599: Enhanced the **Synchronize Part Library** function to only download new and modified parts since the last sync, rather than downloading all parts

Siemens NX

- 0019045: Enhanced support for opening files in separate tabs to include silent session files (files already loaded in session but without visible windows)
- 0019243: Standardized UserExits PostAction Create and ChangeDocument behaviour. The PLM data is now accessible through the XPlmCollaboration Structure with corresponding improvements to renaming functionality
- 0019393: Introduced new option `ShowTraverseProgressDialog` switch in `ITraverseOption->Filter`. This field allows enabling (1) and disabling (0) the progress dialogs during `TraverseModel12` calls and is not required to be present in the filter configuration
- 0019459: Added support for direct call of external Script Engines for CAD-Event-Handling

PTC Creo Elements/Direct Drafting

- 0019298: Introduced new LISP method to perform a silent load action for SolidDesigner data stored in Innovator

Fixed issues

Common

- 0018714: Fixed an issue with function `ArasUnlockItemsOnExit` and it now works reliably for all CAD Documents claimed in the current CAD session, which are not already locked in Innovator before loading to CAD
- 0019010: Fixed an error that occurred when several drawings were attached to the same part. The connector now allows multiple drawings to be attached to the same 3D model
- 0019058/ 0019018: Resolved inconsistency in CAD Document Number assignment for CAD drawings during **Create** and **Copy** functions in the standard system. A leading zero is now added to the suffix of the CAD Document Number starting from `_00`
- 0019030: Introduced new list entries for the list `cax_structures` to enable predefined target locations for Property Mapping in Innovator based mapping configurations
- 0019056: Fixed an issue where mapping to xProperties (Extended Properties) of ItemType Part in Innovator did not function correctly. xProperties can now be set in BOM
- 0019151: Resolved an issue where icons were missing in the AML package for Innovator-based configuration options
- 0019351: The Conversion server now uses the temporary directory reliably for checking out files and generating viewables

- 0019514: Added the possibility to deactivate the `DisableOldGenerationsOnLoad` feature

PTC Creo Parametric

- 0016230: Fixed an issue where released parts in an assembly were identified as modified
- 0016481: Fixed an issue where function **Load Related Instances** executed on a generic model, loaded more files than its actual instances. Now only the instances of the activated generic model are loaded
- 0016878: You can now Check in newly generated XPR/XAS- files existing in the working directory after making changes to family tables (FOA/FOP)
- 0017384: Bitmap creation and upload to CAD Document can be enabled or disabled in `config.pro` file
- 0018658: Added support for Creo Parametric Active Window on every integration function call
- 0019268: Resolved an issue where Family table members were not consistently displayed as modified. Updated default value of option `save_instance_accelerator` to `none` in `config.pro` file
- 0019391: Creo Parametric members always show as modified when Creo Parametric Accelerator Files (XPR/XAS) are managed via the connector in Innovator

Dassault Systèmes Catia V5

- 0019435: Resolved an issue where copying a CATProduct with two occurrences of the same CATPart resulted in error message
- 0019485: Fixed an issue where exception message was thrown when **Update BOM** function was executed on model with Part links (CCP links) in Catia V5

Dassault Systèmes SOLIDWORKS

- 0018515: Resolved error handling issue when closing assemblies by adding proper error catching in `CheckForLock` when active CAD model is missing
- 0018944: Resolved performance issues associated with the connector by fixing event cascades
- 0018964: Fixed an issue where **Update Properties (Structure)** function would throw an error on suppressed components within an assembly. The process is now modified to skip `ActiveConfigurationProperties` feature for models that are not open in CAD, as this operation is not possible on closed models, thus preventing the exception from occurring
- 0019078: Fixed an issue where the incorrect quantity was displayed on the *BOM dialog* if the CAD model is marked as shared part
- 0019082: Fixed an issue with `RenameOnSave` feature where if you select option to close all open models for rename on save, new models not saved locally would be lost. The connector now saves the new models locally then reopens them after rename on save
- 0019095: Fixed an issue where saving a 3D model with external references to its assembly could corrupt the structure by improving the Save reference behaviour of the connector
- 0019233: Fixed an issue where clicking the **Refresh** button on the *XPLM Edge Bar* resulted in error or caused the CAD to crash
- 0019328: Fixed an issue where SOLIDWORKS ScriptEngine failed with a silent error when logging was disabled. Logging can now be completely disabled
- 0019332: The Conversion server now uses the temporary directory reliably for checking out files and generating viewables

Siemens Solid Edge

- 0017850: Fixed an issue in Solid Edge batch process where excessive message boxes were displayed. These messages are now properly suppressed

Siemens NX

- 0018976: Added support for creation of member files on disk using the **Create Member Number** context menu function in *Save Family Table Preview*, even when renaming is not performed
- 0018994: Enhanced performance of `ReplaceComponent` functions. On load, the opened files now open in separate tabs instead of replacing the current work part/display part

- 0019019: Fixed an issue where **Create Part and BOM** function did not work properly for models with custom properties
- 0019037: Fixed an issue where copying a 3D model with its drawings would throw an error and cancel the copy process
- 0019311: Added a new option for **Load related** functions to suppress Load-progress and Load Preview dialogs and messaging for improved performance
- 0019451: Fixed an issue that could result in data loss when saving assemblies with missing parts. The traversal logic has been enhanced to handle missing part files below level 1 when `NXIgnoreMissingParts` is set to `false` in `NXConnector.xml`
- 0019508: Fixed mapping issue for save actions `CREATE_3D` and `UPDATE` for Innovator-based mapping

Platform matrix for Aras Innovator integrations

The version support listed here is only valid when using the latest integration version. If you have a request for a version not listed, access <https://support.xplm.com> and file a ticket. If you don't have an account yet, write to support@xplm.com.

Application version support

- Official support: The version is supported by the latest integration. Issues are fixed immediately.
- Limited support: The version is generally supported by the latest integration, but has not been explicitly tested. Issues are fixed only if they occur in the official versions.

Release stage

If listed, the following definitions apply. If no information is given about the release stage for an integration, it is classified as GA by default.

- GA (General Availability): The integration is fully developed, thoroughly tested, and officially released.
- LA (Limited Availability): The integration is technically mature but not fully developed and tested.
- SA (Service Availability): The integration is only available as a project solution.

Windows support

Unless otherwise specified, all integrations support Microsoft Windows 10/11 (x64).

MCAD domain

Latest integration version and release date: 4.6.1 | 08/2025

Name	Official support	Limited support
Aras Innovator ¹	14-35+	12 SP0-18
Autodesk AutoCAD Autodesk AutoCAD Mechanical	2023-26	2016-22
Autodesk Inventor	2023-26	2018-22
Dassault Systèmes Catia V5	2022-25	2012/16/18-21
Dassault Systèmes SOLIDWORKS	2022-25	2016-21
PTC Creo Parametric	9.0-11.0/12.4	2.0-8.0
PTC Creo Elements/Direct Modeling	20.0-1/20.6-20.8	18-19/20.2-5
Siemens NX	2306/2312/2406/2412	10.0-12.0 1847/72/99 1926/53/80 2007 2206/2212
Siemens Solid Edge	2022-25	ST9-10 2019-21

ECAD domain

Latest integration version and release date: 2.3.3 | 04/2025

Name	Official support	Limited support	Release stage
Aras Innovator ¹	12 SP0-18 14-34	–	All
Altium Designer Standard	23-25	21-22	GA
Autodesk AutoCAD Electrical	2023-24	2022	LA
AUCOTEC Engineering Base	2023-24	2022	LA
Cadence Allegro HDL	23.1/24.1	17.4/22.1	GA
Cadence Allegro System Capture	23.1/24.1	–	LA
Cadence OrCAD CIS/CIP	23.1/24.1	17.4/22.1	GA
EPLAN Electric P8/Fluid/Pro Panel	2023-25	2.9/2022	GA
EPLAN Harness proD	2024-25	–	LA
Pulsonix	12.5/13.0.1	–	GA
Siemens PADS Standard			GA
Siemens PADS Standard Plus			GA
Siemens PADS Professional			GA
Siemens Xpedition Enterprise			GA
Siemens Xpedition EDM			GA
Electrical ²	–	–	SA
Electronic ²	–	–	SA

PLM domain

Latest integration version and release date: n/a | n/a

Name	Official support	Limited support
Aras Innovator ¹	12 SP0-18 14-31	11 SP9-15
SAP PLM	HANA (Cloud only)	–

Configuration Management domain

Latest integration version and release date: 4.5.0 | 03/2025

Name	Official support	Limited support
Aras Innovator ¹	12 SP0-18 14-31	11 SP9-15
Modular Management PALMA	API 1.3.6+	–

Document Management domain

Latest integration version and release date: 1.0.0 | 09/2024

Name	Official support	Limited support
Aras Innovator ¹	12 SP0-18 14-31	11 SP9-15
Google Workspace	Business and Enterprise editions	–

Requirements domain

Latest integration version and release date: 4.6.0 | 06/2025

Name	Official support	Limited support
Aras Innovator ¹	14-35	–
IBM Engineering Requirements Management DOORS Next	7.0.2-3	6.0.6

Systems Engineering domain

Latest integration version and release date:

- Dassault Systèmes Cameo Systems Modeler: 4.6.0 | 04/2025
- Sparx Systems Enterprise Architect: n/a | n/a

Name	Official support	Limited support
Aras Innovator ¹	12 SP0-18 14-34	11 SP9-15
Dassault Systèmes Cameo Systems Modeler	2021x Refresh 1+2 2022x Refresh 1+2 2024x Refresh 1+2	19.0 SP4
Sparx Systems Enterprise Architect	15.2+	–

¹ Starting with Aras Innovator 35, the universal IOM.dll is used, which is generally upward compatible.

² This integration does not include a specific ECAD connector and can be used for a variety of exotic implementations.