

CANCER CONDITIONS GUIDE

FOR INDIVIDUAL LIFE AND CRITICAL ILLNESS BENEFIT

Sun Life of Canada (Philippines) Inc.

October 1, 2019

Listed below are cancers that most often cause a rated, decline or postpone decision. For other types of cancers that are not included in this list, contact an underwriter. The condition will be assessed depending on the pathology, type and size of tumor.

The underwriting decision is based on the pathology and follow-up reports, which classify the tumor and confirm any recurrence. The decision can range from standard to decline, depending on the type and stage of the cancer. If we are able to make a rated offer, we may use a permanent rating together with a temporary rating or just a temporary rating. A temporary rating is an extra premium that is charged for a specified number of years. After the specified period of time is up, we will automatically stop charging the extra premium.

Generally speaking, we are unable to offer insurance if the cancer has recurred or spread to other parts of the body.

Medical condition	Potential underwriting decision for individual life coverage	Potential underwriting decision for critical illness coverage	Potential underwriting decision for staged products (Sun Fit and Well)
A			
Anal cancer			
Stage 0 or "in-situ", surgery or treatment completed	Individual consideration	Decline	Decline
Other stages, treatment completed within 2 years	Decline	Decline	Decline
Other stages, surgery or treatment completed over 2 years ago	Individual consideration	Decline	Decline
B			
Bladder cancer			
If the surgery or treatment was completed:			
Within the last year	Decline	Decline	Individual consideration
More than 1 year ago	Individual consideration	Decline	Individual consideration
Bone, joint, tendon or muscle			
Bone metastases (cancer that spread from another location)	Decline	Decline	Decline
Others, if the surgery or treatment was completed			
- Less than 5 years ago	Postpone	Postpone	Decline

○ More than 5 years ago	Individual consideration	Individual consideration	Decline
Brain cancer			
• Treated within 5 years	Decline	Decline	Decline
• Treated, in complete remission, 5 years and up	Rated to Decline	Decline	Decline
Breast Cancer			
If the surgery or treatment was completed:			
• Less than 1 year ago	Decline	Decline	Individual consideration
• Others, depending on pathology, type and size of tumor	Rated to Decline	Decline	Individual consideration
• Family history only:			
○ Affected family member, age 65 and over	Standard	Individual consideration	Individual consideration
○ Others	Individual consideration	Individual consideration	Individual consideration
C			
Cervical cancer, treatment completed	Individual consideration	Individual consideration	Individual consideration
Colon and rectal cancer			
If the surgery or treatment was completed:			
• Within the last year	Decline	Decline	Decline
• More than 1 year ago	Individual consideration	Decline	Individual consideration
• Family history only:			Individual consideration
Affected family member, age 65 and over	Standard	Individual consideration	Individual consideration
Others	Individual consideration	Individual consideration	Individual consideration
E			
Esophageal Cancer			
If the surgery or treatment was completed:			
• Less than 5 years ago	Decline	Decline	Decline
• More than 5 years ago	Individual consideration	Decline	Decline
H			
Hodgkin's disease			
• If age 40 or older and onset within last 2 years	Decline	Decline	Decline
• If less than age 40 and onset within a	Decline	Decline	Decline

year			
• Others	Individual consideration	Decline	Decline
K			
Kaposi's sarcoma			
• If associated with HIV infection or immunosuppressive therapy	Decline	Decline	Decline
• If treatment was completed less than 3 years ago	Decline	Decline	Decline
• Others	Individual consideration	Decline	Individual consideration
Kidney cancer			
If the surgery or treatment was completed:			
• Less than 2 years ago	Postpone	Postpone	Decline
• More than 2 years ago	Individual consideration	Individual consideration	Decline
L			
Leukemia, acute lymphoblastic (ALL)			
• Current age less than 20	Postpone	Decline	Decline
• Within 10 years of last treatment and complete recovery	Postpone	Decline	Decline
• Others	Individual consideration	Decline	Decline
Leukemia, chronic lymphocytic (CLL)			
• Diagnosis before age 60	Decline	Decline	Decline
• Age 60 and up, within 1 year of diagnosis	Postpone	Decline	Decline
• Age 60 and up, disease stable for at least 1 year	Individual consideration	Decline	Decline
Liver cancer	Decline	Decline	Decline
Lung cancer			
• If still smoking	Postpone	Decline	Decline
• If surgery or treatment completed less than 5 years ago	Postpone	Decline	Decline
• If surgery or treatment completed more than 5 years ago	Individual consideration	Decline	Decline
Lymphoma, Non-Hodgkin's			
If the surgery or treatment was completed:			
• Within the past 3 years	Postpone	Decline	Decline

• More than 3 years ago	Individual Consideration	Decline	Decline
M			
Mouth	See throat cancer	See throat cancer	See throat cancer
Multiple myeloma	Decline	Decline	Decline
O			
Ovarian Cancer			
• If surgery or treatment completed within the last year	Individual consideration	Decline	Individual consideration
• If surgery or treatment completed more than 1 year ago	Individual consideration	Decline	Individual consideration
• Borderline ovarian cancer, surgery or treatment completed	Decline	Decline	Individual consideration
P			
Pancreatic cancer (adenocarcinoma)	Individual consideration	Decline	Decline
If the surgery or treatment was completed			
• Less than 5 years ago	Decline	Decline	Decline
• More than 5 years ago	Individual consideration	Decline	Decline
Prostate cancer			
If the surgery or treatment was completed:			
• Stage A (T1a or T1b), within the last year	Postpone	Decline	Postpone
• Others, within 1 year	Individual consideration	Decline	Postpone
• Others, more than 1 year ago	Individual consideration	Decline	Individual consideration
R			
Rectal	Decline	Decline	Individual consideration
S			
Skin cancer			
• Malignant melanoma	Individual consideration	Decline	Individual consideration
• Basal cell carcinoma	Individual consideration	Decline	Individual consideration
Stomach cancer			
If the surgery or treatment was completed:			Individual consideration
• Within 5 years	Decline	Decline	Postpone
• More than 5 years	Individual consideration	Decline	Postpone
T			
Testicular cancer			
If the surgery or treatment was completed:			
• Stage I or stage IIA and within 1 year	Individual consideration	Individual consideration	Postpone
• Other stages, within	Individual	Individual	Postpone

1 year	consideration	consideration	
• Other stages, 1 year up	Individual consideration	Individual consideration	Postpone
Throat, tonsil, pharynx, nasopharynx, mouth and tongue cancer			
• Ongoing tobacco use	Decline	Decline	Decline
• Stage 0 or “in-situ”, surgery or treatment completed within 1 year	Postpone	Decline	Decline
• Stage 0 or “in-situ”, surgery or treatment completed over 1 year ago	Individual consideration	Decline	Decline
• Other stages, treatment completed within 3 years	Decline	Decline	Decline
• Other stages, surgery or treatment completed over 3 years ago	Individual consideration	Decline	Decline
Thyroid cancer			
If the surgery or treatment was completed:			
• Stage I and within 1 year		Decline	Postponed
• Other stages, within 1 year		Decline	Individual consideration
• Other stages, 1 year up		Decline	Individual consideration
U			
Uterine cancer, surgically treated	Individual consideration	Decline	Decline