

# SNCF Dijon Kirow crane

## The large brick model

5,753 elements · 107 steps

Crane and base track: 4822 · Transport additions: 931



## Digital model guide

This guide describes a digital model. It does not certify connections, strength or movements in a physical build. Model images are renders of the 3D scene, not photographs of an assembled prototype.

Created by Nicolas Pieper · [NicolasPieper.com](https://NicolasPieper.com)

[Open the 3D model and current files](#)

Independent, unofficial concept. LEGO, SNCF and Kirow remain trademarks of their respective owners; no endorsement is claimed.

# Before you begin

Each image shows the model at the end of the step. Its table lists only the parts added during that step. Colors are also named in the table. Use the website's 3D model to inspect other viewpoints.

This guide describes a digital model. It does not certify connections, strength or movements in a physical build. Model images are renders of the 3D scene, not photographs of an assembled prototype.

Digital study based on public photographs. Approximate 1:20 scale based on an 88-stud chassis. Parts retain their real dimensions; connections, slides, actuators, cable and stability have not been tested with a physical prototype. The black window panels are opaque, matching the catalogue variant used. Markings are custom graphics. The display track and both accompanying wagons are included in the complete inventory. The visible cable is an unlisted simulation guide.

The display track is included in the inventory. The simulation cable and custom graphics do not represent additional part references.

Quantities are calculated from this version's pieces and include the track. Catalogue references do not guarantee stock, price or mechanical compatibility. This inventory is not a validated shopping list.

References and colors checked on 2026-09-12.

Independent, unofficial concept. LEGO, SNCF and Kirow remain trademarks of their respective owners; no endorsement is claimed.

# Two modes, one inventory

**Crane and base track : 4822 elements**

**Two wagons and track extensions : 931 elements**

**Complete inventory : 5753 elements**

Working mode shows the crane on its base track, with lifting movements. Transport mode shows the folded boom resting on its support wagon and both accompanying wagons. Transport assembly starts at step 78.

The crane's counterweight moves onto the rear wagon in transport mode. Its pieces are counted only once, in the crane section. The wagon's load beds, frame and chocks are separate additional elements.

The dark cab panels use black 1 × 2 tiles (3069). These parts are opaque. Their appearance does not represent a transparent glazing color variant.


Quantities are calculated from this version's pieces and include the track. Catalogue references do not guarantee stock, price or mechanical compatibility. This inventory is not a validated shopping list.

[Open the 3D model and current files](#)

# Step 01 / 107 · Track sleepers

Arrange black sleepers across 112 studs. This display track is built from plates.

84 elements · 84 cumulative elements




## Added parts

| Exact reference | Part and color · Step 1 | Qty |
|-----------------|-------------------------|-----|
| 3020            | Plate 2 × 4<br>Black    | 84  |

# Step 02 / 107 · Rail beds

Positions belong to the digital model. Connections still require a physical prototype.

56 elements · 140 cumulative elements




## Added parts

| Exact reference | Part and color · Step 2 | Qty |
|-----------------|-------------------------|-----|
| 3710            | Plate 1 × 4<br>Black    | 56  |

# Step 03 / 107 · Rail surfaces

Positions belong to the digital model. Connections still require a physical prototype.

56 elements · 196 cumulative elements




## Added parts

| Exact reference | Part and color · Step 3        | Qty |
|-----------------|--------------------------------|-----|
| 2431            | Tile 1 × 4<br>Dark Bluish Gray | 56  |

# Step 04 / 107 · Track fastenings

Positions belong to the digital model. Connections still require a physical prototype.

56 elements · 252 cumulative elements




## Added parts

| Exact reference | Part and color · Step 4                     | Qty |
|-----------------|---------------------------------------------|-----|
| 15712           | Modified tile 1 × 1 with open clip<br>Black | 56  |

# Step 05 / 107 · Front axles

Four axles per bogie. Wheels 56908 and flanges 11213 are referenced parts; their combination remains experimental.

12 elements · 264 cumulative elements




## Added parts

| Exact reference | Part and color · Step 5                | Qty |
|-----------------|----------------------------------------|-----|
| 50451           | Technic axle 16L<br>Black              | 4   |
| 56908           | Technic wheel 43.2 mm × 26 mm<br>Black | 8   |

# Step 06 / 107 · Front wheel flanges

Positions belong to the digital model. Connections still require a physical prototype.

8 elements · 272 cumulative elements




## Added parts

| Exact reference | Part and color · Step 6                            | Qty |
|-----------------|----------------------------------------------------|-----|
| 11213           | Round plate 6 × 6 with hole and snap stud<br>Black | 8   |

# Step 07 / 107 · Front axle boxes

Positions belong to the digital model. Connections still require a physical prototype.

32 elements · 304 cumulative elements




## Added parts

| Exact reference | Part and color · Step 7                   | Qty |
|-----------------|-------------------------------------------|-----|
| 3031            | Plate 4 × 4<br>Dark Bluish Gray           | 16  |
| 3003            | Brick 2 × 2<br>Dark Bluish Gray           | 8   |
| 3941            | Round brick 2 × 2 with axle hole<br>Black | 8   |

# Step 08 / 107 · Front bogie frame

Positions belong to the digital model. Connections still require a physical prototype.

40 elements · 344 cumulative elements




## Added parts

| Exact reference | Part and color · Step 8         | Qty |
|-----------------|---------------------------------|-----|
| 3010            | Brick 1 × 4<br>Dark Bluish Gray | 28  |
| 3031            | Plate 4 × 4<br>Black            | 12  |

# Step 09 / 107 · Front suspension

Positions belong to the digital model. Connections still require a physical prototype.

32 elements · 376 cumulative elements




## Added parts

| Exact reference       | Part and color · Step 9                       | Qty |
|-----------------------|-----------------------------------------------|-----|
| 3941                  | Round brick 2 × 2 with axle hole<br>Black     | 16  |
| 2412b<br>Catalogue ID | Grille tile 1 × 2 with bottom groove<br>Black | 16  |

# Step 10 / 107 · Front bogie cross-members

Positions belong to the digital model. Connections still require a physical prototype.

9 elements · 385 cumulative elements




## Added parts

| Exact reference | Part and color · Step 10 | Qty |
|-----------------|--------------------------|-----|
| 3001            | Brick 2 × 4<br>Black     | 9   |

# Step 11 / 107 · Rear axles

Four axles per bogie. Wheels 56908 and flanges 11213 are referenced parts; their combination remains experimental.

12 elements · 397 cumulative elements




## Added parts

| Exact reference | Part and color · Step 11               | Qty |
|-----------------|----------------------------------------|-----|
| 50451           | Technic axle 16L<br>Black              | 4   |
| 56908           | Technic wheel 43.2 mm × 26 mm<br>Black | 8   |

# Step 12 / 107 · Rear wheel flanges

Positions belong to the digital model. Connections still require a physical prototype.

8 elements · 405 cumulative elements




## Added parts

| Exact reference | Part and color · Step 12                           | Qty |
|-----------------|----------------------------------------------------|-----|
| 11213           | Round plate 6 × 6 with hole and snap stud<br>Black | 8   |

# Step 13 / 107 · Rear axle boxes

Positions belong to the digital model. Connections still require a physical prototype.

32 elements · 437 cumulative elements




## Added parts

| Exact reference | Part and color · Step 13                  | Qty |
|-----------------|-------------------------------------------|-----|
| 3031            | Plate 4 × 4<br>Dark Bluish Gray           | 16  |
| 3003            | Brick 2 × 2<br>Dark Bluish Gray           | 8   |
| 3941            | Round brick 2 × 2 with axle hole<br>Black | 8   |

# Step 14 / 107 · Rear bogie frame

Positions belong to the digital model. Connections still require a physical prototype.

40 elements · 477 cumulative elements




## Added parts

| Exact reference | Part and color · Step 14        | Qty |
|-----------------|---------------------------------|-----|
| 3010            | Brick 1 × 4<br>Dark Bluish Gray | 28  |
| 3031            | Plate 4 × 4<br>Black            | 12  |

# Step 15 / 107 · Rear suspension

Positions belong to the digital model. Connections still require a physical prototype.

32 elements · 509 cumulative elements




## Added parts

| Exact reference       | Part and color · Step 15                      | Qty |
|-----------------------|-----------------------------------------------|-----|
| 3941                  | Round brick 2 × 2 with axle hole<br>Black     | 16  |
| 2412b<br>Catalogue ID | Grille tile 1 × 2 with bottom groove<br>Black | 16  |

# Step 16 / 107 · Rear bogie cross-members

Positions belong to the digital model. Connections still require a physical prototype.

9 elements · 518 cumulative elements



## Added parts

| Exact reference | Part and color · Step 16 | Qty |
|-----------------|--------------------------|-----|
| 3001            | Brick 2 × 4<br>Black     | 9   |

# Step 17 / 107 · Lower chassis floor

Positions belong to the digital model. Connections still require a physical prototype.

176 elements · 694 cumulative elements




## Added parts

| Exact reference | Part and color · Step 17 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Black     | 176 |

# Step 18 / 107 · Transverse reinforcement

Positions belong to the digital model. Connections still require a physical prototype.

88 elements · 782 cumulative elements




## Added parts

| Exact reference | Part and color · Step 18 | Qty |
|-----------------|--------------------------|-----|
| 3001            | Brick 2 × 4<br>Black     | 88  |

# Step 19 / 107 · Main longitudinal beams

Positions belong to the digital model. Connections still require a physical prototype.

44 elements · 826 cumulative elements




## Added parts

| Exact reference | Part and color · Step 19        | Qty |
|-----------------|---------------------------------|-----|
| 3010            | Brick 1 × 4<br>Dark Bluish Gray | 44  |

# Step 20 / 107 · Cross-bonded floor

Positions belong to the digital model. Connections still require a physical prototype.

176 elements · 1002 cumulative elements




## Added parts

| Exact reference | Part and color · Step 20        | Qty |
|-----------------|---------------------------------|-----|
| 3020            | Plate 2 × 4<br>Dark Bluish Gray | 176 |

# Step 21 / 107 · Chassis walkways

Positions belong to the digital model. Connections still require a physical prototype.

176 elements · 1178 cumulative elements




## Added parts

| Exact reference | Part and color · Step 21 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Black     | 176 |

# Step 22 / 107 · Walkway edges

Positions belong to the digital model. Connections still require a physical prototype.

88 elements · 1266 cumulative elements




## Added parts

| Exact reference | Part and color · Step 22       | Qty |
|-----------------|--------------------------------|-----|
| 3710            | Plate 1 × 4<br>Black           | 44  |
| 2431            | Tile 1 × 4<br>Dark Bluish Gray | 44  |

# Step 23 / 107 · Underframe equipment boxes

Positions belong to the digital model. Connections still require a physical prototype.

72 elements · 1338 cumulative elements




## Added parts

| Exact reference | Part and color · Step 23        | Qty |
|-----------------|---------------------------------|-----|
| 3020            | Plate 2 × 4<br>Black            | 24  |
| 3001            | Brick 2 × 4<br>Dark Bluish Gray | 48  |

# Step 24 / 107 · Equipment box faces

Positions belong to the digital model. Connections still require a physical prototype.

24 elements · 1362 cumulative elements




## Added parts

| Exact reference       | Part and color · Step 24                      | Qty |
|-----------------------|-----------------------------------------------|-----|
| 2412b<br>Catalogue ID | Grille tile 1 × 2 with bottom groove<br>Black | 12  |
| 30374                 | Bar 4L<br>Black                               | 12  |

# Step 25 / 107 · End beams

Positions belong to the digital model. Connections still require a physical prototype.

32 elements · 1394 cumulative elements




## Added parts

| Exact reference | Part and color · Step 25 | Qty |
|-----------------|--------------------------|-----|
| 3003            | Brick 2 × 2<br>Yellow    | 16  |
| 3020            | Plate 2 × 4<br>Yellow    | 16  |

# Step 26 / 107 · Buffers and couplers

Positions belong to the digital model. Connections still require a physical prototype.

12 elements · 1406 cumulative elements




## Added parts

| Exact reference | Part and color · Step 26                           | Qty |
|-----------------|----------------------------------------------------|-----|
| 3941            | Round brick 2 × 2 with axle hole<br>Black          | 4   |
| 11213           | Round plate 6 × 6 with hole and snap stud<br>Black | 4   |
| 2920            | Train coupling magnet holder<br>Black              | 2   |
| 73092           | Cylindrical train coupling magnet<br>Black         | 2   |

## Step 27 / 107 · Rear left stabilizer

Arm, leg and pad stay together during digital motion. Stability and locking must be tested.

35 elements · 1441 cumulative elements



### Added parts

| Exact reference | Part and color · Step 27                             | Qty |
|-----------------|------------------------------------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow                                | 15  |
| 3941            | Round brick 2 × 2 with axle hole<br>Dark Bluish Gray | 3   |
| 3941            | Round brick 2 × 2 with axle hole<br>Black            | 2   |
| 3031            | Plate 4 × 4<br>Black                                 | 2   |
| 3031            | Plate 4 × 4<br>Yellow                                | 1   |
| 2431            | Tile 1 × 4<br>Black                                  | 1   |
| 4073            | Round plate 1 × 1<br>White                           | 1   |

Step 27 / 107 · Rear left stabilizer (continued)


**Added parts**

| Exact reference | Part and color · Step 27 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Black     | 6   |
| 3010            | Brick 1 × 4<br>Yellow    | 4   |

# Step 28 / 107 · Rear right stabilizer

Arm, leg and pad stay together during digital motion. Stability and locking must be tested.

35 elements · 1476 cumulative elements



## Added parts

| Exact reference | Part and color · Step 28                             | Qty |
|-----------------|------------------------------------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow                                | 15  |
| 3941            | Round brick 2 × 2 with axle hole<br>Dark Bluish Gray | 3   |
| 3941            | Round brick 2 × 2 with axle hole<br>Black            | 2   |
| 3031            | Plate 4 × 4<br>Black                                 | 2   |
| 3031            | Plate 4 × 4<br>Yellow                                | 1   |
| 2431            | Tile 1 × 4<br>Black                                  | 1   |
| 4073            | Round plate 1 × 1<br>White                           | 1   |

Step 28 / 107 · Rear right stabilizer (continued)


**Added parts**

| Exact reference | Part and color · Step 28 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Black     | 6   |
| 3010            | Brick 1 × 4<br>Yellow    | 4   |

# Step 29 / 107 · Front left stabilizer

Arm, leg and pad stay together during digital motion. Stability and locking must be tested.

35 elements · 1511 cumulative elements



## Added parts

| Exact reference | Part and color · Step 29                             | Qty |
|-----------------|------------------------------------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow                                | 15  |
| 3941            | Round brick 2 × 2 with axle hole<br>Dark Bluish Gray | 3   |
| 3941            | Round brick 2 × 2 with axle hole<br>Black            | 2   |
| 3031            | Plate 4 × 4<br>Black                                 | 2   |
| 3031            | Plate 4 × 4<br>Yellow                                | 1   |
| 2431            | Tile 1 × 4<br>Black                                  | 1   |
| 4073            | Round plate 1 × 1<br>White                           | 1   |

Step 29 / 107 · Front left stabilizer (continued)


**Added parts**

| Exact reference | Part and color · Step 29 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Black     | 6   |
| 3010            | Brick 1 × 4<br>Yellow    | 4   |

# Step 30 / 107 · Front right stabilizer

Arm, leg and pad stay together during digital motion. Stability and locking must be tested.

35 elements · 1546 cumulative elements



## Added parts

| Exact reference | Part and color · Step 30                             | Qty |
|-----------------|------------------------------------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow                                | 15  |
| 3941            | Round brick 2 × 2 with axle hole<br>Dark Bluish Gray | 3   |
| 3941            | Round brick 2 × 2 with axle hole<br>Black            | 2   |
| 3031            | Plate 4 × 4<br>Black                                 | 2   |
| 3031            | Plate 4 × 4<br>Yellow                                | 1   |
| 2431            | Tile 1 × 4<br>Black                                  | 1   |
| 4073            | Round plate 1 × 1<br>White                           | 1   |

Step 30 / 107 · Front right stabilizer (continued)


**Added parts**

| Exact reference | Part and color · Step 30 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Black     | 6   |
| 3010            | Brick 1 × 4<br>Yellow    | 4   |

# Step 31 / 107 · Slewing ring

Positions belong to the digital model. Connections still require a physical prototype.

20 elements · 1566 cumulative elements




## Added parts

| Exact reference | Part and color · Step 31                              | Qty |
|-----------------|-------------------------------------------------------|-----|
| 3031            | Plate 4 × 4<br>Dark Bluish Gray                       | 9   |
| 3031            | Plate 4 × 4<br>Black                                  | 9   |
| 18939           | Technic 60-tooth turntable, base<br>Light Bluish Gray | 1   |
| 18938           | Technic 60-tooth bevel turntable, top<br>Black        | 1   |

# Step 32 / 107 · Rotating platform

Positions belong to the digital model. Connections still require a physical prototype.

136 elements · 1702 cumulative elements




## Added parts

| Exact reference | Part and color · Step 32 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow    | 136 |

# Step 33 / 107 · Platform bracing

Positions belong to the digital model. Connections still require a physical prototype.

136 elements · 1838 cumulative elements




## Added parts

| Exact reference | Part and color · Step 33 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow    | 136 |

# Step 34 / 107 · Engine housing: level 1

Positions belong to the digital model. Connections still require a physical prototype.

138 elements · 1976 cumulative elements




## Added parts

| Exact reference | Part and color · Step 34 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 86  |
| 3005            | Brick 1 × 1<br>Yellow    | 52  |

# Step 35 / 107 · Engine housing: level 2

Positions belong to the digital model. Connections still require a physical prototype.

138 elements · 2114 cumulative elements




## Added parts

| Exact reference | Part and color · Step 35 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 86  |
| 3005            | Brick 1 × 1<br>Yellow    | 52  |

# Step 36 / 107 · Engine housing: level 3

Positions belong to the digital model. Connections still require a physical prototype.

138 elements · 2252 cumulative elements




## Added parts

| Exact reference | Part and color · Step 36 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 86  |
| 3005            | Brick 1 × 1<br>Yellow    | 52  |

# Step 37 / 107 · Engine housing: level 4

Positions belong to the digital model. Connections still require a physical prototype.

132 elements · 2384 cumulative elements




## Added parts

| Exact reference | Part and color · Step 37 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 86  |
| 3005            | Brick 1 × 1<br>Yellow    | 46  |

# Step 38 / 107 · Equipment compartments

Positions belong to the digital model. Connections still require a physical prototype.

72 elements · 2456 cumulative elements




## Added parts

| Exact reference | Part and color · Step 38        | Qty |
|-----------------|---------------------------------|-----|
| 3001            | Brick 2 × 4<br>Dark Bluish Gray | 72  |

# Step 39 / 107 · Engine housing roof

Positions belong to the digital model. Connections still require a physical prototype.

77 elements · 2533 cumulative elements




## Added parts

| Exact reference | Part and color · Step 39 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow    | 77  |

# Step 40 / 107 · Roof tiles and ventilation grilles

Positions belong to the digital model. Connections still require a physical prototype.

100 elements · 2633 cumulative elements




## Added parts

| Exact reference       | Part and color · Step 40                      | Qty |
|-----------------------|-----------------------------------------------|-----|
| 3069                  | Tile 1 × 2<br>Yellow                          | 76  |
| 2412b<br>Catalogue ID | Grille tile 1 × 2 with bottom groove<br>Black | 24  |

# Step 41 / 107 · Service doors and handles

Positions belong to the digital model. Connections still require a physical prototype.

60 elements · 2693 cumulative elements



## Added parts

| Exact reference | Part and color · Step 41 | Qty |
|-----------------|--------------------------|-----|
| 2431            | Tile 1 × 4<br>Yellow     | 48  |
| 30374           | Bar 4L<br>Black          | 12  |

# Step 42 / 107 · Lateral cab base

Positions belong to the digital model. Connections still require a physical prototype.

73 elements · 2766 cumulative elements




## Added parts

| Exact reference | Part and color · Step 42 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow    | 15  |
| 3004            | Brick 1 × 2<br>Yellow    | 38  |
| 3005            | Brick 1 × 1<br>Yellow    | 20  |

# Step 43 / 107 · Cab dashboard and seats

Positions belong to the digital model. Connections still require a physical prototype.

6 elements · 2772 cumulative elements



## Added parts

| Exact reference | Part and color · Step 43    | Qty |
|-----------------|-----------------------------|-----|
| 4079            | Seat 2 × 2<br>Black         | 2   |
| 4592            | Control lever base<br>Black | 2   |
| 4593            | Control lever<br>Black      | 2   |

# Step 44 / 107 · Three large cab window panels

Black tiles represent the dark windows. These panels are opaque; their side connections remain to be tested.

36 elements · 2808 cumulative elements



## Added parts

| Exact reference | Part and color · Step 44 | Qty |
|-----------------|--------------------------|-----|
| 3069            | Tile 1 × 2<br>Black      | 36  |

# Step 45 / 107 · Slender cab pillars

Positions belong to the digital model. Connections still require a physical prototype.

60 elements · 2868 cumulative elements



## Added parts

| Exact reference | Part and color · Step 45 | Qty |
|-----------------|--------------------------|-----|
| 3005            | Brick 1 × 1<br>Yellow    | 60  |

# Step 46 / 107 · Sloped front windscreen

Positions belong to the digital model. Connections still require a physical prototype.

22 elements · 2890 cumulative elements



## Added parts

| Exact reference | Part and color · Step 46 | Qty |
|-----------------|--------------------------|-----|
| 3005            | Brick 1 × 1<br>Yellow    | 10  |
| 3069            | Tile 1 × 2<br>Black      | 12  |

# Step 47 / 107 · Cab roof

Positions belong to the digital model. Connections still require a physical prototype.

75 elements · 2965 cumulative elements



## Added parts

| Exact reference | Part and color · Step 47 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow    | 15  |
| 3069            | Tile 1 × 2<br>Yellow     | 60  |

# Step 48 / 107 · Counterweight carrier

Positions belong to the digital model. Connections still require a physical prototype.

16 elements · 2981 cumulative elements



## Added parts

| Exact reference | Part and color · Step 48 | Qty |
|-----------------|--------------------------|-----|
| 3001            | Brick 2 × 4<br>Black     | 16  |

# Step 49 / 107 · Layered counterweight

Positions belong to the digital model. Connections still require a physical prototype.

72 elements · 3053 cumulative elements



## Added parts

| Exact reference | Part and color · Step 49 | Qty |
|-----------------|--------------------------|-----|
| 3001            | Brick 2 × 4<br>Black     | 24  |
| 3001            | Brick 2 × 4<br>Yellow    | 40  |
| 3031            | Plate 4 × 4<br>Yellow    | 8   |

# Step 50 / 107 · Boom pivot cheeks

Positions belong to the digital model. Connections still require a physical prototype.

21 elements · 3074 cumulative elements



## Added parts

| Exact reference | Part and color · Step 50                 | Qty |
|-----------------|------------------------------------------|-----|
| 3701            | Technic brick 1 × 4 with holes<br>Yellow | 18  |
| 50451           | Technic axle 16L<br>Black                | 1   |
| 3713            | Technic bush<br>Light Bluish Gray        | 2   |

# Step 51 / 107 · Main boom: lower skin

Positions belong to the digital model. Connections still require a physical prototype.

52 elements · 3126 cumulative elements




## Added parts

| Exact reference | Part and color · Step 51 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow    | 52  |

# Step 52 / 107 · Main boom: side walls 1

Positions belong to the digital model. Connections still require a physical prototype.

106 elements · 3232 cumulative elements



## Added parts

| Exact reference | Part and color · Step 52 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 102 |
| 3005            | Brick 1 × 1<br>Yellow    | 4   |

# Step 53 / 107 · Main boom: side walls 2

Positions belong to the digital model. Connections still require a physical prototype.

106 elements · 3338 cumulative elements



## Added parts

| Exact reference | Part and color · Step 53 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 102 |
| 3005            | Brick 1 × 1<br>Yellow    | 4   |

# Step 54 / 107 · Main boom: side walls 3

Positions belong to the digital model. Connections still require a physical prototype.

52 elements · 3390 cumulative elements



## Added parts

| Exact reference | Part and color · Step 54 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 52  |

# Step 55 / 107 · Main boom: upper skin

Positions belong to the digital model. Connections still require a physical prototype.

52 elements · 3442 cumulative elements



## Added parts

| Exact reference | Part and color · Step 55 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow    | 52  |

# Step 56 / 107 · Main boom: smooth surfaces

Positions belong to the digital model. Connections still require a physical prototype.

208 elements · 3650 cumulative elements




## Added parts

| Exact reference | Part and color · Step 56 | Qty |
|-----------------|--------------------------|-----|
| 3069            | Tile 1 × 2<br>Yellow     | 208 |

# Step 57 / 107 · Middle section: lower skin

Positions belong to the digital model. Connections still require a physical prototype.

36 elements · 3686 cumulative elements




## Added parts

| Exact reference | Part and color · Step 57 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow    | 36  |

# Step 58 / 107 · Middle section: side walls 1

Positions belong to the digital model. Connections still require a physical prototype.

98 elements · 3784 cumulative elements




## Added parts

| Exact reference | Part and color · Step 58 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 94  |
| 3005            | Brick 1 × 1<br>Yellow    | 4   |

# Step 59 / 107 · Middle section: side walls 2

Positions belong to the digital model. Connections still require a physical prototype.

48 elements · 3832 cumulative elements




## Added parts

| Exact reference | Part and color · Step 59 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 48  |

# Step 60 / 107 · Middle section: upper skin

Positions belong to the digital model. Connections still require a physical prototype.

36 elements · 3868 cumulative elements




## Added parts

| Exact reference | Part and color · Step 60 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow    | 36  |

# Step 61 / 107 · Middle section: smooth surfaces

Positions belong to the digital model. Connections still require a physical prototype.

144 elements · 4012 cumulative elements




## Added parts

| Exact reference | Part and color · Step 61 | Qty |
|-----------------|--------------------------|-----|
| 3069            | Tile 1 × 2<br>Yellow     | 144 |

# Step 62 / 107 · Inner section: lower skin

Positions belong to the digital model. Connections still require a physical prototype.

22 elements · 4034 cumulative elements




## Added parts

| Exact reference | Part and color · Step 62 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow    | 22  |

# Step 63 / 107 · Inner section: side walls 1

Positions belong to the digital model. Connections still require a physical prototype.

44 elements · 4078 cumulative elements




## Added parts

| Exact reference | Part and color · Step 63 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 44  |

# Step 64 / 107 · Inner section: upper skin

Positions belong to the digital model. Connections still require a physical prototype.

22 elements · 4100 cumulative elements




## Added parts

| Exact reference | Part and color · Step 64 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Yellow    | 22  |

# Step 65 / 107 · Inner section: smooth surfaces

Positions belong to the digital model. Connections still require a physical prototype.

88 elements · 4188 cumulative elements




## Added parts

| Exact reference | Part and color · Step 65 | Qty |
|-----------------|--------------------------|-----|
| 3069            | Tile 1 × 2<br>Yellow     | 88  |

# Step 66 / 107 · Telescopic collars and guides

Positions belong to the digital model. Connections still require a physical prototype.

58 elements · 4246 cumulative elements




## Added parts

| Exact reference | Part and color · Step 66 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 20  |
| 3005            | Brick 1 × 1<br>Yellow    | 20  |
| 3069            | Tile 1 × 2<br>Black      | 18  |

# Step 67 / 107 · Twin lifting actuators

Positions belong to the digital model. Connections still require a physical prototype.

6 elements · 4252 cumulative elements




## Added parts

| Exact reference          | Part and color · Step 67                                   | Qty |
|--------------------------|------------------------------------------------------------|-----|
| 40918c01<br>Catalogue ID | Long Technic linear actuator assembly<br>Light Bluish Gray | 2   |
| 2780                     | Technic friction pin 2L<br>Black                           | 4   |

# Step 68 / 107 · Boom head sheaves

Positions belong to the digital model. Connections still require a physical prototype.

8 elements · 4260 cumulative elements




## Added parts

| Exact reference | Part and color · Step 68        | Qty |
|-----------------|---------------------------------|-----|
| 4185            | Technic pulley Ø 24 mm<br>Black | 3   |
| 3010            | Brick 1 × 4<br>Yellow           | 2   |
| 3039            | Slope 45° 2 × 2<br>Yellow       | 2   |
| 3707            | Technic axle 8L<br>Black        | 1   |

# Step 69 / 107 · Hook block

Positions belong to the digital model. Connections still require a physical prototype.

8 elements · 4268 cumulative elements




## Added parts

| Exact reference | Part and color · Step 69          | Qty |
|-----------------|-----------------------------------|-----|
| 4185            | Technic pulley Ø 24 mm<br>Black   | 2   |
| 3010            | Brick 1 × 4<br>Yellow             | 2   |
| 2431            | Tile 1 × 4<br>Black               | 2   |
| 70644           | Large metal Technic hook<br>Black | 1   |
| 3707            | Technic axle 8L<br>Black          | 1   |

# Step 70 / 107 · Winch and drums

Positions belong to the digital model. Connections still require a physical prototype.

8 elements · 4276 cumulative elements



## Added parts

| Exact reference | Part and color · Step 70                  | Qty |
|-----------------|-------------------------------------------|-----|
| 4185            | Technic pulley Ø 24 mm<br>Black           | 4   |
| 3941            | Round brick 2 × 2 with axle hole<br>Black | 4   |

# Step 71 / 107 · Walkways and safety rails

Positions belong to the digital model. Connections still require a physical prototype.

16 elements · 4292 cumulative elements



## Added parts

| Exact reference | Part and color · Step 71    | Qty |
|-----------------|-----------------------------|-----|
| 2486            | Railing 1 × 8 × 2<br>Yellow | 16  |

# Step 72 / 107 · Pipes and hydraulic details

Positions belong to the digital model. Connections still require a physical prototype.

100 elements · 4392 cumulative elements



## Added parts

| Exact reference | Part and color · Step 72                    | Qty |
|-----------------|---------------------------------------------|-----|
| 30374           | Bar 4L<br>Black                             | 62  |
| 15712           | Modified tile 1 × 1 with open clip<br>Black | 38  |

# Step 73 / 107 · Access steps

Positions belong to the digital model. Connections still require a physical prototype.

32 elements · 4424 cumulative elements



## Added parts

| Exact reference       | Part and color · Step 73                      | Qty |
|-----------------------|-----------------------------------------------|-----|
| 2412b<br>Catalogue ID | Grille tile 1 × 2 with bottom groove<br>Black | 16  |
| 30374                 | Bar 4L<br>Black                               | 16  |

# Step 74 / 107 · Walkway surfacing

Positions belong to the digital model. Connections still require a physical prototype.

212 elements · 4636 cumulative elements



## Added parts

| Exact reference | Part and color · Step 74 | Qty |
|-----------------|--------------------------|-----|
| 3069            | Tile 1 × 2<br>Yellow     | 212 |

# Step 75 / 107 · Deck access hatches and lockers

Positions belong to the digital model. Connections still require a physical prototype.

60 elements · 4696 cumulative elements



## Added parts

| Exact reference | Part and color · Step 75 | Qty |
|-----------------|--------------------------|-----|
| 3004            | Brick 1 × 2<br>Yellow    | 20  |
| 3005            | Brick 1 × 1<br>Yellow    | 32  |
| 3020            | Plate 2 × 4<br>Yellow    | 4   |
| 2431            | Tile 1 × 4<br>Yellow     | 4   |

# Step 76 / 107 · End platform surfacing

Positions belong to the digital model. Connections still require a physical prototype.

112 elements · 4808 cumulative elements



## Added parts

| Exact reference | Part and color · Step 76 | Qty |
|-----------------|--------------------------|-----|
| 3069            | Tile 1 × 2<br>Black      | 112 |

# Step 77 / 107 · Lights, handles and finishing details

Positions belong to the digital model. Connections still require a physical prototype.

14 elements · 4822 cumulative elements



## Added parts

| Exact reference | Part and color · Step 77          | Qty |
|-----------------|-----------------------------------|-----|
| 3024            | Plate 1 × 1<br>Red                | 4   |
| 4073            | Round plate 1 × 1<br>White        | 8   |
| 4073            | Round plate 1 × 1<br>Trans-Orange | 2   |

# Step 78 / 107 · Convoy: extra sleepers

Extend both ends of the existing track to 104 studs from the centre. Sleepers use actual-size LEGO plates.

From here, the steps build the transport additions. The cumulative count includes the crane already assembled; moving the counterweight does not add copies of its pieces.

72 elements · 4894 cumulative elements



## Added parts

| Exact reference | Part and color · Step 78 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Black     | 72  |

# Step 79 / 107 · Convoy: rail beds

Two rows of plates support the running surfaces, aligned with the central track.

48 elements · 4942 cumulative elements



## Added parts

| Exact reference | Part and color · Step 79 | Qty |
|-----------------|--------------------------|-----|
| 3710            | Plate 1 × 4<br>Black     | 48  |

# Step 80 / 107 · Convoy: running surfaces

Cover the rail beds with tiles. This display track is not a tested railway system.

48 elements · 4990 cumulative elements



## Added parts

| Exact reference | Part and color · Step 80       | Qty |
|-----------------|--------------------------------|-----|
| 2431            | Tile 1 × 4<br>Dark Bluish Gray | 48  |

# Step 81 / 107 · Convoy: track fastenings

Add clips on both sides of the rails, continuing the central track pattern.

48 elements · 5038 cumulative elements




## Added parts

| Exact reference | Part and color · Step 81                    | Qty |
|-----------------|---------------------------------------------|-----|
| 15712           | Modified tile 1 × 1 with open clip<br>Black | 48  |

# Step 82 / 107 · Boom-support wagon: wheels and axles

Each wagon has two two-axle bogies. Wheels 56908 retain their 43.2 mm diameter; 16L axles run across the wagon.

12 elements · 5050 cumulative elements




## Added parts

| Exact reference | Part and color · Step 82               | Qty |
|-----------------|----------------------------------------|-----|
| 50451           | Technic axle 16L<br>Black              | 4   |
| 56908           | Technic wheel 43.2 mm × 26 mm<br>Black | 8   |

# Step 83 / 107 · Boom-support wagon: flanges and bushes

Round plates 11213 suggest railway wheel flanges. Their attachment to the wheels and rail guidance still require a physical prototype.

16 elements · 5066 cumulative elements



## Added parts

| Exact reference | Part and color · Step 83                           | Qty |
|-----------------|----------------------------------------------------|-----|
| 11213           | Round plate 6 × 6 with hole and snap stud<br>Black | 8   |
| 3713            | Technic bush<br>Light Bluish Gray                  | 8   |

# Step 84 / 107 · Boom-support wagon: bogie frames

Build the frames above the wheels. Bogie beams and cross-members remain distinct from the main deck.

18 elements · 5084 cumulative elements



## Added parts

| Exact reference | Part and color · Step 84 | Qty |
|-----------------|--------------------------|-----|
| 3710            | Plate 1 × 4<br>Black     | 12  |
| 3020            | Plate 2 × 4<br>Black     | 6   |

# Step 85 / 107 · Boom-support wagon: deck beams

Place the 44-stud side beams and cross-members. They support the 14-stud-wide deck.

43 elements · 5127 cumulative elements



## Added parts

| Exact reference | Part and color · Step 85        | Qty |
|-----------------|---------------------------------|-----|
| 3010            | Brick 1 × 4<br>Dark Bluish Gray | 22  |
| 3001            | Brick 2 × 4<br>Black            | 15  |
| 3001            | Brick 2 × 4<br>Dark Bluish Gray | 6   |

# Step 86 / 107 · Boom-support wagon: first deck layer

Cover the deck with 2 × 4 plates, without enlarging any part. The surface measures 44 × 14 studs.

77 elements · 5204 cumulative elements



## Added parts

| Exact reference | Part and color · Step 86 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Black     | 77  |

# Step 87 / 107 · Boom-support wagon: cross-bonded second layer

Turn the plates to stagger deck joints. The final strip completes the exact 14-stud width.

77 elements · 5281 cumulative elements



## Added parts

| Exact reference | Part and color · Step 87        | Qty |
|-----------------|---------------------------------|-----|
| 3020            | Plate 2 × 4<br>Dark Bluish Gray | 77  |

# Step 88 / 107 · Boom-support wagon: edges and markers

Add smooth deck edges and small end lights. Colors are named in the inventory.

30 elements · 5311 cumulative elements



## Added parts

| Exact reference | Part and color · Step 88       | Qty |
|-----------------|--------------------------------|-----|
| 2431            | Tile 1 × 4<br>Dark Bluish Gray | 22  |
| 3024            | Plate 1 × 1<br>Red             | 4   |
| 4073            | Round plate 1 × 1<br>White     | 4   |

# Step 89 / 107 · Boom-support wagon: buffers and couplers

Fit brick-built buffers and couplers at both ends. Coupling the full convoy requires physical validation.

8 elements · 5319 cumulative elements



## Added parts

| Exact reference | Part and color · Step 89                   | Qty |
|-----------------|--------------------------------------------|-----|
| 3941            | Round brick 2 × 2 with axle hole<br>Black  | 4   |
| 2920            | Train coupling magnet holder<br>Black      | 2   |
| 73092           | Cylindrical train coupling magnet<br>Black | 2   |

# Step 90 / 107 · Boom-support wagon: access steps and handrails

Add small access steps and handholds near the deck ends.

8 elements · 5327 cumulative elements



## Added parts

| Exact reference       | Part and color · Step 90                      | Qty |
|-----------------------|-----------------------------------------------|-----|
| 2412b<br>Catalogue ID | Grille tile 1 × 2 with bottom groove<br>Black | 4   |
| 30374                 | Bar 4L<br>Black                               | 4   |

# Step 91 / 107 · Counterweight wagon: wheels and axles

Each wagon has two two-axle bogies. Wheels 56908 retain their 43.2 mm diameter; 16L axles run across the wagon.

12 elements · 5339 cumulative elements



## Added parts

| Exact reference | Part and color · Step 91               | Qty |
|-----------------|----------------------------------------|-----|
| 50451           | Technic axle 16L<br>Black              | 4   |
| 56908           | Technic wheel 43.2 mm × 26 mm<br>Black | 8   |

# Step 92 / 107 · Counterweight wagon: flanges and bushes

Round plates 11213 suggest railway wheel flanges. Their attachment to the wheels and rail guidance still require a physical prototype.

16 elements · 5355 cumulative elements



## Added parts

| Exact reference | Part and color · Step 92                           | Qty |
|-----------------|----------------------------------------------------|-----|
| 11213           | Round plate 6 × 6 with hole and snap stud<br>Black | 8   |
| 3713            | Technic bush<br>Light Bluish Gray                  | 8   |

# Step 93 / 107 · Counterweight wagon: bogie frames

Build the frames above the wheels. Bogie beams and cross-members remain distinct from the main deck.

18 elements · 5373 cumulative elements



## Added parts

| Exact reference | Part and color · Step 93 | Qty |
|-----------------|--------------------------|-----|
| 3710            | Plate 1 × 4<br>Black     | 12  |
| 3020            | Plate 2 × 4<br>Black     | 6   |

# Step 94 / 107 · Counterweight wagon: deck beams

Place the 44-stud side beams and cross-members. They support the 14-stud-wide deck.

43 elements · 5416 cumulative elements



## Added parts

| Exact reference | Part and color · Step 94        | Qty |
|-----------------|---------------------------------|-----|
| 3010            | Brick 1 × 4<br>Dark Bluish Gray | 22  |
| 3001            | Brick 2 × 4<br>Black            | 15  |
| 3001            | Brick 2 × 4<br>Dark Bluish Gray | 6   |

# Step 95 / 107 · Counterweight wagon: first deck layer

Cover the deck with 2 × 4 plates, without enlarging any part. The surface measures 44 × 14 studs.

77 elements · 5493 cumulative elements



## Added parts

| Exact reference | Part and color · Step 95 | Qty |
|-----------------|--------------------------|-----|
| 3020            | Plate 2 × 4<br>Black     | 77  |

# Step 96 / 107 · Counterweight wagon: cross-bonded second layer

Turn the plates to stagger deck joints. The final strip completes the exact 14-stud width.

77 elements · 5570 cumulative elements



## Added parts

| Exact reference | Part and color · Step 96        | Qty |
|-----------------|---------------------------------|-----|
| 3020            | Plate 2 × 4<br>Dark Bluish Gray | 77  |

# Step 97 / 107 · Counterweight wagon: edges and markers

Add smooth deck edges and small end lights. Colors are named in the inventory.

30 elements · 5600 cumulative elements



## Added parts

| Exact reference | Part and color · Step 97       | Qty |
|-----------------|--------------------------------|-----|
| 2431            | Tile 1 × 4<br>Dark Bluish Gray | 22  |
| 3024            | Plate 1 × 1<br>Red             | 4   |
| 4073            | Round plate 1 × 1<br>White     | 4   |

# Step 98 / 107 · Counterweight wagon: buffers and couplers

Fit brick-built buffers and couplers at both ends. Coupling the full convoy requires physical validation.

8 elements · 5608 cumulative elements



## Added parts

| Exact reference | Part and color · Step 98                   | Qty |
|-----------------|--------------------------------------------|-----|
| 3941            | Round brick 2 × 2 with axle hole<br>Black  | 4   |
| 2920            | Train coupling magnet holder<br>Black      | 2   |
| 73092           | Cylindrical train coupling magnet<br>Black | 2   |

# Step 99 / 107 · Counterweight wagon: access steps and handrails

Add small access steps and handholds near the deck ends.

8 elements · 5616 cumulative elements



## Added parts

| Exact reference       | Part and color · Step 99                      | Qty |
|-----------------------|-----------------------------------------------|-----|
| 2412b<br>Catalogue ID | Grille tile 1 × 2 with bottom groove<br>Black | 4   |
| 30374                 | Bar 4L<br>Black                               | 4   |

# Step 100 / 107 · Boom support: cradle base

Reinforce the deck edge facing the crane. The cradle rests on plates within the wagon.

2 elements · 5618 cumulative elements



## Added parts

| Exact reference | Part and color · Step 100 | Qty |
|-----------------|---------------------------|-----|
| 3031            | Plate 4 × 4<br>Yellow     | 2   |

# Step 101 / 107 · Boom support: cradle uprights

Two yellow uprights carry the cradle beam. Their height follows this study's transport pose.

22 elements · 5640 cumulative elements



## Added parts

| Exact reference | Part and color · Step 101 | Qty |
|-----------------|---------------------------|-----|
| 3003            | Brick 2 × 2<br>Yellow     | 22  |

# Step 102 / 107 · Boom support: resting beam

The beam sits on the deck's first stud row, near X = 53.5. Stud tops reach approximately Y = 24.2; the boom support needs physical testing.

5 elements · 5645 cumulative elements



## Added parts

| Exact reference | Part and color · Step 102       | Qty |
|-----------------|---------------------------------|-----|
| 3010            | Brick 1 × 4<br>Dark Bluish Gray | 3   |
| 3005            | Brick 1 × 1<br>Yellow           | 2   |

# Step 103 / 107 · Counterweight carrier: load beds

Load beds separate the yellow load from the dark deck. Their layout keeps both wagon ends accessible.

18 elements · 5663 cumulative elements



## Added parts

| Exact reference | Part and color · Step 103 | Qty |
|-----------------|---------------------------|-----|
| 3031            | Plate 4 × 4<br>Yellow     | 18  |

# Step 104 / 107 · Counterweight carrier: lower blocks

Build two low blocks, separate from the carrier frame. These are model volumes; no lifting mass is claimed.

24 elements · 5687 cumulative elements



## Added parts

| Exact reference | Part and color · Step 104 | Qty |
|-----------------|---------------------------|-----|
| 3001            | Brick 2 × 4<br>Yellow     | 18  |
| 3020            | Plate 2 × 4<br>Yellow     | 6   |

# Step 105 / 107 · Counterweight carrier: open frame

Four uprights form an open central frame, inspired by the load visible in the transport photograph.

36 elements · 5723 cumulative elements



## Added parts

| Exact reference | Part and color · Step 105 | Qty |
|-----------------|---------------------------|-----|
| 3003            | Brick 2 × 2<br>Yellow     | 36  |

# Step 106 / 107 · Counterweight carrier: upper beams

Join the uprights with beams while keeping the centre open. Connections and load restraint still require testing.

18 elements · 5741 cumulative elements



## Added parts

| Exact reference | Part and color · Step 106 | Qty |
|-----------------|---------------------------|-----|
| 3010            | Brick 1 × 4<br>Yellow     | 10  |
| 3004            | Brick 1 × 2<br>Yellow     | 2   |
| 2431            | Tile 1 × 4<br>Yellow      | 6   |

# Step 107 / 107 · Counterweight carrier: handles and chocks

Finish with handles and chocks. Transport elements are counted separately from the crane.

12 elements · 5753 cumulative elements



## Added parts

| Exact reference | Part and color · Step 107                   | Qty |
|-----------------|---------------------------------------------|-----|
| 30374           | Bar 4L<br>Black                             | 4   |
| 15712           | Modified tile 1 × 1 with open clip<br>Black | 4   |
| 3039            | Slope 45° 2 × 2<br>Yellow                   | 4   |

# Complete inventory

5753 elements · 48 part and color variants

Crane and base track: 4822 · Transport additions: 931

The crane's counterweight moves onto the rear wagon in transport mode. Its pieces are counted only once, in the crane section. The wagon's load beds, frame and chocks are separate additional elements.

Quantities are calculated from this version's pieces and include the track. Catalogue references do not guarantee stock, price or mechanical compatibility. This inventory is not a validated shopping list.

References and colors checked on 2026-09-12.

| Exact reference       | Part and color                                | Qty | Catalogue evidence |
|-----------------------|-----------------------------------------------|-----|--------------------|
| 3004                  | Brick 1 × 2<br>Yellow                         | 866 | BrickLink · 3004   |
| 3069                  | Tile 1 × 2<br>Yellow                          | 788 | BrickLink · 3069   |
| 3020                  | Plate 2 × 4<br>Black                          | 722 | BrickLink · 3020   |
| 3020                  | Plate 2 × 4<br>Yellow                         | 685 | BrickLink · 3020   |
| 3005                  | Brick 1 × 1<br>Yellow                         | 358 | BrickLink · 3005   |
| 3020                  | Plate 2 × 4<br>Dark Bluish Gray               | 330 | BrickLink · 3020   |
| 2431                  | Tile 1 × 4<br>Dark Bluish Gray                | 192 | BrickLink · 2431   |
| 3069                  | Tile 1 × 2<br>Black                           | 178 | BrickLink · 3069   |
| 3001                  | Brick 2 × 4<br>Black                          | 176 | BrickLink · 3001   |
| 3710                  | Plate 1 × 4<br>Black                          | 172 | BrickLink · 3710   |
| 3010                  | Brick 1 × 4<br>Dark Bluish Gray               | 147 | BrickLink · 3010   |
| 15712                 | Modified tile 1 × 1 with open clip<br>Black   | 146 | BrickLink · 15712  |
| 3001                  | Brick 2 × 4<br>Dark Bluish Gray               | 132 | BrickLink · 3001   |
| 30374                 | Bar 4L<br>Black                               | 114 | BrickLink · 30374  |
| 2412b<br>Catalogue ID | Grille tile 1 × 2 with bottom groove<br>Black | 92  | BrickLink · 2412b  |
| 3003                  | Brick 2 × 2<br>Yellow                         | 74  | BrickLink · 3003   |

**BRICK ATELIER / LARGE MODEL**

| Exact reference | Part and color                                       | Qty | Catalogue evidence |
|-----------------|------------------------------------------------------|-----|--------------------|
| 3941            | Round brick 2 × 2 with axle hole<br>Black            | 72  | BrickLink · 3941   |
| 2431            | Tile 1 × 4<br>Yellow                                 | 58  | BrickLink · 2431   |
| 3001            | Brick 2 × 4<br>Yellow                                | 58  | BrickLink · 3001   |
| 3031            | Plate 4 × 4<br>Dark Bluish Gray                      | 41  | BrickLink · 3031   |
| 3031            | Plate 4 × 4<br>Black                                 | 41  | BrickLink · 3031   |
| 11213           | Round plate 6 × 6 with hole and snap stud<br>Black   | 36  | BrickLink · 11213  |
| 56908           | Technic wheel 43.2 mm × 26 mm<br>Black               | 32  | BrickLink · 56908  |
| 3031            | Plate 4 × 4<br>Yellow                                | 32  | BrickLink · 3031   |
| 3010            | Brick 1 × 4<br>Yellow                                | 30  | BrickLink · 3010   |
| 4073            | Round plate 1 × 1<br>White                           | 20  | BrickLink · 4073   |
| 3701            | Technic brick 1 × 4 with holes<br>Yellow             | 18  | BrickLink · 3701   |
| 3713            | Technic bush<br>Light Bluish Gray                    | 18  | BrickLink · 3713   |
| 50451           | Technic axle 16L<br>Black                            | 17  | BrickLink · 50451  |
| 3003            | Brick 2 × 2<br>Dark Bluish Gray                      | 16  | BrickLink · 3003   |
| 2486            | Railing 1 × 8 × 2<br>Yellow                          | 16  | ToyPro · 2486      |
| 3941            | Round brick 2 × 2 with axle hole<br>Dark Bluish Gray | 12  | BrickLink · 3941   |
| 3024            | Plate 1 × 1<br>Red                                   | 12  | BrickLink · 3024   |
| 4185            | Technic pulley Ø 24 mm<br>Black                      | 9   | BrickLink · 4185   |
| 2920            | Train coupling magnet holder<br>Black                | 6   | ToyPro · 2920      |
| 73092           | Cylindrical train coupling magnet<br>Black           | 6   | BrickLink · 73092  |
| 2431            | Tile 1 × 4<br>Black                                  | 6   | BrickLink · 2431   |

**BRICK ATELIER / LARGE MODEL**

| Exact reference          | Part and color                                             | Qty | Catalogue evidence   |
|--------------------------|------------------------------------------------------------|-----|----------------------|
| 3039                     | Slope 45° 2 × 2<br>Yellow                                  | 6   | BrickLink · 3039     |
| 2780                     | Technic friction pin 2L<br>Black                           | 4   | BrickLink · 2780     |
| 4079                     | Seat 2 × 2<br>Black                                        | 2   | BrickLink · 4079     |
| 4592                     | Control lever base<br>Black                                | 2   | BrickLink · 4592     |
| 4593                     | Control lever<br>Black                                     | 2   | BrickLink · 4593     |
| 40918c01<br>Catalogue ID | Long Technic linear actuator assembly<br>Light Bluish Gray | 2   | BrickLink · 40918c01 |
| 3707                     | Technic axle 8L<br>Black                                   | 2   | BrickLink · 3707     |
| 4073                     | Round plate 1 × 1<br>Trans-Orange                          | 2   | BrickLink · 4073     |
| 18939                    | Technic 60-tooth turntable, base<br>Light Bluish Gray      | 1   | BrickLink · 18939    |
| 18938                    | Technic 60-tooth bevel turntable, top<br>Black             | 1   | BrickLink · 18938    |
| 70644                    | Large metal Technic hook<br>Black                          | 1   | BrickLink · 70644    |

# References and limitations

The scale of approximately 1:20 is indicative. The model chassis spans 88 studs, or 704 mm. Comparison with the 14 m stated by SNCF does not constitute a dimensioned plan or precise calibration.

Physical testing is needed for the wheel 56908/plate 11213 connection, rail guidance, telescopic slides, actuator anchors and travel, cable reeving, stability and outrigger locking.

Parts retain their actual dimensions. Imported geometry comes from the official LDraw Parts Library under CC BY 4.0. Authors and source files are listed in the website's attribution file.

LDraw · CC BY 4.0 · Attribution

The documentary sources below are references. Third-party photographs and documents are not reproduced in this guide.

SNCF Réseau · Bully-les-Mines, press release of 8 April 2026, p. 3

[www.sncf-reseau.com](http://www.sncf-reseau.com) · 2026-09-12

SNCF Réseau · Crane presentation in Dijon

[www.sncf-reseau.com](http://www.sncf-reseau.com) · 2026-09-12

Kleinspoor · Instructions 830 B, reproduction architecture

[www.kleinspoor.nl](http://www.kleinspoor.nl) · 2026-09-12

Bernard Ciry / Kleinspoor · Real crane photographs, p. 14

[www.kleinspoor.nl](http://www.kleinspoor.nl) · 2026-09-12

Oliver Beretta / STTX · Photograph in transport configuration

[www.forum.sttx.fr](http://www.forum.sttx.fr) · 2026-09-12

Kirow · Multi Tasker family brochure

[www.kirow.de](http://www.kirow.de) · 2026-09-12

Independent, unofficial concept. LEGO, SNCF and Kirow remain trademarks of their respective owners; no endorsement is claimed.

Created by Nicolas Pieper · [NicolasPieper.com](http://NicolasPieper.com)