Valuation of Contingent Convertibles with Derivatives



Nicolay Schmitt

Frankfurt School of Finance and Management

A thesis submitted for the degree of $Master\ of\ Science\ in\ Finance$

 $August\ 2016$

This thesis is dedicated to my parents for their love and support. Thank you!

Abstract

Financial crises have led to higher regulatory standards on the capital adequacy of banks. They are required to hold more capital with loss absorbance capacities on their balance sheet. In conjunction with this development, contingent convertible bonds (CoCos) have become an attractive instrument for banks to seek new capital. The defining characteristic of CoCos is the automatic conversion into common equity when a predetermined trigger is met. Loss absorbing capital is created, which instantly improves the capital structure of the distressed bank. However, the pricing of these hybrid instruments remains opaque. In this context, the thesis scrutinizes the valuation of CoCos. Three major approaches are examined: the structural approach in accordance to Pennacchi (2010), the credit derivatives approach and the equity derivatives approach both pursuant to De Spiegeleer and Schoutens (2011b). The application covers sensitivity analysis to further understand the dynamics of the different methodologies. Based on a case study the viability of those approaches is evaluated. Software is provided for further replication.

Contents

1	Introduction and Motivation									
	1.1	Introd	uction	1						
	1.2	Literature Overview								
	1.3	Motivation								
	1.4	Metho	odology	1						
2	Structure of CoCos									
	2.1	Descri	ption of CoCos	2						
	2.2	Payoff	and Risk Profile	2						
	2.3	Conve	Conversion Trigger							
		2.3.1	Market Trigger	3						
		2.3.2	Accounting Trigger	3						
		2.3.3	Regulatory Trigger	3						
		2.3.4	Multivariate Trigger	3						
	2.4	2.4 Conversion Details								
		2.4.1	Conversion Fraction	3						
		2.4.2	Conversion Price and Ratio	3						
3	Theory of Pricing									
	3.1	Credit	Derivative Approach	4						
		3.1.1	Intensity-based Approach	4						
		3.1.2	Application to CoCos	5						
		3.1.3	Data Requirements and Calibration	5						
		3.1.4	Pricing Example	5						
	3.2	Equity	Derivative Approach	5						
		3.2.1	Corporate Bonds	5						
		3.2.2	Binary Options	5						
		3.2.3	Down-And-In Forward	6						

		3.2.4	Data Requirements and Calibration	7						
		3.2.5	Pricing Example	7						
	3.3	Structi	ural Approach	7						
		3.3.1	Synthetic Balance Sheet	7						
		3.3.2	Data Requirements and Calibration	7						
		3.3.3	Pricing Example	7						
4	Dyn	amics	and Sensitivity Analysis	8						
	4.1	Credit	Derivative Approach	8						
	4.2	Equity	Derivative Approach	8						
	4.3	Structi	ural Approach	8						
5	Emp	oirical	Analysis and Model Comparison	9						
	5.1	Data I	Description	9						
		5.1.1	Deutsche Bank	9						
	5.2	Model	Parametrization	9						
	5.3	Model	Comparison	9						
		5.3.1	Qualitative Analysis	9						
		5.3.2	Quantitative Analysis	9						
6	Con	nclusion								
\mathbf{A}	Sam	mple Title								
В	Code - Credit Derivative Approach									
\mathbf{C}	C Code - Equity Derivative Approach									
D	D Code - Structural Approach									
Ribliography										

List of Figures

2.1	Anatomy	of Cocos	(De Spiegeleer	and Schoutens,	2011a)	5
4.1	7 1110000111 y		(DO DDIOSCICOI	and bonouble.	2011a;	 _

Introduction and Motivation

- 1.1 Introduction
- 1.2 Literature Overview
- 1.3 Motivation
- 1.4 Methodology

Structure of CoCos

- 2.1 Description of CoCos
- 2.2 Payoff and Risk Profile




Figure 2.1: Anatomy of Cocos (De Spiegeleer and Schoutens, 2011a)

asdasd

2.3 Conversion Trigger

- 2.3.1 Market Trigger
- 2.3.2 Accounting Trigger
- 2.3.3 Regulatory Trigger
- 2.3.4 Multivariate Trigger

2.4 Conversion Details

2.4.1 Conversion Fraction

- conversion fraction α
- \bullet face value N
- conversion amount $N \times \alpha$
- amount remaining in case of partial equity conversion $N \times (1 \alpha)$

2.4.2 Conversion Price and Ratio

- conversion rate C_r
- \bullet conversion price C_p
- recovery rate R_{CoCo}
- $\bullet\,$ stock price at trigger event S_T^*
- loss attributable to CoCo holders L_{CoCo}

$$C_p = \frac{\alpha N}{C_r} \tag{2.1}$$

$$C_r = \frac{\alpha N}{C_p} \tag{2.2}$$

$$R_{CoCo} = \frac{S_T^*}{C_p} \tag{2.3}$$

$$L_{CoCo} = N - (1 - R_{CoCo}) = N \left(1 - \frac{S_T^*}{C_p} \right)$$
 (2.4)

$$P_T = \begin{cases} (1 - \alpha)N + C_r S_T^* & \text{if converted} \\ N & \text{if not converted} \end{cases}$$
 (2.5)

Theory of Pricing

3.1 Credit Derivative Approach

3.1.1 Intensity-based Approach

$$p^* = 1 - \exp\left(-\lambda_{Triqger} \times T\right) \tag{3.1}$$

$$s_{CoCo} = (1 - R_{CoCo}) \times \lambda_{Trigger} = Loss_{CoCo} \times \lambda_{Trigger}$$
 (3.2)

$$Loss_{CoCo} = N - C_r \times S^* = N \left(1 - \frac{S^*}{C_P} \right)$$
 (3.3)

$$R_{CoCo} = \frac{S^*}{C_p} \tag{3.4}$$

$$p^* = \Phi\left(\frac{\log\left(\frac{S^*}{S}\right) - \mu T}{\sigma\sqrt{T}}\right) + \left(\frac{S^*}{S}\right)^{\frac{2\mu}{\sigma^2}} \Phi\left(\frac{\log\left(\frac{S^*}{S}\right) + \mu T}{\sigma\sqrt{T}}\right)$$
(3.5)

$$\lambda_{Trigger} = -\frac{\log(1 - p^*)}{T} \tag{3.6}$$

$$s_{CoCo} = -\frac{\log(1 - p^*)}{T} \times \left(1 - \frac{S^*}{C_p}\right) \tag{3.7}$$

3.1.2 Application to CoCos

3.1.3 Data Requirements and Calibration

3.1.4 Pricing Example

3.2 Equity Derivative Approach

Sources: Erismann (2015), De Spiegeleer and Schoutens (2011b)

$$P_{T} = \mathbb{1}_{\{\tau > T\}} N + \left[(1 - \alpha) N + \frac{\alpha N}{C_{p} S^{*}} \right] \mathbb{1}_{\{\tau \le T\}}$$

$$= N + \left[\frac{\alpha N}{C_{p}} S^{*} - \alpha N \right] \mathbb{1}_{\{\tau \le T\}}$$

$$= N + \left[C_{r} S^{*} - \alpha N \right] \mathbb{1}_{\{\tau \le T\}}$$

$$= N + C_{r} \left[S^{*} - \frac{\alpha N}{C_{r}} \right] \mathbb{1}_{\{\tau \le T\}}$$

$$= N + C_{r} \left[S^{*} - C_{p} \right] \mathbb{1}_{\{\tau \le T\}}$$

$$V_t^{ed} = V_t^{cb} - V_{t_i}^{dibi} + V_t^{difwd} (3.8)$$

3.2.1 Corporate Bonds

$$V_t^{cb} = \sum_{i=t}^{T} c_i \exp(-rt_i) + N \exp[-r(T-t)]$$
(3.9)

3.2.2 Binary Options

$$V_t^{dibi}(c_i, S^*, t) = \alpha \sum_{i=1}^k c_i \exp(-rt_i) \left[\Phi\left(-x_{1i} + \sigma\sqrt{t_i}\right) + \left(\frac{S^*}{S_t}\right)^{2\lambda - 2} \Phi\left(y_{1i} - \sigma\sqrt{t_i}\right) \right]$$
(3.10)

with

$$x_{1i} = \frac{\log\left(\frac{S_t}{S^*}\right)}{\sigma\sqrt{t_i}} + \lambda\sigma\sqrt{t_i}$$
$$y_{1i} = \frac{\log\left(\frac{S^*}{S_t}\right)}{\sigma\sqrt{t_i}} + \lambda\sigma\sqrt{t_i}$$
$$\lambda = \frac{r - q + \frac{\sigma^2}{2}}{\sigma^2}$$

3.2.3 Down-And-In Forward

$$\max(S_T - K) \text{ if } \min_{0 \le t \le T} (S_T) \le S^*$$
(3.11)

$$\max(K - S_T) \text{ if } \min_{0 \le t \le T} (S_T) \le S^*$$
(3.12)

$$V_t^{dic}(S_t, S^*, K) = S_t \exp\left[-q(T-t)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda} \Phi(y)$$
$$-K \exp\left[-r(T-t)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda-2} \Phi\left(y - \sigma\sqrt{T-t}\right)$$
(3.13)

with

$$K = C_p$$

$$y = \frac{\log\left(\frac{S^{*2}}{S_t K}\right)}{\sigma \sqrt{T - t}} + \lambda \sigma \sqrt{T - t}$$

$$\lambda = \frac{r - q + \frac{\sigma^2}{2}}{\sigma^2}$$

$$V_t^{dip}(S_t, S^*, K) = S_t \exp\left[-q(T-t)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda} \left[\Phi(y) - \Phi(y_1)\right]$$

$$- K \exp\left[-r(T-t)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda - 2} \left[\Phi\left(y - \sigma\sqrt{T-t}\right) - \Phi\left(y_1 - \sigma\sqrt{T}\right)\right]$$

$$+ K \exp\left[-r(T-t)\right] \Phi\left(x_1 + \sigma\sqrt{T-t}\right)$$

$$- S_t \exp\left[-q(T-t)\right] \Phi(-x_1)$$
(3.14)

with

$$x_1 = \frac{\log\left(\frac{S_t}{S^*}\right)}{\sigma\sqrt{T-t}} + \lambda\sigma\sqrt{T-t}$$
$$y_1 = \frac{\log\left(\frac{S^*}{S_t}\right)}{\sigma\sqrt{T-t}} + \lambda\sigma\sqrt{T-t}$$

$$\min(S_t) \le S^* : P_T = S_T - K = \max(S_T - K) - \max(K - S_T)$$
 (3.15)

$$\min(S_t) > S^* : P_T = 0 \tag{3.16}$$

$$V_t^{difwd} = C_r \left[S_t \exp\left[-q\left(T - t\right)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda} \Phi\left(y_1\right) - K \exp\left[-r\left(T - t\right)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda - 2} \Phi\left(y_1 - \sigma\sqrt{T - t}\right) - K \exp\left[-r\left(T - t\right)\right] \Phi\left(-x_1 - \sigma\sqrt{T - t}\right) + S_t \exp\left[-q\left(T - t\right)\right] \Phi\left(-x_1\right) \right]$$

$$(3.17)$$

with

$$C_r = \frac{\alpha N}{C_p} \tag{3.18}$$

- 3.2.4 Data Requirements and Calibration
- 3.2.5 Pricing Example
- 3.3 Structural Approach
- 3.3.1 Synthetic Balance Sheet
- 3.3.2 Data Requirements and Calibration
- 3.3.3 Pricing Example

Dynamics and Sensitivity Analysis

- 4.1 Credit Derivative Approach
- 4.2 Equity Derivative Approach
- 4.3 Structural Approach

Empirical Analysis and Model Comparison

- 5.1 Data Description
- 5.1.1 Deutsche Bank
- 5.2 Model Parametrization
- 5.3 Model Comparison
- 5.3.1 Qualitative Analysis
- 5.3.2 Quantitative Analysis

Conclusion

Appendix A
Sample Title

Appendix B

Code - Credit Derivative Approach

The following source code is an implementation of the Credit Derivative Approach written in R.

```
1 # Price of Contingent Convertible Bond
2 price_coco_cd <- function(t, T, S_t, S_star, C_p, c_i, r, N, q, sigma){
    spread_coco <- calc_spread_coco(t, T, S_t, S_star, C_p, r, q, sigma)
4
    V_t_{-coco} \leftarrow N * exp(-(r + spread_{-coco}) * (T - t))
    for (t in 1:T)
      V_{t-coco} \leftarrow V_{t-coco} + c_{i} * exp(-(r + spread_coco) * t)
10
    V_t_{-coco}
11 }
12
13 # Calculation of Trigger Probability
14 calc_p_star <- function(t, T, S_t, S_star, r, q, sigma){
    p_star \leftarrow pnorm((log(S_star / S_t) - calc_mu(r, q, sigma) * (T - t)))
       (\operatorname{sigma} * \operatorname{sqrt}(T - t)) + (S_{\operatorname{star}} / S_{\operatorname{t}})^{2} * \operatorname{calc_mu}(r, q, \operatorname{sigma}) /
       sigma^2) * pnorm((log(S_star / S_t) + calc_mu(r, q, sigma) * (T - t
      )) / (sigma * sqrt(T - t)))
    p_- star
16
17 }
19 # Calculation of Drift of Underlying
calc_mu \leftarrow function(r, q, sigma)
    mu \leftarrow r - q - sigma^2 / 2
23 }
25 # Spread of CoCo Bond
26 calc_spread_coco <- function(t, T, S_t, S_star, C_p, r, q, sigma){
    spread\_coco <- log(1 - calc\_p\_star(t, T, S\_t, S\_star, r, q, sigma))
      / (T - t) * (1 - S_star / C_p)
    spread_coco
31 # Pricing Example
```

price_coco_cd(t <- 0, T <- 5, S_t <- 40, S_star <- 20, C_p <- 25, c_i <- 7, r <- 0.03, N <- 100, q <- 0, sigma <- 0.3)

Appendix C

Code - Equity Derivative Approach

The following source code is an implementation of the Equity Derivative Approach written in R.

```
1 # Price of Contingent Convertible Bond
2 price_coco_ed <- function(t, T, S_t, S_star, C_p, c_i, r, N, q, sigma,
      alpha){
    V_t_{ed} \leftarrow price_cb(t, T, c_i, r, N) - price_dibi(t, T, S_t, S_star, c_i)
      i, r, q, sigma, alpha) + price_difwd(t, T, S_t, S_star, C_p, r, N, q
      , sigma, alpha)
4
    return (V_t_ed)
5
6 }
8 # Price of Corporate Bond
9 price_cb \leftarrow function(t, T, c_i, r, N){
    V_t_c = V_t - cb < N * exp(-r * (T - t))
11
    for (t in 1:T){
12
    V_{-}t_{-}cb \leftarrow V_{-}t_{-}cb + c_{-}i * exp(-r * t)
13
15
    return (V_t_cb)
16
17 }
19 # Price of Binary Option
price_dibi <- function(t, T, S_t, S_star, c_i, r, q, sigma, alpha){
    V_t_dibi < 0
23
    i <- t
    k <- T
24
25
    for (i in 1:k) {
26
    V_t_dibi \leftarrow V_t_dibi + c_i * exp(-r * i) * (pnorm(-calc_x_1_i(S_t, S_t)) + (pnorm(-calc_x_1_i(S_t, S_t)))
      _star , sigma , r , q , i ) + sigma * sqrt(i)) + (S_star / S_t)^(2 * calc
      _{lambda(r, q, sigma) - 2)} * pnorm ( calc_y_1_i(S_t, S_star, sigma, r)
      , q, i) - sigma * sqrt(i)))
28
```

```
V_t_dibi <- alpha * V_t_dibi
30
31
               return (V_t_dibi)
32
33
34
35 # Price of Down-And-In Forward
price_difwd <- function(t, T, S_t, S_star, C_p, r, N, q, sigma, alpha){
               V_{-}t_{-}difwd <- \ calc_{-}conversion_{-}rate\left(C_{-}p\,,\ N,\ alpha\right)\ *\ (S_{-}t\ *\ exp\left(-\ q\ *\ (T_{-}t_{-})\right)
                        - t)) * (S_star / S_t) ^ (2 * calc_lambda(r, q, sigma)) * pnorm(
                     calc_y_1(t, T, S_t, S_{star}, r, q, sigma)) - C_p * exp(-r * (T - t))
                        * (S_star / S_t)^2 = (S_star /
                    1(t, T, S_t, S_star, r, q, sigma) - sigma * sqrt(T - t)) - C_p * exp
                    (-r * (T - t)) * pnorm(-calc_x_1(t, T, S_t, S_star, r, q, sigma) +
                        sigma * sqrt(T - t)) + S_t * exp(-q * (T - t)) * pnorm(- calc_x_1(T - t)) * pnorm(-calc_x_1(T 
                    t, T, S<sub>-</sub>t, S<sub>-</sub>star, r, q, sigma)))
38
                return (V_t_difwd)
39
40 }
41
42 # Calculation of Conversion Rate
43 calc_conversion_rate <- function(C_p, N, alpha){
               C_r \leftarrow alpha * N / C_p
                return (C<sub>-</sub>r)
46
47 }
48
49 # Calculation of additional Parameters
50 \operatorname{calc}_{-x_{-}1_{-}i} \leftarrow \operatorname{function}(S_{-}t, S_{-}\operatorname{star}, \operatorname{sigma}, r, q, t_{-}i)
               sigma) * sigma * sqrt(t_i)
                return(x_1_i)
53
54
       calc_y_1_i \leftarrow function(S_t, S_star, sigma, r, q, t_i)
56
               57
                    sigma) * sigma * sqrt(t_i)
59
                return(y_1_i)
60 }
61
62 calc_lambda <- function(r, q, sigma){
               lambda \leftarrow (r - q + sigma^2 / 2) / sigma^2
63
64
                return (lambda)
65
66
67
       calc_x_1 \leftarrow function(t, T, S_t, S_star, r, q, sigma)
68
69
               x_1 \leftarrow log(S_t / S_star) / (sigma * sqrt(T - t)) + calc_lambda(r, q, t)
                    sigma) * sigma * sqrt(T - t)
70
               return(x_1)
71
72 }
73
```

```
74 calc_y_1 <- function(t, T, S_t, S_star, r, q, sigma){
75    y_1 <- log(S_star / S_t) / (sigma * sqrt(T - t)) + calc_lambda(r, q, sigma) * sigma * sqrt(T - t)

76    return(y_1)

78 }

79    # Pricing Example
81 price_coco_ed(t <- 0, T <- 5, S_t <- 40, S_star <- 20, C_p <- 25, c_i <- 7, r <- 0.03, N <- 100, q <- 0, sigma <- 0.3, alpha <- 1)</pre>
```

Appendix D

Code - Structural Approach

The following source code is an implementation of the Structural Approach written in R.

```
# Price of Contingent Convertible Bond
{\tt price\_coco\_sa} \mathrel{<-} {\tt function} (T\ ,\ npath\ ,\ rho\ ,\ kappa\ ,\ r\_bar\,,\ r0\,,\ sigma\_r\,,
      mu_Y, sigma_Y, lambda, g, x_hat, b0, p, e_bar, sigma_x, x0_low, x0_
      \label{eq:high} \ \ high \;, \ \ x0\_nint \;, \ \ B, \ \ c\_low \;, \ \ c\_high \;, \ \ c\_nint \;) \; \{
     n < -T * 250
     dt \leftarrow T / n
5
     result <- sim_corrProcess(T, npath, rho, n, dt)
6
    dW_1 \leftarrow result dW_1
8
    dW_2corr <- result $dW_2corr
9
     r <- sim_interestrate(kappa, r_bar, r0, sigma_r, dW_2corr, n, npath,
10
      dt)
11
     V_t_sa \leftarrow get_price(npath, n, dt, dW_1, dW_2corr, r, mu_Y, sigma_Y, dt)
12
      lambda, g, x_hat, b0, p, e_bar, sigma_x, x0_low, x0_high, x0_nint, B
       , c_{low}, c_{high}, c_{nint}) * 100
     return (V_t_sa)
13
14 }
15
16 sim_corrProcess <- function(T, npath, rho, n, dt){
     vect \leftarrow c(1, rho, rho, 1)
17
    RHO <- matrix (vect, nrow = 2)
18
     chol_RHO \leftarrow t(chol(RHO))
19
     # Create two Brownian Motions
21
    dW_{-1} \leftarrow matrix(1, n, npath)
22
    dW_2 \leftarrow matrix(1, n, npath)
23
     for (j in 1:npath)
25
26
       dW_{-}1[ , j] \leftarrow rnorm(n) * sqrt(dt)
27
       dW_2[, j] \leftarrow rnorm(n) * sqrt(dt)
29
```

```
# Create Correlated Process based on Brownian Motions using Cholesky-
31
      Decomposition
    dW_2 corr \leftarrow matrix(1, n, npath)
32
    for (j in 1:npath)
33
    {
34
       for (i in 1:n)
35
36
         dW_{-}2 corr[i, j] \leftarrow dW_{-}1[i, j] * chol_RHO[2, 1] + dW_{-}2[i, j] * chol_RHO[2, 1]
37
     RHO[2, 2]
       }
38
    }
39
40
     return(list("dW_1" = dW_1, "dW_2corr" = dW_2corr))
41
42
44 # Create Interest Rate Process
45 sim_interestrate <- function(kappa, r_bar, r0, sigma_r, dW_2corr, n,
      npath, dt){
    r \leftarrow matrix(r0, n + 1, npath)
46
47
     for (j in 1:npath)
48
49
       for (i in 1:n)
51
         r[i+1, j] \leftarrow r[i, j] + kappa * (r_bar - r[i, j]) * dt + sigma_r
52
      * sqrt(r[i, j]) * dW_2corr[i, j]
53
    }
54
55
     return(r)
56
57
58
59 get_price <- function(npath, n, dt, dW_1, dW_2corr, r, mu_Y, sigma_Y,
      lambda, g, x_hat, b0, p, e_bar, sigma_x, x0_low, x0_high, x0_nint, B
      , c_{low}, c_{high}, c_{nint}
60
    c_fit_matrix <- matrix(0, x0_nint, length(lambda))</pre>
61
62
     for (w in 1: length (lambda))
63
64
      # Create parametres for jump process
65
       phi <- matrix(rbinom( n%*%npath, 1, dt * lambda[w]), n, npath)
66
       ln_Y <- matrix(rnorm(n\%*\%npath, mu_Y, sigma_Y), n, npath)
67
68
       b \leftarrow matrix(b0, n + 1, npath)
69
       x_bar0 < -1 + e_bar + p * b0
70
       x_bar < matrix(x_bar0, n + 1, npath)
71
72
       h \leftarrow matrix(1, n, npath)
73
74
75
       k \leftarrow \exp(mu_Y + 0.5 * sigma_Y^2) - 1
76
       c \leftarrow seq(c_low, c_high, length = c_nint)
       x0 \leftarrow seq(x0\_low, x0\_high, length = x0\_nint)
```

```
79
                   for (l in 1:x0_nint) \# Wieso?
 80
 81
                         for (m in 1:c_nint) # Wieso?
 82
 83
                             x \leftarrow matrix(x0[1], n+1, npath)
 84
                             \ln x_0 \leftarrow \operatorname{matrix}(\log(x_0[1]), n+1, npath)
                             ln_x \leftarrow ln_x0
 86
                             binom_c < -matrix(1,n+1,npath)
 87
 88
                              for (j in 1:npath)
 89
 90
                                   for (i in 1:n)
 91
 92
                                        d_1 < (ln_x[i, j] + mu_Y) / sigma_Y
                                        d_2 \leftarrow d_1 + sigma_Y
 94
 95
                                        h\,[\,i\;,\;\;j\,\,]\;\; < -\;\; lambda\,[\,w\,]\;\;*\;\; (\,pnorm\,(\;\;-\;\;d_{\,-}1\,)\;\; -\;\; exp\,(\,l\,n_{\,\,-}x\,[\,i\;,\;\;j\,\,]\,)\;\;*
 96
                \exp(mu_Y + 0.5 * sigma_Y^2) * pnorm(-d_2))
 97
                                        b[i + 1, j] \leftarrow b[i, j] * exp(-g[w] * (exp(ln_x[i, j]) - x_-
 98
                hat) * dt
                                        ln_x[i + 1, j] \leftarrow ln_x[i, j] + ((r[i, j] - lambda[w] * k) - lambda[w] + lambd
100
                    (r[i, j] + h[i, j] + c[m] * b[i, j]) / exp(ln_x[i, j]) - g[w] * (
                \exp(\ln_x[i, j]) - x_hat) - 0.5 * sigma_x^2) * dt + sigma_x * sqrt(dt)
                 ) * dW_{-}1[i, j] + ln_{-}Y[i, j] * phi[i, j]
101
                                        x[i + 1, j] \leftarrow \exp(\ln_{-}x[i + 1, j])
102
                                        x_bar[i + 1, j] \leftarrow 1 + e_bar + p * b[i + 1, j]
104
                                         if(x[i + 1, j] >= x_bar[i + 1, j] \&\& binom_c[i, j] > 0.5)
106
107
                                              binom_c[i + 1, j] \leftarrow 1
108
                                         }else
109
110
                                              binom_c[i + 1, j] \leftarrow 0
112
                                   }
113
                             }
114
115
                             payments \leftarrow matrix (c(rep(c[m] * dt, n - 1), B), n, npath) *
116
                binom_c[1:n,]
                              for(j in 1:npath){
                                   for (i in 2:n) {
119
                                         if(payments[i, j] = 0 \& p * b[sum(binom_c[, j]) + 1, j]
120
                <= x[sum(binom_c[ , j]) + 1, j] - 1)
121
                                              payments[i, j] \leftarrow p * B
                                              break
122
                                         }
123
                                         else if (payments [i, j] = 0 \& 0 < x [sum(binom_c[, j]) + 1,
124
                   [j] - 1 & x[sum(binom_c[ , j]) + 1, j] - 1
```

```
]) + 1, j]) \{
                      payments[i, j] <- (x[sum(binom_c[, j]) + 1, j] - 1) * B /
125
         b \left[ sum \left( binom_c \left[ j \right] \right) + 1, j \right]
                      break
126
                   }
127
                   else {
                      payments[i, j] <- payments[i, j]
130
                }
131
              }
132
              vec_disc_v \leftarrow rep(0, npath)
133
              for (j in 1:npath)
134
135
                 \operatorname{disc}_{-v} <\!\!- 0
                 int_r < 0
138
                 for(i in 1:n)
139
140
                 {
141
                   int_r < -int_r + r[i, j] * dt
                   \operatorname{disc}_{v} \leftarrow \operatorname{disc}_{v} + \exp(-\operatorname{int}_{r}) * \operatorname{payments}[i, j]
142
143
                 vec_disc_v[j] \leftarrow disc_v
144
146
              V_t_sa \leftarrow mean(vec_disc_v)
147
148
              return(V_t_sa)
149
           }
150
151
152
153
154
155 # Pricing Example
price_coco_sa(T = 5, npath = 2, rho = -0.2, kappa = 0.114, r_bar =
        0.069, r0 = 0.035, sigma_r = 0.07, mu_Y = -0.01, sigma_Y = 0.02,
        lambda = c(1), g = c(0.5), x_hat = 1.1, b0 = 0.04, p = 1, e_bar = 0.04
        0.02, sigma_x = 0.02, x0_low = 1.15, x0_ligh = 1.15, x0_ligh = 1.15, x0_ligh = 1.0, B
         = 1, c_{low} = 0.05, c_{high} = 0.05, c_{nint} = 10
```

References

- Jan De Spiegeleer and Wim Schoutens. The handbook of convertible bonds: pricing, strategies and risk management, volume 581. John Wiley & Sons, 2011a.
- Jan De Spiegeleer and Wim Schoutens. Pricing contingent convertibles: a derivatives approach. Available at SSRN 1795092, 2011b.
- Marc Erismann. Pricing Contingent Convertible Capital-A Theoretical and Empirical Analysis of Selected Pricing Models. PhD thesis, University of St. Gallen, 2015.
- George Pennacchi. A structural model of contingent bank capital. Working Paper 1004, Federal Reserve Bank of Cleveland, 2010. URL https://ideas.repec.org/p/fip/fedcwp/1004.html.