Valuation of Contingent Convertibles with Derivatives



Nicolay Schmitt

Frankfurt School of Finance and Management

A thesis submitted for the degree of $Master\ of\ Science\ in\ Finance$

 $August\ 2016$

This thesis is dedicated to my parents for their love and support.

Thank you!

Acknowledgements

plenty of waffle, plenty of waffle.

Abstract

plenty of waffle, plenty of waffle.

Contents

1	Introduction and Motivation						
	1.1	Introd	luction	1			
	1.2	Litera	ture Overview	1			
	1.3	Motiv	ration	1			
	1.4	Metho	odology	1			
2	Structure of CoCos						
	2.1	Description of CoCos					
	2.2	Payoff and Risk Profile					
	2.3	2.3 Conversion Trigger					
		2.3.1	Market Trigger	2			
		2.3.2	Accounting Trigger	2			
		2.3.3	Regulatory Trigger	2			
		2.3.4	Multivariate Trigger	2			
	2.4	ersion Details	2				
		2.4.1	Conversion Fraction	2			
		2.4.2	Conversion Price and Ratio	2			
3	Theory of Pricing						
	3.1	Credit	t Derivative Approach	4			
		3.1.1	Intensity-based Approach	4			
		3.1.2	Application to CoCos	5			
		3.1.3	Data Requirements and Calibration	5			
		3.1.4	Pricing Example	5			
	3.2	Equity	y Derivative Approach	5			
		3.2.1	Corporate Bonds	5			
		3.2.2	Binary Options	5			
		3.2.3	Down-And-In Forward	6			

		3.2.4	Data Requirements and Calibration	7		
		3.2.5	Pricing Example	7		
4	Dynamics and Sensitivity Analysis					
	4.1	Credit	Derivative Approach	8		
	4.2	Equity	Derivative Approach	8		
5	$\mathbf{Em}_{\mathbf{j}}$	pirical	Analysis and Model Comparison	9		
	5.1	Data I	Description	9		
		5.1.1	Deutsche Bank	9		
	5.2	Model	Parametrization	9		
	5.3	Model	Comparison	9		
		5.3.1	Qualitative Analysis	9		
		5.3.2	Quantitative Analysis	9		
6	Conclusion					
\mathbf{A}	Sample Title					
В	Code - Credit Derivative Approach					
\mathbf{C}	Code - Equity Derivative Approach					
D	Code - Structural Approach					

List of Figures

Introduction and Motivation

- 1.1 Introduction
- 1.2 Literature Overview
- 1.3 Motivation
- 1.4 Methodology

Structure of CoCos

- 2.1 Description of CoCos
- 2.2 Payoff and Risk Profile
- 2.3 Conversion Trigger
- 2.3.1 Market Trigger
- 2.3.2 Accounting Trigger
- 2.3.3 Regulatory Trigger
- 2.3.4 Multivariate Trigger
- 2.4 Conversion Details
- 2.4.1 Conversion Fraction
 - conversion fraction α
 - \bullet face value N
 - conversion amount $N \times \alpha$
 - amount remaining in case of partial equity conversion $N \times (1 \alpha)$

2.4.2 Conversion Price and Ratio

- conversion rate C_r
- \bullet conversion price C_p

- recovery rate R_{CoCo}
- $\bullet\,$ stock price at trigger event S_T^*
- loss attributable to CoCo holders L_{CoCo}

$$C_p = \frac{\alpha N}{C_r} \tag{2.1}$$

$$C_p = \frac{\alpha N}{C_r}$$

$$C_r = \frac{\alpha N}{C_p}$$
(2.1)

$$R_{CoCo} = \frac{S_T^*}{C_p} \tag{2.3}$$

$$L_{CoCo} = N - (1 - R_{CoCo}) = N \left(1 - \frac{S_T^*}{C_p} \right)$$
 (2.4)

$$P_T = \begin{cases} (1 - \alpha)N + C_r S_T^* & \text{if converted} \\ N & \text{if not converted} \end{cases}$$
 (2.5)

Theory of Pricing

3.1 Credit Derivative Approach

3.1.1 Intensity-based Approach

$$p^* = 1 - \exp\left(-\lambda_{Triqger} \times T\right) \tag{3.1}$$

$$s_{CoCo} = (1 - R_{CoCo}) \times \lambda_{Trigger} = Loss_{CoCo} \times \lambda_{Trigger}$$
 (3.2)

$$Loss_{CoCo} = N - C_r \times S^* = N \left(1 - \frac{S^*}{C_P} \right)$$
 (3.3)

$$R_{CoCo} = \frac{S^*}{C_p} \tag{3.4}$$

$$p^* = \Phi\left(\frac{\log\left(\frac{S^*}{S}\right) - \mu T}{\sigma\sqrt{T}}\right) + \left(\frac{S^*}{S}\right)^{\frac{2\mu}{\sigma^2}} \Phi\left(\frac{\log\left(\frac{S^*}{S}\right) + \mu T}{\sigma\sqrt{T}}\right)$$
(3.5)

$$\lambda_{Trigger} = -\frac{\log(1 - p^*)}{T} \tag{3.6}$$

$$s_{CoCo} = -\frac{\log(1 - p^*)}{T} \times \left(1 - \frac{S^*}{C_p}\right) \tag{3.7}$$

3.1.2 Application to CoCos

3.1.3 Data Requirements and Calibration

3.1.4 Pricing Example

3.2 Equity Derivative Approach

Sources: [?], [?]

$$P_{T} = \mathbb{1}_{\{\tau > T\}} N + \left[(1 - \alpha) N + \frac{\alpha N}{C_{p} S^{*}} \right] \mathbb{1}_{\{\tau \le T\}}$$

$$= N + \left[\frac{\alpha N}{C_{p}} S^{*} - \alpha N \right] \mathbb{1}_{\{\tau \le T\}}$$

$$= N + \left[C_{r} S^{*} - \alpha N \right] \mathbb{1}_{\{\tau \le T\}}$$

$$= N + C_{r} \left[S^{*} - \frac{\alpha N}{C_{r}} \right] \mathbb{1}_{\{\tau \le T\}}$$

$$= N + C_{r} \left[S^{*} - C_{p} \right] \mathbb{1}_{\{\tau \le T\}}$$

$$V_t^{ed} = V_t^{cb} - V_{t_i}^{dibi} + V_t^{difwd} (3.8)$$

3.2.1 Corporate Bonds

$$V_t^{cb} = \sum_{i=t}^{T} c_i \exp(-rt_i) + N \exp[-r(T-t)]$$
(3.9)

3.2.2 Binary Options

$$V_t^{dibi}\left(c_i, S^*, t\right) = \alpha \sum_{i=1}^k c_i \exp\left(-rt_i\right) \left[\Phi\left(-x_{1i} + \sigma\sqrt{t_i}\right) + \left(\frac{S^*}{S_t}\right)^{2\lambda - 2} \Phi\left(y_{1i} - \sigma\sqrt{t_i}\right)\right]$$
(3.10)

with

$$x_{1i} = \frac{\log\left(\frac{S_t}{S^*}\right)}{\sigma\sqrt{t_i}} + \lambda\sigma\sqrt{t_i}$$
$$y_{1i} = \frac{\log\left(\frac{S^*}{S_t}\right)}{\sigma\sqrt{t_i}} + \lambda\sigma\sqrt{t_i}$$
$$\lambda = \frac{r - q + \frac{\sigma^2}{2}}{\sigma^2}$$

3.2.3 Down-And-In Forward

$$\max(S_T - K) \text{ if } \min_{0 \le t \le T} (S_T) \le S^*$$
(3.11)

$$\max(K - S_T) \text{ if } \min_{0 \le t \le T} (S_T) \le S^*$$
(3.12)

$$V_t^{dic}(S_t, S^*, K) = S_t \exp\left[-q(T-t)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda} \Phi(y)$$
$$-K \exp\left[-r(T-t)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda-2} \Phi\left(y - \sigma\sqrt{T-t}\right)$$
(3.13)

with

$$K = C_p$$

$$y = \frac{\log\left(\frac{S^{*2}}{S_t K}\right)}{\sigma \sqrt{T - t}} + \lambda \sigma \sqrt{T - t}$$

$$\lambda = \frac{r - q + \frac{\sigma^2}{2}}{\sigma^2}$$

$$V_t^{dip}(S_t, S^*, K) = S_t \exp\left[-q(T-t)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda} \left[\Phi(y) - \Phi(y_1)\right]$$

$$- K \exp\left[-r(T-t)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda - 2} \left[\Phi\left(y - \sigma\sqrt{T-t}\right) - \Phi\left(y_1 - \sigma\sqrt{T}\right)\right]$$

$$+ K \exp\left[-r(T-t)\right] \Phi\left(x_1 + \sigma\sqrt{T-t}\right)$$

$$- S_t \exp\left[-q(T-t)\right] \Phi(-x_1)$$
(3.14)

with

$$x_{1} = \frac{\log\left(\frac{S_{t}}{S^{*}}\right)}{\sigma\sqrt{T-t}} + \lambda\sigma\sqrt{T-t}$$
$$y_{1} = \frac{\log\left(\frac{S^{*}}{S_{t}}\right)}{\sigma\sqrt{T-t}} + \lambda\sigma\sqrt{T-t}$$

$$\min(S_t) \le S^* : P_T = S_T - K = \max(S_T - K) - \max(K - S_T)$$
 (3.15)

$$\min(S_t) > S^* : P_T = 0 \tag{3.16}$$

$$V_t^{difwd} = C_r \left[S_t \exp\left[-q\left(T - t\right)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda} \Phi\left(y_1\right) - K \exp\left[-r\left(T - t\right)\right] \left(\frac{S^*}{S_t}\right)^{2\lambda - 2} \Phi\left(y_1 - \sigma\sqrt{T - t}\right) - K \exp\left[-r\left(T - t\right)\right] \Phi\left(-x_1 - \sigma\sqrt{T - t}\right) + S_t \exp\left[-q\left(T - t\right)\right] \Phi\left(-x_1\right) \right]$$

$$(3.17)$$

with

$$C_r = \frac{\alpha N}{C_p} \tag{3.18}$$

3.2.4 Data Requirements and Calibration

3.2.5 Pricing Example

Dynamics and Sensitivity Analysis

- 4.1 Credit Derivative Approach
- 4.2 Equity Derivative Approach

Empirical Analysis and Model Comparison

- 5.1 Data Description
- 5.1.1 Deutsche Bank
- 5.2 Model Parametrization
- 5.3 Model Comparison
- 5.3.1 Qualitative Analysis
- 5.3.2 Quantitative Analysis

Conclusion

Appendix A
Sample Title

Appendix B

Code - Credit Derivative Approach

The following source code is an implementation of the Credit Derivative Approach written in R.

```
1 # Price of Contingent Convertible Bond
2 price_coco_cd <- function(t, T, S_t, S_star, C_p, c_i, r, N, q, sigma){
    spread_coco <- calc_spread_coco(t, T, S_t, S_star, C_p, r, q, sigma)
4
    V_t_{-coco} \leftarrow N * exp(-(r + spread_{-coco}) * (T - t))
    for (t in 1:T) {
       V_t_{-coco} \leftarrow V_t_{-coco} + c_i * exp(-(r + spread_{-coco}) * t)
10
    V_{-}t_{-}coco
11 }
12
13 # Calculation of Trigger Probability
14 calc_p_star <- function(t, T, S_t, S_star, r, q, sigma){
    p_star \leftarrow pnorm((log(S_star / S_t) - calc_mu(r, q, sigma) * (T - t)))
        (\operatorname{sigma} * \operatorname{sqrt}(T - t)) + (S_{\operatorname{star}} / S_{\operatorname{t}})^{2} * \operatorname{calc_mu}(r, q, \operatorname{sigma}) /
       sigma^2) * pnorm((log(S_star / S_t) + calc_mu(r, q, sigma) * (T - t
      )) / (sigma * sqrt(T - t)))
    p_- star
16
17 }
19 # Calculation of Drift of Underlying
calc_mu \leftarrow function(r, q, sigma)
    mu \leftarrow r - q - sigma^2 / 2
23 }
25 # Spread of CoCo Bond
26 calc_spread_coco <- function(t, T, S_t, S_star, C_p, r, q, sigma){
    spread\_coco \leftarrow - log(1 - calc\_p\_star(t, T, S\_t, S\_star, r, q, sigma))
      / (T - t) * (1 - S_star / C_p)
    spread_coco
31 # Pricing Example
```

price_coco_cd(t <- 0, T <- 5, S_t <- 40, S_star <- 20, C_p <- 25, c_i <- 7, r <- 0.03, N <- 100, q <- 0, sigma <- 0.3)

Appendix C

Code - Equity Derivative Approach

The following source code is an implementation of the Equity Derivative Approach written in R.

```
1 # Price of Contingent Convertible Bond
2 price_coco_ed <- function(t, T, S_t, S_star, C_p, c_i, r, N, q, sigma,
      alpha){
    V_t_{ed} \leftarrow price_cb(t, T, c_i, r, N) - price_dibi(t, T, S_t, S_star, c_i)
      i, r, q, sigma, alpha) + price_difwd(t, T, S_t, S_star, C_p, r, N, q
      , sigma, alpha)
4
    return (V_t_ed)
5
6 }
8 # Price of Corporate Bond
9 price_cb \leftarrow function(t, T, c_i, r, N){
    V_t_c = V_t - cb < N * exp(-r * (T - t))
11
    for (t in 1:T) {
12
    V_{-}t_{-}cb \leftarrow V_{-}t_{-}cb + c_{-}i * exp(-r * t)
13
15
    return (V_t_cb)
16
17 }
19 # Price of Binary Option
price_dibi <- function(t, T, S_t, S_star, c_i, r, q, sigma, alpha){
    V_t_dibi < 0
23
    i <- t
    k <- T
24
25
    for (i in 1:k) {
26
    V_t_dibi \leftarrow V_t_dibi + c_i * exp(-r * i) * (pnorm(-calc_x_1_i(S_t, S_t)) + (pnorm(-calc_x_1_i(S_t, S_t)))
      _star , sigma , r , q , i ) + sigma * sqrt(i)) + (S_star / S_t)^(2 * calc
      _{lambda(r, q, sigma) - 2)} * pnorm ( calc_y_1_i(S_t, S_star, sigma, r)
      , q, i) - sigma * sqrt(i)))
28
```

```
V_t_dibi <- alpha * V_t_dibi
30
31
                     return (V_t_dibi)
32
33
34
35 # Price of Down-And-In Forward
price_difwd <- function(t, T, S_t, S_star, C_p, r, N, q, sigma, alpha){
                    V_t_difwd \leftarrow calc_conversion_rate(C_p, N, alpha) * (S_t * exp(-q * (T_p)) + (S_t * exp(-q * (T_p))) + (S_t * exp(-q * (T_
                                 - t)) * (S_star / S_t) ^ (2 * calc_lambda(r, q, sigma)) * pnorm(
                            calc_y_1(t, T, S_t, S_{star}, r, q, sigma)) - C_p * exp(-r * (T - t))
                                * (S_star / S_t)^2 = (S_star /
                            1(t, T, S_t, S_{star}, r, q, sigma) - sigma * sqrt(T - t)) - C_p * exp
                           (-r * (T - t)) * pnorm(-calc_x_1(t, T, S_t, S_star, r, q, sigma) +
                                sigma * sqrt(T - t)) + S_t * exp(-q * (T - t)) * pnorm(- calc_x_1(T - t)) * pnorm(-calc_x_1(T 
                            t, T, S<sub>-</sub>t, S<sub>-</sub>star, r, q, sigma)))
38
                     return (V_t_difwd)
39
40 }
41
42 # Calculation of Conversion Rate
43 calc_conversion_rate <- function(C_p, N, alpha){
                    C_r \leftarrow alpha * N / C_p
                     return (C<sub>-</sub>r)
46
47 }
48
49 # Calculation of additional Parameters
50 \operatorname{calc}_{-x_{-}1_{-}i} \leftarrow \operatorname{function}(S_{-}t, S_{-}\operatorname{star}, \operatorname{sigma}, r, q, t_{-}i)
                     sigma) * sigma * sqrt(t_i)
                     return(x_1_i)
53
54
          calc_y_1_i \leftarrow function(S_t, S_star, sigma, r, q, t_i)
56
                     57
                           sigma) * sigma * sqrt(t_i)
59
                     return(y_1_i)
60 }
61
62 calc_lambda <- function(r, q, sigma){
                     lambda \leftarrow (r - q + sigma^2 / 2) / sigma^2
63
64
                      return (lambda)
65
66
67
          calc_x_1 \leftarrow function(t, T, S_t, S_star, r, q, sigma)
68
69
                     x_1 \leftarrow log(S_t / S_star) / (sigma * sqrt(T - t)) + calc_lambda(r, q, t)
                           sigma) * sigma * sqrt(T - t)
70
                     return(x_1)
71
72 }
73
```

```
74 calc_y_1 <- function(t, T, S_t, S_star, r, q, sigma){
75    y_1 <- log(S_star / S_t) / (sigma * sqrt(T - t)) + calc_lambda(r, q, sigma) * sigma * sqrt(T - t)

76    return(y_1)

78 }

79    # Pricing Example
81 price_coco_ed(t <- 0, T <- 5, S_t <- 40, S_star <- 20, C_p <- 25, c_i <- 7, r <- 0.03, N <- 100, q <- 0, sigma <- 0.3, alpha <- 1)</pre>
```

Appendix D

Code - Structural Approach

The following source code is an implementation of the Structural Approach written in R.

```
# Price of Contingent Convertible Bond
{\tt 2~price\_coco\_sa} \mathrel{<-} {\tt function} (T~,~npath~,~rho~,~kappa~,~r\_bar~,~r0~,~sigma\_r~,
      mu_Y, sigma_Y, lambda, g, x_hat, b0, p, e_bar, sigma_x, x0_low, x0_
      \label{eq:high} \ \ high \;, \ \ x0\_nint \;, \ \ B, \ \ c\_low \;, \ \ c\_high \;, \ \ c\_nint \;) \; \{
     n < -T * 250
     dt \leftarrow T / n
5
     result <- sim_corrProcess(T, npath, rho, n, dt)
6
    dW_1 \leftarrow result dW_1
8
    dW_2corr <- result $dW_2corr
9
     r <- sim_interestrate(kappa, r_bar, r0, sigma_r, dW_2corr, n, npath,
10
      dt)
11
     V_t_sa \leftarrow get_price(npath, n, dt, dW_1, dW_2corr, r, mu_Y, sigma_Y, dt)
12
      lambda, g, x_hat, b0, p, e_bar, sigma_x, x0_low, x0_high, x0_nint, B
       , c_{low}, c_{high}, c_{nint}) * 100
     return (V_t_sa)
13
14 }
15
16 sim_corrProcess <- function(T, npath, rho, n, dt){
     vect \leftarrow c(1, rho, rho, 1)
17
    RHO <- matrix (vect, nrow = 2)
18
     chol_RHO \leftarrow t(chol(RHO))
19
     # Create two Brownian Motions
21
    dW_{-1} \leftarrow matrix(1, n, npath)
22
    dW_2 \leftarrow matrix(1, n, npath)
23
     for (j in 1:npath)
25
26
       dW_{-}1[ , j] \leftarrow rnorm(n) * sqrt(dt)
27
       dW_2[, j] \leftarrow rnorm(n) * sqrt(dt)
29
```

```
# Create Correlated Process based on Brownian Motions using Cholesky-
31
      Decomposition
    dW_2 corr \leftarrow matrix(1, n, npath)
32
    for (j in 1:npath)
33
    {
34
       for (i in 1:n)
35
36
         dW_{-}2 corr[i, j] \leftarrow dW_{-}1[i, j] * chol_RHO[2, 1] + dW_{-}2[i, j] * chol_RHO[2, 1]
37
     RHO[2, 2]
       }
38
    }
39
40
     return(list("dW_1" = dW_1, "dW_2corr" = dW_2corr))
41
42
44 # Create Interest Rate Process
45 sim_interestrate <- function(kappa, r_bar, r0, sigma_r, dW_2corr, n,
      npath, dt){
    r \leftarrow matrix(r0, n + 1, npath)
46
47
     for (i in 1:npath)
48
49
       for (i in 1:n)
51
         r[i+1, j] \leftarrow r[i, j] + kappa * (r_bar - r[i, j]) * dt + sigma_r
52
      * sqrt(r[i, j]) * dW_2corr[i, j]
53
    }
54
55
     return(r)
56
57
58
59 get_price <- function(npath, n, dt, dW_1, dW_2corr, r, mu_Y, sigma_Y,
      lambda, g, x_hat, b0, p, e_bar, sigma_x, x0_low, x0_high, x0_nint, B
      , c_{low}, c_{high}, c_{nint}
60
    c_fit_matrix <- matrix(0, x0_nint, length(lambda))</pre>
61
62
     for (w in 1:length (lambda))
63
64
      # Create parametres for jump process
65
       phi <- matrix(rbinom( n%*%npath, 1, dt * lambda[w]), n, npath)
66
       ln_Y <- matrix(rnorm(n\%*\%npath, mu_Y, sigma_Y), n, npath)
67
68
       b \leftarrow matrix(b0, n + 1, npath)
69
       x_bar0 < -1 + e_bar + p * b0
70
       x_bar < matrix(x_bar0, n + 1, npath)
71
72
       h \leftarrow matrix(1, n, npath)
73
74
75
       k \leftarrow \exp(mu_Y + 0.5 * sigma_Y^2) - 1
76
       c \leftarrow seq(c_low, c_high, length = c_nint)
       x0 \leftarrow seq(x0\_low, x0\_high, length = x0\_nint)
```

```
79
                  for (1 \text{ in } 1:x0\_nint) \# Wieso?
 80
 81
                        for (m in 1:c_nint) # Wieso?
 82
 83
                             x \leftarrow matrix(x0[1], n+1, npath)
 84
                             \ln x_0 \leftarrow \operatorname{matrix}(\log(x_0[1]), n+1, npath)
                             ln_x \leftarrow ln_x0
 86
                             binom_c < -matrix(1,n+1,npath)
 87
 88
                             for (j in 1:npath)
 89
 90
                                   for (i in 1:n)
 91
 92
                                        d_1 < (ln_x[i, j] + mu_Y) / sigma_Y
                                        d_2 \leftarrow d_1 + sigma_Y
 94
 95
                                        h[i, j] \leftarrow lambda[w] * (pnorm( - d_1) - exp(ln_x[i, j]) *
 96
                \exp(\text{mu}_Y + 0.5 * \text{sigma}_Y^2) * \text{pnorm}(-d_2))
 97
                                       b[i + 1, j] \leftarrow b[i, j] * exp(-g[w] * (exp(ln_x[i, j]) - x_-
 98
                hat) * dt
                                        ln_x[i + 1, j] \leftarrow ln_x[i, j] + ((r[i, j] - lambda[w] * k) - lambda[w] + lambd
100
                   (r[i, j] + h[i, j] + c[m] * b[i, j]) / exp(ln_x[i, j]) - g[w] * (
                \exp(\ln_x[i, j]) - x_hat) - 0.5 * sigma_x^2) * dt + sigma_x * sqrt(dt)
                 ) * dW_{-}1[i, j] + ln_{-}Y[i, j] * phi[i, j]
101
                                        x[i + 1, j] \leftarrow \exp(\ln_{-}x[i + 1, j])
102
                                        x_bar[i + 1, j] \leftarrow 1 + e_bar + p * b[i + 1, j]
104
                                        if(x[i + 1, j] >= x_bar[i + 1, j] \&\& binom_c[i, j] > 0.5)
106
107
                                              binom_c[i + 1, j] \leftarrow 1
108
                                        }else
109
110
                                              binom_c[i + 1, j] \leftarrow 0
112
                                  }
113
                             }
114
115
                             payments \leftarrow matrix (c(rep(c[m] * dt, n - 1), B), n, npath) *
116
                binom_c[1:n,]
                              for(j in 1:npath){
                                   for (i in 2:n) {
119
                                         if(payments[i, j] = 0 \&\& p * b[sum(binom_c[, j]) + 1, j]
120
               <= x[sum(binom_c[ , j]) + 1, j] - 1)
121
                                             payments[i, j] \leftarrow p * B
                                              break
122
                                        }
123
                                        else if (payments [i, j] = 0 \& 0 < x [sum(binom_c[, j]) + 1,
124
                   [j] - 1 & x[sum(binom_c[ , j]) + 1, j] - 1
```

```
]) + 1, j]) \{
                      payments[i, j] <- (x[sum(binom_c[, j]) + 1, j] - 1) * B /
125
         b \left[ sum \left( binom_c \left[ j \right] \right) + 1, j \right]
                     break
126
                   }
127
                   else {
                     payments[i, j] <- payments[i, j]
130
                }
131
              }
132
              vec_disc_v \leftarrow rep(0, npath)
133
              for (j in 1:npath)
134
135
                \operatorname{disc}_{-v} <\!\!- 0
                int_r < 0
138
                for(i in 1:n)
139
140
                {
141
                   int_r < -int_r + r[i, j] * dt
                   \operatorname{disc}_{v} \leftarrow \operatorname{disc}_{v} + \exp(-\operatorname{int}_{r}) * \operatorname{payments}[i, j]
142
143
                vec_disc_v[j] \leftarrow disc_v
144
146
             V_t_sa \leftarrow mean(vec_disc_v)
147
148
             return(V_t_sa)
149
           }
150
151
152
153
154
155 # Pricing Example
price_coco_sa(T = 5, npath = 2, rho = -0.2, kappa = 0.114, r_bar =
        0.069, r0 = 0.035, sigma_r = 0.07, mu_Y = -0.01, sigma_Y = 0.02,
       lambda = c(1), g = c(0.5), x_hat = 1.1, b0 = 0.04, p = 1, e_bar = 0.04
        0.02, sigma_x = 0.02, x0_low = 1.15, x0_ligh = 1.15, x0_ligh = 1.0, B
        = 1, c_{low} = 0.05, c_{high} = 0.05, c_{nint} = 10
```