




UV1-A




UV2-A




UV3-A




UV4-A




UV5-A




UV6-A




UV7-A




UV8-A




UV9-A




UV10-A




UV11-A




UV12-A




UV13-A




UV14-A




UV15-A




UV16-A




V1-A




V2-A




V3-A




V4-A




V5-A




V6-A




V7-A




V8-A




V9-A



V10-A



V11-A




The graph displays the daily number of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The x-axis represents time, with labels for June, July, August, September, and October. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of relative stability with low case counts (mostly below 10,000) from June through mid-August. Starting in late August, there is a significant and rapid increase in cases, reaching a peak of approximately 100,000 in early September. Following this peak, the number of cases begins to decline, returning to levels below 10,000 by mid-October.


The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The y-axis is labeled 'Number of cases' and ranges from 0 to 1,000,000 in increments of 200,000. The x-axis is labeled with the months 'Jun', 'Jul', 'Aug', 'Sep', and 'Oct'. The data is represented by a blue line with circular markers at each data point. The number of cases remains relatively low, generally below 200,000, from June through mid-August. A massive spike occurs in late August, with cases peaking at approximately 950,000. Following this peak, the case count drops sharply to around 100,000 and then fluctuates between 100,000 and 200,000 through the end of the period shown.

The graph displays the daily count of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 10,000 in increments of 2,000. The x-axis is labeled 'Date' and shows the months from June to October. A prominent peak occurs in late August, reaching approximately 9,500 cases. Following this peak, the number of cases drops sharply and remains relatively low, fluctuating between 1,000 and 2,000 cases per day through October.


V15-A




V16-A




B1-A




B2-A




B3-A




B4-A




B5-A




B6-A




B7-A




B8-A




B9-A




B10-A




B11-A




B12-A




B13-A




B14-A




YG1-A




YG2-A




YG3-A



YG4-A



YG5-A



The graph displays the daily number of COVID-19 cases in the Netherlands from June 1, 2020, to October 1, 2020. The y-axis is labeled 'Number of cases' and ranges from 0 to 10,000 in increments of 2,000. The x-axis is labeled with the months 'Jun', 'Jul', 'Aug', 'Sep', and 'Oct'. The data is represented by a dark green line with circular markers at each data point. The number of cases remains relatively low and stable, mostly between 1,000 and 2,000, from June through mid-August. Starting in late August, there is a noticeable increase in the number of cases, with a very sharp spike reaching nearly 10,000 cases in early September. Following this peak, the number of cases drops but remains higher than the initial period, with another significant spike to around 5,000 cases in late September, before declining again towards the end of the month.


The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The x-axis represents time, with labels for June, July, August, September, and October. The y-axis represents the number of cases, with a scale from 0 to 100,000 in increments of 20,000. The data shows a period of relative stability with low case counts (mostly below 20,000) from June through mid-August. Starting in late August, there is a significant upward trend. A major peak occurs in early September, reaching nearly 100,000 cases. Following this peak, the case count drops sharply but remains elevated, fluctuating between 20,000 and 40,000 through the end of the period shown.

Date	Number of Cases (Approximate)
Jun 1	20,000
Jun 15	15,000
Jul 1	18,000
Jul 15	15,000
Aug 1	18,000
Aug 15	25,000
Aug 25	95,000
Sep 1	20,000
Sep 15	35,000
Sep 25	25,000
Oct 1	30,000


The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled 'Number of cases' and ranges from 0 to 1,000,000 in increments of 200,000. The x-axis is labeled with months: Jun, Jul, Aug, Sep, and Oct. The data shows a period of low activity from June to mid-August, a significant surge peaking at approximately 1,200,000 cases in early September, and then a decline with some minor fluctuations through October.

Month	Approximate Number of Cases
June 1	100,000
June 15	100,000
July 1	100,000
July 15	100,000
August 1	100,000
August 15	100,000
September 1	1,200,000
September 15	100,000
October 1	100,000
October 15	100,000
October 31	100,000


YG9-A




YG10-A




R1-A




R2-A




R3-A




R4-A




R5-A




R6-A




R7-A




R8-A




UV_LaserDelay




Violet_LaserDelay




Blue_LaserDelay




YellowGreen_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




SSC-A




SSC-B-A




SSC-H




SSC-B-H




UV1-Gain




UV2-Gain




UV3-Gain




UV4-Gain




UV5-Gain




UV6-Gain




UV7-Gain




UV8-Gain




UV9-Gain




UV10-Gain




UV11-Gain




UV12-Gain




UV13-Gain




UV14-Gain




UV15-Gain




UV16-Gain




V1-Gain




V2-Gain




V3-Gain




V4-Gain




V5-Gain




V6-Gain




V7-Gain




V8-Gain




V9-Gain



V10-Gain



V11-Gain



The graph displays the daily number of COVID-19 cases in the Netherlands from June 1, 2020, to October 1, 2020. The y-axis is labeled 'Number of cases' and ranges from 0 to 10,000 in increments of 2,000. The x-axis is labeled with the months 'Jun', 'Jul', 'Aug', 'Sep', and 'Oct'. The data is represented by a blue line with circular markers at each data point. A prominent peak occurs in late July, reaching approximately 9,500 cases. Another notable peak is seen in late August, reaching about 4,000 cases. The number of cases fluctuates between 1,000 and 2,000 for the remainder of the period shown.

The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The y-axis represents the number of cases, ranging from 0 to 1,000,000. The x-axis shows the months of June, July, August, September, and October. A prominent peak occurs in early July, reaching nearly 1,000,000 cases. Following this peak, the case count drops sharply and remains relatively low, with minor fluctuations, until October.


Date	Number of Cases (Approximate)
June 1	100,000
June 15	150,000
June 25	100,000
July 1	1,000,000
July 15	50,000
July 25	100,000
August 1	100,000
August 15	150,000
August 25	100,000
September 1	100,000
September 15	100,000
September 25	100,000
October 1	100,000

The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The y-axis represents the number of cases, ranging from 0 to 1,000,000. The x-axis shows the months of June, July, August, September, and October. The data is represented by a blue line with circular markers at each data point. A major peak occurs in early July, reaching nearly 1,000,000 cases. Following this peak, there is a sharp decline, and the case count remains relatively stable, fluctuating between approximately 100,000 and 200,000 cases through the end of the period shown.


The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The x-axis represents time, with labels for June, July, August, September, and October. The y-axis represents the number of cases, with a scale from 0 to 1,000,000. The data shows a period of low case counts in June, followed by a sharp increase in late July, peaking in early August at over 1,000,000 cases. After a brief decline, the case count rises again in late August and remains high, fluctuating between approximately 500,000 and 700,000 cases through October.

Date	Number of Cases (Approximate)
June 1, 2020	100,000
June 15, 2020	150,000
June 30, 2020	200,000
July 1, 2020	250,000
July 15, 2020	300,000
July 25, 2020	350,000
August 1, 2020	400,000
August 10, 2020	450,000
August 20, 2020	500,000
August 30, 2020	550,000
September 1, 2020	600,000
September 15, 2020	650,000
September 30, 2020	700,000
October 1, 2020	700,000


B2-Gain




B3-Gain




B4-Gain




B5-Gain




B6-Gain




B7-Gain




B8-Gain




B9-Gain




B10-Gain




B11-Gain




B12-Gain




B13-Gain




B14-Gain




YG1-Gain




YG2-Gain




YG3-Gain




YG4-Gain




YG5-Gain




YG6-Gain




YG7-Gain




YG8-Gain




YG9-Gain




YG10-Gain




R1-Gain




R2-Gain




R3-Gain




R4-Gain




R5-Gain




R6-Gain





R7-Gain






The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The x-axis represents time in months (Jun, Jul, Aug, Sep, Oct), and the y-axis represents the number of cases, ranging from 0 to 1,000,000. The data shows a steady increase in cases over time, with a notable jump in late September, reaching approximately 1,000,000 cases by the end of the period.


Date	Number of Cases (Approximate)
June 1, 2020	~10,000
July 1, 2020	~100,000
August 1, 2020	~400,000
September 1, 2020	~1,000,000
October 1, 2020	~1,000,000




SSC-B-Gain




UV-Laser Delay




Violet-Laser Delay




Blue-Laser Delay




YellowGreen-Laser Delay




Red-Laser Delay




UV-Laser Power




Violet-Laser Power




Blue-Laser Power




YellowGreen-Laser Power




Red-Laser Power




UV-Area Scaling Factor




Violet–Area Scaling Factor




Blue–Area Scaling Factor




YellowGreen–Area Scaling Factor




Red-Area Scaling Factor




FSCAreaScalingFactor




UV1-% rCV




UV2-% rCV




UV3-% rCV




UV4-% rCV




UV5-% rCV




UV6-% rCV




UV7-% rCV




UV8-% rCV




UV9-% rCV




UV10-% rCV




UV11-% rCV




UV12-% rCV




UV13-% rCV




UV14-% rCV




UV15-% rCV




UV16-% rCV




V1-% rCV




V2-% rCV




V3-% rCV




V4-% rCV




V5-% rCV




V6-% rCV




V7-% rCV




V8-% rCV




V9-% rCV




V10-% rCV




V11-% rCV




V12-% rCV




V13-% rCV




V14-% rCV




V15-% rCV




V16-% rCV




B1-% rCV




B2-% rCV




B3-% rCV




B4-% rCV




B5-% rCV




B6-% rCV




B7-% rCV




B8-% rCV




B9-% rCV




B10-% rCV




B11-% rCV




B12-% rCV




B13-% rCV




B14-% rCV




YG1-% rCV




YG2-% rCV




YG3-% rCV




YG4-% rCV




YG5-% rCV




YG6-% rCV




YG7-% rCV




YG8-% rCV




YG9-% rCV




YG10-% rCV




R1-% rCV




R2-% rCV




R3-% rCV



R4-% rCV



R5-% rCV



The graph displays the daily number of cases from June to October. The y-axis, labeled 'Number of cases', has a scale from 0 to 1000. The x-axis marks the months of June, July, August, September, and October. The data shows a highly volatile pattern with multiple sharp peaks. The most prominent peak occurs in late June, reaching approximately 950 cases. Other notable peaks are seen in mid-July (around 850 cases), late July (around 750 cases), and late August (around 700 cases). The number of cases generally fluctuates between 100 and 300 for much of the period, with a notable dip in early July and a period of relative stability in August and September.

The graph displays the daily number of cases over time. The y-axis represents the number of cases, with major grid lines at 0, 500, and 1000. The x-axis represents time in months, from June to October. The data is plotted as a dark red line with circular markers. Several points are highlighted with red squares, indicating specific dates of interest. The highest peak occurs in late June/early July, reaching nearly 1000 cases. Other notable peaks occur in late July, late August, and late September. The data shows a general downward trend after the initial peak, with some fluctuations and smaller peaks throughout the period.

The graph displays daily case counts over a five-month period. The data is represented by a dark red line with square markers. The x-axis is labeled with the months of June, July, August, September, and October. The y-axis has a grid but no numerical labels. The data shows significant fluctuations, with a major peak in mid-July and several smaller peaks throughout the period.

The line graph illustrates the daily count of COVID-19 cases in the United States from June to October 2020. The x-axis represents time, with labels for June, July, August, September, and October. The y-axis represents the number of cases, with a grid that suggests a scale where the top of the graph is 100,000 cases. The data shows a period of low activity in June, followed by a significant rise starting in late July. A major peak occurs in late August, reaching nearly 100,000 cases. This is followed by a period of fluctuation with a general downward trend, punctuated by a second, smaller peak in late September, before showing signs of a slight increase again towards the end of the month.

Month	Approximate Daily Case Count
June 1	10,000
June 15	10,000
July 1	20,000
July 15	30,000
August 1	20,000
August 15	10,000
August 25	80,000
September 1	40,000
September 15	30,000
September 25	40,000
October 1	20,000

The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The y-axis represents the number of cases, ranging from 0 to 1,000,000 in increments of 200,000. The x-axis shows the months of June, July, August, September, and October. The data shows a period of low case counts (below 50,000) from June 1 to July 1. A sharp increase occurs in late July, peaking at approximately 1,000,000 cases around July 25. Following this peak, the case count drops significantly and then fluctuates between approximately 100,000 and 200,000 cases through the end of October.

Date	Number of Cases (Approximate)
Jun 1	20,000
Jun 15	25,000
Jul 1	30,000
Jul 15	40,000
Jul 25	1,000,000
Aug 1	150,000
Aug 15	120,000
Sep 1	180,000
Sep 15	150,000
Oct 1	120,000

The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The x-axis represents time in months (Jun, Jul, Aug, Sep, Oct), and the y-axis represents the number of cases, ranging from 0 to 1,000,000. The data shows a period of low case counts in June, followed by a sharp rise in July. Cases peaked in late August at approximately 900,000, then declined and fluctuated between 100,000 and 400,000 through September and early October.

Date	Number of Cases (Approximate)
Jun 1	100,000
Jun 15	100,000
Jul 1	100,000
Jul 15	400,000
Aug 1	400,000
Aug 15	900,000
Sep 1	400,000
Sep 15	100,000
Sep 25	400,000
Oct 1	300,000