




UV1-A




UV2-A




UV3-A




UV4-A




UV5-A




UV6-A




UV7-A




UV8-A




UV9-A




UV10-A




UV11-A




UV12-A




UV13-A




UV14-A




UV15-A




UV16-A




V1-A




V2-A




V3-A




V4-A




V5-A




V6-A




V7-A




V8-A




V9-A




V10-A




V11-A




V12-A




V13-A




V14-A




V15-A




V16-A




B1-A




B2-A



B3-A



B4-A




The line graph displays the daily death toll in the United States from June to October 2020. The x-axis represents time, with labels for June, July, August, September, and October. The y-axis represents the number of deaths, with a grid line at 100. The data shows significant fluctuations, with major peaks occurring around June 15 (approx. 150 deaths), July 15 (approx. 180 deaths), and July 25 (approx. 160 deaths). A very sharp peak is visible in mid-September, reaching nearly 200 deaths, followed by a precipitous drop to below 20 deaths in late September. The trend then shows a slight increase towards the end of October.


The line graph illustrates the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The x-axis represents time, with major ticks for June, July, August, September, and October. The y-axis represents the number of cases, with a grid extending from 0 to 100,000 in increments of 10,000. The data shows significant fluctuations, with notable peaks in late June (approx. 45,000 cases), late July (approx. 95,000 cases), late August (approx. 85,000 cases), and late September (approx. 55,000 cases). There are also several sharp declines, most notably in early August (down to approx. 25,000 cases) and early September (down to approx. 15,000 cases).

Date	Number of Cases (Approximate)
June 1	35,000
June 5	45,000
June 10	30,000
June 15	40,000
June 20	45,000
June 25	35,000
June 30	40,000
July 5	35,000
July 10	95,000
July 15	55,000
July 20	45,000
July 25	40,000
July 30	45,000
August 5	25,000
August 10	25,000
August 15	55,000
August 20	45,000
August 25	40,000
August 30	85,000
September 5	15,000
September 10	35,000
September 15	35,000
September 20	45,000
September 25	35,000
September 30	55,000
October 1	35,000


B8-A




B9-A




B10-A




B11-A




B12-A




B13-A




B14-A




YG1-A




YG2-A




YG3-A




YG4-A




YG5-A




Y G6-A




YG7-A




YG8-A




YG9-A




YG10-A




R1-A




R2-A




R3-A




R4-A




R5-A




R6-A




R7-A




R8-A




UV_LaserDelay




Violet_LaserDelay




Blue_LaserDelay




YellowGreen_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




SSC-A




SSC-B-A




SSC-H




SSC-B-H




UV1-Gain




UV2-Gain




UV3-Gain




UV4-Gain




UV5-Gain




UV6-Gain




UV7-Gain




UV8-Gain




UV9-Gain




UV10-Gain



UV11-Gain



UV12-Gain



The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The y-axis represents the number of cases, ranging from 0 to 1,000,000. The x-axis shows the months of June, July, August, September, and October. A prominent peak occurs in early July, reaching nearly 1,000,000 cases. Following this peak, the case count drops sharply and then fluctuates at a lower level, with a secondary, smaller peak in late August. From September onwards, the number of cases remains relatively stable and low, generally staying below 100,000 per day.


The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The x-axis represents time in months, with labels for Jun, Jul, Aug, Sep, and Oct. The y-axis represents the number of cases, with a scale from 0 to 1,000,000. The data is plotted as a purple line with circular markers at each data point. A major peak occurs in early July, reaching nearly 1,000,000 cases. This is followed by a sharp decline and then a second, smaller peak in late August, reaching approximately 400,000 cases. The number of cases remains relatively low and stable from September through October, fluctuating between 100,000 and 200,000 cases per day.

Date	Number of Cases (Approximate)
Jun 1	150,000
Jun 15	100,000
Jun 25	150,000
Jul 1	100,000
Jul 5	950,000
Jul 15	150,000
Jul 25	200,000
Aug 5	400,000
Aug 15	150,000
Aug 25	200,000
Sep 5	150,000
Sep 15	100,000
Sep 25	150,000
Oct 1	150,000


The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The x-axis represents time, with labels for June, July, August, September, and October. The y-axis represents the number of cases, with a scale from 0 to 1,000,000. The data is plotted as a blue line with circular markers at each data point. The graph shows a sharp increase in cases starting in late June, peaking at approximately 1,000,000 cases in early July. This is followed by a period of relative stability and minor fluctuations, with a second, even higher peak occurring in mid-August, reaching nearly 1,200,000 cases. After this second peak, the number of cases begins to decline, showing a significant drop in early September, followed by a period of low activity and minor fluctuations through October.

Date	Number of Cases (Approximate)
June 1, 2020	100,000
June 15, 2020	50,000
June 20, 2020	100,000
June 25, 2020	200,000
July 1, 2020	1,000,000
July 15, 2020	100,000
July 20, 2020	200,000
July 25, 2020	100,000
August 1, 2020	100,000
August 15, 2020	1,200,000
August 20, 2020	100,000
August 25, 2020	200,000
September 1, 2020	100,000
September 15, 2020	200,000
September 20, 2020	100,000
October 1, 2020	100,000


UV16-Gain




V1-Gain




V2-Gain




V3-Gain




V4-Gain




V5-Gain




V6-Gain




V7-Gain




V8-Gain




V9-Gain




V10-Gain




V11-Gain




V12-Gain



V13-Gain



V14-Gain




The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The y-axis represents the number of cases, ranging from 0 to 1,000,000. The x-axis shows the months of June, July, August, September, and October. A prominent peak occurs in early July, reaching nearly 1,000,000 cases. Following this peak, the case count drops sharply and remains relatively low, with minor fluctuations, until October.

Date	Number of Cases (Approximate)
June 1	100,000
June 15	50,000
June 25	100,000
July 1	500,000
July 5	950,000
July 10	50,000
July 20	100,000
July 25	500,000
August 1	50,000
August 15	100,000
August 25	500,000
September 1	50,000
September 15	100,000
September 25	50,000
October 1	50,000


The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The y-axis represents the number of cases, ranging from 0 to 100,000. The x-axis shows the months of June, July, August, September, and October. A prominent peak occurs in early July, reaching nearly 100,000 cases. Following this peak, the case count drops sharply and then fluctuates at a lower level, generally between 10,000 and 20,000 cases per day, until the end of the period shown.

The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The x-axis represents time in months (Jun, Jul, Aug, Sep, Oct), and the y-axis represents the number of cases, ranging from 0 to 1,000,000. The data shows a significant upward trend starting in late June, with a major peak in early July reaching nearly 1,000,000 cases. Following this peak, the number of cases fluctuates between approximately 200,000 and 400,000 per day, with a general upward trend continuing through October.


B2-Gain




B3-Gain




B4-Gain




B5-Gain




B6-Gain




B7-Gain




B8-Gain




B9-Gain




B10-Gain




B11-Gain




B12-Gain




B13-Gain




B14-Gain




YG1-Gain




YG2-Gain




YG3-Gain




YG4-Gain




YG5-Gain




YG6-Gain




YG7-Gain




YG8-Gain




YG9-Gain




YG10-Gain




R1-Gain




R2-Gain




R3-Gain




R4-Gain




R5-Gain




R6-Gain




R7-Gain




R8-Gain




FSC-Gain




SSC-Gain




SSC-B-Gain




UV-Laser Delay




Violet-Laser Delay




Blue-Laser Delay




YellowGreen-Laser Delay




Red-Laser Delay




UV-Laser Power




Violet-Laser Power




Blue-Laser Power




YellowGreen-Laser Power




Red-Laser Power




UV-Area Scaling Factor




Violet-Area Scaling Factor



Blue-Area Scaling Factor



YellowGreen-Area Scaling Factor




The graph displays the normalized difference in the number of cases between the two countries, $(C_1 - C_2) / C_1$, over time. The x-axis is labeled with months from June to October. The y-axis ranges from 1.04 to 1.10. The data shows a sharp increase in July, followed by a period of high volatility and a general upward trend.


The graph displays the daily maximum temperature in degrees Celsius over a period from June to October. The y-axis represents temperature in degrees Celsius, ranging from 1.14 to 1.26. The x-axis shows the months: Jun, Jul, Aug, Sep, and Oct. The temperature remains relatively stable around 1.14°C in June, then rises sharply to approximately 1.25°C in early July. From July onwards, the temperature fluctuates significantly, with peaks reaching up to 1.26°C and troughs dropping to around 1.17°C. The overall trend shows a period of high variability with temperatures generally staying above 1.20°C from mid-July through October.

The graph displays the percentage of reads with a coverage variation (%rCV) over time. The x-axis represents months from June to October, and the y-axis represents %rCV from 0 to 150. A purple line with open circle markers shows a significant spike to approximately 150% in late July. Red square markers are scattered at low values (below 10%) throughout the period.


UV2-% rCV




UV3-% rCV




UV4-% rCV




UV5-% rCV




UV6-% rCV




UV7-% rCV




UV8-% rCV




UV9-% rCV




UV10-% rCV




UV11-% rCV




UV12-% rCV




UV13-% rCV




UV14-% rCV




UV15-% rCV




UV16-% rCV




V1-% rCV




V2-% rCV




V3-% rCV




V4-% rCV




V5-% rCV




V6-% rCV




V7-% rCV




V8-% rCV




V9-% rCV




V10-% rCV



V11-% rCV



V12-% rCV



The graph displays the daily number of cases over a five-month period. The y-axis represents the number of cases, with major grid lines at 0, 200, 400, 600, 800, and 1000. The x-axis shows the months from June to October. The pink line shows a series of peaks and troughs. A red square marker is placed at the highest peak of the second wave, which occurs in late July.

The graph displays the daily number of cases (pink line with white circles) and deaths (red squares) from June to October. The y-axis represents the number of cases/deaths, ranging from 0 to 1000. The x-axis shows the months from June to October. The number of cases peaks in mid-July and late August, while the number of deaths peaks in mid-July and late August.


The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The y-axis represents the number of cases, ranging from 0 to 250,000 in increments of 50,000. The x-axis shows the months of June, July, August, September, and October. The data is represented by a blue line with circular markers at each data point. The case count starts at approximately 40,000 in June, rises to about 100,000 in early July, then spikes dramatically to over 200,000 in late July. Following this peak, the cases drop sharply to around 20,000 in early August and remain relatively low with minor fluctuations until October.

Date	Number of Cases (Approximate)
Jun 1	40,000
Jun 15	45,000
Jun 30	50,000
Jul 1	100,000
Jul 15	100,000
Jul 25	210,000
Jul 30	20,000
Aug 1	20,000
Aug 15	20,000
Aug 30	20,000
Sep 1	20,000
Sep 15	20,000
Sep 30	20,000
Oct 1	20,000


The graph displays the daily count of COVID-19 cases in the United States from June 1, 2020, to October 1, 2020. The x-axis represents time in months (Jun, Jul, Aug, Sep, Oct), and the y-axis represents the number of cases, ranging from 0 to 1,000,000. The data shows a period of low case counts in June, followed by a sharp increase in late July, peaking at approximately 1,000,000 cases. After the peak, the case count drops significantly and remains relatively stable, fluctuating between 100,000 and 200,000 cases through October.

Date	Number of Cases (Approximate)
Jun 1	100,000
Jun 15	100,000
Jun 25	150,000
Jul 1	150,000
Jul 15	250,000
Jul 25	1,000,000
Aug 1	100,000
Aug 15	100,000
Aug 25	150,000
Sep 1	100,000
Sep 15	100,000
Sep 25	150,000
Oct 1	100,000


B3-% rCV




B4-% rCV




B5-% rCV




B6-% rCV




B7-% rCV




B8-% rCV




B9-% rCV



B10-% rCV



B11-% rCV



The graph displays the percentage of replicates with a coefficient of variation greater than 1 (%rCV) over a period from June to October. The y-axis is labeled '%rCV' and ranges from 1 to 5. The x-axis shows months: Jun, Jul, Aug, Sep, and Oct. The data is represented by a blue line with black circular markers at each data point. The variability is highest in June, peaking at approximately 5.2% in late June. It then drops sharply, with a notable spike to about 4.5% in late July. From August onwards, the %rCV generally remains below 2%, with a few smaller spikes, and stabilizes near 1% by October.

Month	%rCV (approximate values)
Jun	3.4, 2.5, 2.7, 1.6, 1.6, 1.6, 2.5, 2.0, 5.2, 4.8, 1.6, 1.6, 4.5, 3.5, 4.3, 2.1, 2.8, 2.8, 2.7, 2.5, 2.5, 2.5, 2.6, 2.5, 2.5, 2.6, 2.6, 2.5, 2.5, 4.0, 3.4, 3.1, 1.5, 1.5, 1.6, 1.7, 4.4, 2.2, 1.2, 1.0, 1.0, 1.0, 3.3, 2.2, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 3.8, 1.0, 1.0, 0.9, 0.9, 2.9, 1.0, 1.0, 1.0, 1.0, 1.1, 1.0, 0.9, 0.9, 1.0, 1.0, 1.0, 1.0, 1.9, 0.9, 0.9, 0.9, 3.6, 1.4, 1.2, 1.1, 1.0, 1.0
Jul	1.6, 1.6, 4.5, 3.5, 4.3, 2.1, 2.8, 2.8, 2.7, 2.5, 2.5, 2.5, 2.6, 2.6, 2.5, 2.5, 4.0, 3.4, 3.1, 1.5, 1.5, 1.6, 1.7, 4.4, 2.2, 1.2, 1.0, 1.0, 1.0, 3.3, 2.2, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 3.8, 1.0, 1.0, 0.9, 0.9, 2.9, 1.0, 1.0, 1.0, 1.0, 1.1, 1.0, 0.9, 0.9, 1.0, 1.0, 1.0, 1.0, 1.9, 0.9, 0.9, 0.9, 3.6, 1.4, 1.2, 1.1, 1.0, 1.0
Aug	1.6, 1.6, 4.5, 3.5, 4.3, 2.1, 1.2, 1.0, 1.0, 1.0, 3.3, 2.2, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 3.8, 1.0, 1.0, 0.9, 0.9, 2.9, 1.0, 1.0, 1.0, 1.0, 1.1, 1.0, 0.9, 0.9, 1.0, 1.0, 1.0, 1.0, 1.9, 0.9, 0.9, 0.9, 3.6, 1.4, 1.2, 1.1, 1.0, 1.0
Sep	1.6, 1.6, 4.5, 3.5, 4.3, 2.1, 1.2, 1.0, 1.0, 1.0, 3.3, 2.2, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 3.8, 1.0, 1.0, 0.9, 0.9, 2.9, 1.0, 1.0, 1.0, 1.0, 1.1, 1.0, 0.9, 0.9, 1.0, 1.0, 1.0, 1.0, 1.9, 0.9, 0.9, 0.9, 3.6, 1.4, 1.2, 1.1, 1.0, 1.0
Oct	1.6, 1.6, 4.5, 3.5, 4.3, 2.1, 1.2, 1.0, 1.0, 1.0, 3.3, 2.2, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 3.8, 1.0, 1.0, 0.9, 0.9, 2.9, 1.0, 1.0, 1.0, 1.0, 1.1, 1.0, 0.9, 0.9, 1.0, 1.0, 1.0, 1.0, 1.9, 0.9, 0.9, 0.9, 3.6, 1.4, 1.2, 1.1, 1.0, 1.0


The graph displays the percentage of relative coefficient of variation (%rCV) over time. The y-axis is labeled '%rCV' and ranges from 1 to 6. The x-axis shows months from June to October. The data is represented by a blue line with black circular markers at each data point. The graph shows significant fluctuations, with peaks in June (around 5.8), July (around 4.9), and August (around 4.5). There is a notable dip in September (around 1.1) and a slight increase in October (around 1.2).

Month	%rCV (approximate values)
Jun	3.7, 2.8, 3.1, 1.8, 1.9, 1.9, 2.7, 2.3, 5.8, 5.1, 1.9, 1.9, 4.9, 3.9, 4.7, 2.3, 3.4, 3.3, 2.9, 3.0, 2.7, 2.8, 2.9, 2.8, 2.7, 4.3, 3.7, 4.1, 1.7, 1.8, 4.5, 2.5, 2.0, 1.3, 1.2, 1.2, 3.7, 2.4, 1.2, 1.2, 1.2, 1.1, 1.1, 1.1, 4.3, 1.1, 1.1, 1.1, 3.2, 1.2, 1.2, 1.2, 1.4, 1.3, 1.1, 1.1, 1.1, 2.6, 1.1, 1.1, 1.1, 3.9, 1.6, 1.4, 1.3, 1.2, 1.2
Jul	1.9, 1.9, 4.9, 3.9, 4.7, 2.3, 3.4, 3.3, 2.9, 3.0, 2.7, 2.8, 2.9, 2.8, 2.7, 4.3, 3.7, 4.1, 1.7, 1.8, 4.5, 2.5, 2.0, 1.3, 1.2, 1.2, 1.2, 3.7, 2.4, 1.2, 1.2, 1.2, 1.1, 1.1, 1.1, 4.3, 1.1, 1.1, 1.1, 3.2, 1.2, 1.2, 1.2, 1.4, 1.3, 1.1, 1.1, 1.1, 2.6, 1.1, 1.1, 1.1, 3.9, 1.6, 1.4, 1.3, 1.2, 1.2
Aug	1.9, 1.9, 4.9, 3.9, 4.1, 1.7, 1.8, 4.5, 2.5, 2.0, 1.3, 1.2, 1.2, 1.2, 3.7, 2.4, 1.2, 1.2, 1.2, 1.1, 1.1, 1.1, 4.3, 1.1, 1.1, 1.1, 3.2, 1.2, 1.2, 1.2, 1.4, 1.3, 1.1, 1.1, 1.1, 2.6, 1.1, 1.1, 1.1, 3.9, 1.6, 1.4, 1.3, 1.2, 1.2
Sep	1.9, 1.9, 4.9, 3.9, 4.1, 1.7, 1.8, 4.5, 2.5, 2.0, 1.3, 1.2, 1.2, 1.2, 3.7, 2.4, 1.2, 1.2, 1.2, 1.1, 1.1, 1.1, 4.3, 1.1, 1.1, 1.1, 3.2, 1.2, 1.2, 1.2, 1.4, 1.3, 1.1, 1.1, 1.1, 2.6, 1.1, 1.1, 1.1, 3.9, 1.6, 1.4, 1.3, 1.2, 1.2
Oct	1.9, 1.9, 4.9, 3.9, 4.1, 1.7, 1.8, 4.5, 2.5, 2.0, 1.3, 1.2, 1.2, 1.2, 3.7, 2.4, 1.2, 1.2, 1.2, 1.1, 1.1, 1.1, 4.3, 1.1, 1.1, 1.1, 3.2, 1.2, 1.2, 1.2, 1.4, 1.3, 1.1, 1.1, 1.1, 2.6, 1.1, 1.1, 1.1, 3.9, 1.6, 1.4, 1.3, 1.2, 1.2


The graph displays the percentage of relative coefficient of variation (%rCV) over a five-month period. The y-axis is labeled '%rCV' and ranges from 0 to 10. The x-axis shows months from June to October. A blue line with black dots represents daily data, and red squares represent weekly data. The data shows a significant peak in late July, reaching approximately 9.5% rCV.

Date	%rCV (Daily)	%rCV (Weekly)
Jun 1	3.8	
Jun 2	3.0	
Jun 3	3.0	
Jun 4	2.5	
Jun 5	2.0	
Jun 6	2.0	
Jun 7	2.0	
Jun 8	2.5	
Jun 9	2.2	
Jun 10	5.8	
Jun 11	5.5	
Jun 12	1.8	
Jun 13	1.8	
Jun 14	5.0	
Jun 15	4.0	
Jun 16	4.8	
Jun 17	2.5	7.8
Jun 18	3.5	
Jun 19	5.1	
Jun 20	5.1	
Jun 21	3.8	
Jun 22	3.8	
Jun 23	3.8	
Jun 24	3.8	
Jun 25	9.5	
Jun 26	6.2	6.2
Jun 27	3.8	
Jun 28	3.8	
Jun 29	4.5	
Jun 30	4.2	
Jun 31	2.5	
Jul 1	2.5	
Jul 2	4.5	
Jul 3	2.5	
Jul 4	2.5	
Jul 5	2.5	
Jul 6	2.5	
Jul 7	4.5	
Jul 8	2.5	
Jul 9	2.5	
Jul 10	4.5	
Jul 11	2.5	
Jul 12	2.5	
Jul 13	2.5	
Jul 14	2.5	
Jul 15	2.5	
Jul 16	2.5	
Jul 17	2.5	
Jul 18	2.5	
Jul 19	2.5	
Jul 20	2.5	
Jul 21	2.5	
Jul 22	2.5	
Jul 23	2.5	
Jul 24	2.5	
Jul 25	2.5	
Jul 26	2.5	
Jul 27	2.5	
Jul 28	2.5	
Jul 29	2.5	
Jul 30	2.5	
Jul 31	2.5	
Aug 1	2.5	
Aug 2	2.5	
Aug 3	2.5	
Aug 4	2.5	
Aug 5	2.5	
Aug 6	2.5	
Aug 7	2.5	
Aug 8	2.5	
Aug 9	2.5	
Aug 10	2.5	
Aug 11	2.5	
Aug 12	2.5	
Aug 13	2.5	
Aug 14	2.5	
Aug 15	2.5	
Aug 16	2.5	
Aug 17	2.5	
Aug 18	2.5	
Aug 19	2.5	
Aug 20	2.5	
Aug 21	2.5	
Aug 22	2.5	
Aug 23	2.5	
Aug 24	2.5	
Aug 25	2.5	
Aug 26	2.5	
Aug 27	2.5	
Aug 28	2.5	
Aug 29	2.5	
Aug 30	2.5	
Aug 31	2.5	
Sep 1	2.5	
Sep 2	2.5	
Sep 3	2.5	
Sep 4	2.5	
Sep 5	2.5	
Sep 6	2.5	
Sep 7	2.5	
Sep 8	2.5	
Sep 9	2.5	
Sep 10	2.5	
Sep 11	2.5	
Sep 12	2.5	
Sep 13	2.5	
Sep 14	2.5	
Sep 15	2.5	
Sep 16	2.5	
Sep 17	2.5	
Sep 18	2.5	
Sep 19	2.5	
Sep 20	2.5	
Sep 21	2.5	
Sep 22	2.5	
Sep 23	2.5	
Sep 24	2.5	
Sep 25	2.5	
Sep 26	2.5	
Sep 27	2.5	
Sep 28	2.5	
Sep 29	2.5	
Sep 30	2.5	
Oct 1	2.5	
Oct 2	2.5	
Oct 3	2.5	
Oct 4	2	


YG1-% rCV




YG2-% rCV




YG3-% rCV




YG4-% rCV




YG5-% rCV




YG6-% rCV




YG7-% rCV




YG8-% rCV




YG9-% rCV




YG10-% rCV




R1-% rCV




R2-% rCV




R3-% rCV




R4-% rCV




R5-% rCV




R6-% rCV




R7-% rCV




R8-% rCV



FSC-% rCV



SSC-% rCV



SSC-B-% rCV

