




BUV395-A




BUV496-A




BUV563-A




BUV615-A




BUV661-A




BUV737-A




BUV805-A




BV421-A




BV510-A




BV570-A




BV605-A




BV650-A




BV711-A




BV750-A




BV786-A




FITC-A



BB630-A



BB660-A



The graph displays the daily count of new COVID-19 cases in the United States from May 1, 2020, to September 1, 2020. The y-axis represents the number of cases, ranging from 0 to 100,000 in increments of 20,000. The x-axis shows the months of May, June, July, August, and September. The data is represented by a black line with circular markers at each data point. The graph shows a very sharp initial peak in early May, reaching nearly 100,000 cases. This is followed by a period of relative stability with minor fluctuations between 20,000 and 40,000 cases through June. A significant increase occurs in late July and early August, with cases rising steadily to a peak of approximately 90,000 in early August. Following this peak, there is a sharp decline and then a period of high volatility with several smaller peaks, including one in late August and another in early September, before ending at a high level in early September.


Date	Number of New Cases
May 1	30,000
May 2	28,000
May 3	25,000
May 4	20,000
May 5	10,000
May 6	25,000
May 7	40,000
May 8	35,000
May 9	38,000
May 10	35,000
May 11	25,000
May 12	35,000
May 13	20,000
May 14	25,000
May 15	28,000
May 16	40,000
May 17	25,000
May 18	15,000
May 19	30,000
May 20	20,000
May 21	40,000
May 22	30,000
May 23	25,000
May 24	35,000
May 25	40,000
May 26	40,000
May 27	30,000
May 28	15,000
May 29	30,000
May 30	20,000
May 31	35,000
Jun 1	35,000
Jun 2	35,000
Jun 3	25,000
Jun 4	20,000
Jun 5	30,000
Jun 6	35,000
Jun 7	40,000
Jun 8	40,000
Jun 9	30,000
Jun 10	15,000
Jun 11	30,000
Jun 12	20,000
Jun 13	35,000
Jun 14	40,000
Jun 15	45,000
Jun 16	40,000
Jun 17	35,000
Jun 18	35,000
Jun 19	35,000
Jun 20	35,000
Jun 21	35,000
Jun 22	35,000
Jun 23	35,000
Jun 24	35,000
Jun 25	35,000
Jun 26	35,000
Jun 27	35,000
Jun 28	35,000
Jun 29	35,000
Jun 30	35,000
Jul 1	35,000
Jul 2	35,000
Jul 3	35,000
Jul 4	35,000
Jul 5	35,000
Jul 6	35,000
Jul 7	35,000
Jul 8	35,000
Jul 9	35,000
Jul 10	35,000
Jul 11	35,000
Jul 12	35,000
Jul 13	35,000
Jul 14	35,000
Jul 15	35,000
Jul 16	35,000
Jul 17	35,000
Jul 18	35,000
Jul 19	35,000
Jul 20	35,000
Jul 21	35,000
Jul 22	35,000
Jul 23	35,000
Jul 24	35,000
Jul 25	35,000
Jul 26	35,000
Jul 27	35,000
Jul 28	35,000
Jul 29	35,000
Jul 30	35,000
Jul 31	35,000
Aug 1	35,000
Aug 2	35,000
Aug 3	35,000
Aug 4	35,000
Aug 5	35,000
Aug 6	35,000
Aug 7	35,000
Aug 8	35,000
Aug 9	35,000
Aug 10	35,000
Aug 11	35,000
Aug 12	35,000
Aug 13	35,000
Aug 14	35,000
Aug 15	35,000
Aug 16	35,000
Aug 17	35,000
Aug 18	35,000
Aug 19	35,000
Aug 20	35,000
Aug 21	35,000
Aug 22	35,000
Aug 23	35,000
Aug 24	35,000
Aug 25	35,000
Aug 26	35,000
Aug 27	35,000
Aug 28	35,000
Aug 29	35,000
Aug 30	35,000
Aug 31	35,000
Sep 1	35,000

The graph displays the daily number of COVID-19 cases in the United States from May 1, 2020, to September 1, 2020. The y-axis represents the number of cases, ranging from 0 to 100,000. The x-axis shows the months of May, June, July, August, and September. The data is characterized by high volatility, with a major peak in late May reaching nearly 100,000 cases, followed by a sharp decline. A second, smaller peak occurs in late August, also reaching nearly 100,000 cases, before a decline in September.


Date	Number of Cases
May 1	45,000
May 2	45,000
May 3	45,000
May 4	10,000
May 5	55,000
May 6	95,000
May 7	90,000
May 8	90,000
May 9	55,000
May 10	85,000
May 11	50,000
May 12	60,000
May 13	65,000
May 14	50,000
May 15	20,000
May 16	40,000
May 17	95,000
May 18	30,000
May 19	50,000
May 20	95,000
May 21	50,000
May 22	30,000
May 23	50,000
May 24	95,000
May 25	95,000
May 26	50,000
May 27	30,000
May 28	50,000
May 29	30,000
May 30	100,000
May 31	50,000
Jun 1	50,000
Jun 2	50,000
Jun 3	50,000
Jun 4	30,000
Jun 5	25,000
Jun 6	50,000
Jun 7	55,000
Jun 8	95,000
Jun 9	95,000
Jun 10	50,000
Jun 11	30,000
Jun 12	50,000
Jun 13	30,000
Jun 14	50,000
Jun 15	60,000
Jun 16	70,000
Jun 17	95,000
Jun 18	50,000
Jun 19	50,000
Jun 20	50,000
Jun 21	50,000
Jun 22	50,000
Jun 23	50,000
Jun 24	50,000
Jun 25	50,000
Jun 26	50,000
Jun 27	50,000
Jun 28	50,000
Jun 29	50,000
Jun 30	50,000
Jul 1	50,000
Jul 2	50,000
Jul 3	50,000
Jul 4	50,000
Jul 5	50,000
Jul 6	50,000
Jul 7	50,000
Jul 8	50,000
Jul 9	50,000
Jul 10	50,000
Jul 11	50,000
Jul 12	50,000
Jul 13	50,000
Jul 14	50,000
Jul 15	50,000
Jul 16	50,000
Jul 17	50,000
Jul 18	50,000
Jul 19	50,000
Jul 20	50,000
Jul 21	50,000
Jul 22	50,000
Jul 23	50,000
Jul 24	50,000
Jul 25	50,000
Jul 26	50,000
Jul 27	50,000
Jul 28	50,000
Jul 29	50,000
Jul 30	50,000
Jul 31	50,000
Aug 1	50,000
Aug 2	50,000
Aug 3	50,000
Aug 4	50,000
Aug 5	50,000
Aug 6	50,000
Aug 7	50,000
Aug 8	50,000
Aug 9	50,000
Aug 10	50,000
Aug 11	50,000
Aug 12	50,000
Aug 13	50,000
Aug 14	50,000
Aug 15	50,000
Aug 16	50,000
Aug 17	50,000
Aug 18	50,000
Aug 19	50,000
Aug 20	50,000
Aug 21	50,000
Aug 22	50,000
Aug 23	50,000
Aug 24	50,000
Aug 25	50,000
Aug 26	50,000
Aug 27	50,000
Aug 28	50,000
Aug 29	50,000
Aug 30	50,000
Aug 31	50,000
Sep 1	50,000

The graph displays the daily death toll in the United States from May to September 2020. The y-axis represents the number of deaths, ranging from 0 to 10,000 in increments of 2,000. The x-axis shows the months from May to September. The data is characterized by extreme daily fluctuations. A major peak occurs in early July, reaching nearly 10,000 deaths per day. This is followed by a period of relative stability and lower death counts through August. However, the death toll begins to rise again in late August, with several days exceeding 4,000 deaths, and continues to fluctuate at high levels into early September.


PE-Alexa 594-A




PE-Alexa 594-H




PE-Cy5-A




PE-Cy5-5-A



PE-Cy7-A



APC-A




The graph displays the daily number of COVID-19 cases in the United States from May to September 2020. The y-axis represents the number of cases, ranging from 0 to 1,000,000. The x-axis shows the months from May to September. The data is characterized by significant fluctuations, with several peaks reaching between 500,000 and 1,000,000 cases. A notable sharp decline occurs in late September, where the number of cases drops to near zero.

The graph displays daily case counts over a five-month period. The y-axis represents the number of cases, with a scale from 0 to 1000. The x-axis shows the months from May to September. The data is characterized by frequent daily fluctuations, with a major peak of approximately 1000 cases occurring in late May. Following this peak, the case counts generally trend downwards, with a notable dip in mid-June. The data then shows a period of relative stability, with case counts fluctuating between 200 and 400, before a sharp decline in late September, where the number of cases drops to near zero.


The line graph displays the daily number of cases from May to September. The y-axis represents the number of cases, ranging from 0 to 1000 in increments of 200. The x-axis shows the months from May to September. The data is characterized by high volatility, with a notable peak in late August/early September reaching nearly 1000 cases, followed by a sharp decline and then a resurgence in late September.

Month	Day	Cases
May	1	300
May	2	250
May	3	200
May	4	150
May	5	450
May	6	480
May	7	450
May	8	400
May	9	350
May	10	100
May	11	250
May	12	150
May	13	450
May	14	250
May	15	450
May	16	150
May	17	450
May	18	250
May	19	450
May	20	250
May	21	450
May	22	250
May	23	450
May	24	250
May	25	450
May	26	250
May	27	450
May	28	250
May	29	450
May	30	250
May	31	450
Jun	1	250
Jun	2	300
Jun	3	250
Jun	4	250
Jun	5	300
Jun	6	250
Jun	7	450
Jun	8	480
Jun	9	450
Jun	10	100
Jun	11	450
Jun	12	480
Jun	13	450
Jun	14	480
Jun	15	450
Jun	16	480
Jun	17	450
Jun	18	480
Jun	19	450
Jun	20	480
Jun	21	450
Jun	22	480
Jun	23	450
Jun	24	480
Jun	25	450
Jun	26	480
Jun	27	450
Jun	28	480
Jun	29	450
Jun	30	480
Jun	31	450
Jul	1	480
Jul	2	450
Jul	3	480
Jul	4	450
Jul	5	480
Jul	6	450
Jul	7	480
Jul	8	450
Jul	9	480
Jul	10	450
Jul	11	480
Jul	12	450
Jul	13	480
Jul	14	450
Jul	15	480
Jul	16	450
Jul	17	480
Jul	18	450
Jul	19	480
Jul	20	450
Jul	21	480
Jul	22	450
Jul	23	480
Jul	24	450
Jul	25	480
Jul	26	450
Jul	27	480
Jul	28	450
Jul	29	480
Jul	30	450
Jul	31	480
Aug	1	450
Aug	2	480
Aug	3	450
Aug	4	480
Aug	5	450
Aug	6	480
Aug	7	450
Aug	8	480
Aug	9	450
Aug	10	480
Aug	11	450
Aug	12	480
Aug	13	450
Aug	14	480
Aug	15	450
Aug	16	480
Aug	17	450
Aug	18	480
Aug	19	450
Aug	20	480
Aug	21	450
Aug	22	480
Aug	23	450
Aug	24	480
Aug	25	450
Aug	26	480
Aug	27	450
Aug	28	480
Aug	29	450
Aug	30	480
Aug	31	450
Sep	1	480
Sep	2	450
Sep	3	480
Sep	4	450
Sep	5	480
Sep	6	450
Sep	7	480
Sep	8	450
Sep	9	480
Sep	10	450
Sep	11	480
Sep	12	450
Sep	13	480
Sep	14	450
Sep	15	480
Sep	16	450
Sep	17	480
Sep	18	450
Sep	19	480
Sep	20	450
Sep	21	480
Sep	22	450
Sep	23	480
Sep	24	450
Sep	25	480
Sep	26	450
Sep	27	480
Sep	28	450
Sep	29	


SSC-A




BUV395-A_Gain




BUV496-A_Gain




BUV563-A_Gain




BUV615-A_Gain




BUV661-A_Gain




BUV737-A_Gain




BUV805-A_Gain




BV421-A_Gain




BV510-A_Gain




BV570-A_Gain




BV605-A_Gain




BV650-A_Gain




BV711-A_Gain




BV750-A_Gain




BV786-A_Gain




FITC-A_Gain




BB630-A_Gain




BB660-A_Gain




PerCP-E710-A_Gain




BB790-A_Gain




PE-A_Gain




PE-Alexa 594-A_Gain




PE-Alexa 594-H_Gain




PE-Cy5-A_Gain




PE-Cy5-5-A_Gain




PE-Cy7-A_Gain




APC-A_Gain




Alexa 700-A_Gain




APC-Cy7-A_Gain




SSC-A_Gain




UV_LaserDelay




Violet_LaserDelay




Blue_LaserDelay




Red_LaserDelay




Green_LaserDelay




UV_AreaScalingFactor




Violet_AreaScalingFactor




Blue_AreaScalingFactor




Red_AreaScalingFactor



Green_AreaScalingFactor



BUV395-A-0% rCV



The line graph displays the daily number of cases from May to September. The y-axis represents the number of cases, ranging from 0 to 1000 in increments of 200. The x-axis shows the months from May to September. The data shows a sharp peak in early May (around 950 cases), followed by a period of low activity (around 50-100 cases). A second, smaller peak occurs in late June/early July (around 450 cases). The number of cases remains low until late August, where there is a small peak (around 150 cases), followed by a decline and then a slight increase in September.

The line graph illustrates the daily number of cases over a five-month period. The y-axis, labeled 'Number of cases', has a scale from 0 to 100 in increments of 20. The x-axis marks the months of May, June, July, August, and September. The data shows a highly volatile pattern with two major peaks. The first peak occurs in early May, reaching approximately 100 cases. Following this, the number of cases drops significantly and remains low until late June. A second peak is observed in late June/early July, reaching about 70 cases. From August onwards, the case numbers fluctuate at a lower level, generally between 20 and 30 cases per day.

The graph displays the daily count of COVID-19 cases in the United States from May 1, 2020, to September 1, 2020. The y-axis represents the number of cases, ranging from 0 to 1,000,000 in increments of 200,000. The x-axis shows the months of May, June, July, August, and September. The data shows a massive spike in early May, reaching nearly 1,000,000 cases. This is followed by a period of relative stability with minor fluctuations, and then a significant spike in late June/early July, reaching approximately 700,000 cases. After this, the number of cases declines and remains relatively low until late August/early September, where there is a small uptick.


Date	Number of Cases
May 1	~100,000
May 2	~120,000
May 3	~950,000
May 4	~100,000
May 5	~50,000
May 6	~50,000
May 7	~80,000
May 8	~60,000
May 9	~60,000
May 10	~60,000
May 11	~60,000
May 12	~60,000
May 13	~60,000
May 14	~60,000
May 15	~60,000
May 16	~60,000
May 17	~60,000
May 18	~60,000
May 19	~60,000
May 20	~60,000
May 21	~60,000
May 22	~60,000
May 23	~60,000
May 24	~60,000
May 25	~60,000
May 26	~60,000
May 27	~60,000
May 28	~60,000
May 29	~60,000
May 30	~60,000
May 31	~60,000
Jun 1	~60,000
Jun 2	~60,000
Jun 3	~60,000
Jun 4	~60,000
Jun 5	~60,000
Jun 6	~60,000
Jun 7	~60,000
Jun 8	~60,000
Jun 9	~60,000
Jun 10	~60,000
Jun 11	~60,000
Jun 12	~60,000
Jun 13	~60,000
Jun 14	~60,000
Jun 15	~60,000
Jun 16	~60,000
Jun 17	~60,000
Jun 18	~60,000
Jun 19	~60,000
Jun 20	~60,000
Jun 21	~60,000
Jun 22	~60,000
Jun 23	~60,000
Jun 24	~60,000
Jun 25	~60,000
Jun 26	~60,000
Jun 27	~60,000
Jun 28	~60,000
Jun 29	~60,000
Jun 30	~60,000
Jul 1	~60,000
Jul 2	~60,000
Jul 3	~60,000
Jul 4	~60,000
Jul 5	~60,000
Jul 6	~60,000
Jul 7	~60,000
Jul 8	~60,000
Jul 9	~60,000
Jul 10	~60,000
Jul 11	~60,000
Jul 12	~60,000
Jul 13	~60,000
Jul 14	~60,000
Jul 15	~60,000
Jul 16	~60,000
Jul 17	~60,000
Jul 18	~60,000
Jul 19	~60,000
Jul 20	~60,000
Jul 21	~60,000
Jul 22	~60,000
Jul 23	~60,000
Jul 24	~60,000
Jul 25	~60,000
Jul 26	~60,000
Jul 27	~60,000
Jul 28	~60,000
Jul 29	~60,000
Jul 30	~60,000
Jul 31	~60,000
Aug 1	~60,000
Aug 2	~60,000
Aug 3	~60,000
Aug 4	~60,000
Aug 5	~60,000
Aug 6	~60,000
Aug 7	~60,000
Aug 8	~60,000
Aug 9	~60,000
Aug 10	~60,000
Aug 11	~60,000
Aug 12	~60,000
Aug 13	~60,000
Aug 14	~60,000
Aug 15	~60,000
Aug 16	~60,000
Aug 17	~60,000
Aug 18	~60,000
Aug 19	~60,000
Aug 20	~60,000
Aug 21	~60,000
Aug 22	~60,000
Aug 23	~60,000
Aug 24	~60,000
Aug 25	~60,000
Aug 26	~60,000
Aug 27	~60,000
Aug 28	~60,000
Aug 29	~60,000
Aug 30	~60,000
Aug 31	~60,000
Sep 1	~60,000

The line graph displays the daily number of cases from May to September. The y-axis, labeled 'Number of cases', has a scale from 0 to 100 in increments of 20. The x-axis marks the months of May, Jun, Jul, Aug, and Sep. A prominent peak occurs in early May, reaching approximately 95 cases. Following this, the number of cases drops significantly and remains relatively low, with minor fluctuations. A secondary, smaller peak is observed in late June/early July, reaching about 40 cases. For the remainder of the period, including August and September, the number of cases stays consistently low, generally below 20 per day.


The graph displays the daily number of cases over a five-month period. The y-axis is scaled from 0 to 100 in increments of 20. The x-axis is labeled with the months May, Jun, Jul, Aug, and Sep. A prominent spike occurs in early May, reaching nearly 100 cases. Following this, the data points remain mostly below 20 cases per day, with some minor fluctuations, including a small peak in late June. The overall trend is one of low, stable case numbers after the initial peak.

The graph displays the daily count of COVID-19 cases in the United States from May 1, 2020, to September 1, 2020. The y-axis is labeled 'Number of cases' and ranges from 0 to 1,000,000 in increments of 200,000. The x-axis is labeled with the months 'May', 'Jun', 'Jul', 'Aug', and 'Sep'. A prominent peak occurs in early May, with cases reaching approximately 950,000. Following this peak, the case count drops sharply and remains relatively low, fluctuating between 100,000 and 200,000 cases per day for the remainder of the period shown. The data points are connected by a solid black line, and each point is marked with a small black dot.


BV421-A-% rCV




BV510-A-% rCV




BV570-A-% rCV




BV605-A-0% rCV



BV650-A-0% rCV




BV711-A-0% rCV




The graph displays daily case counts over a five-month period. The y-axis has a logarithmic scale with labels at 100 and 1,000. The x-axis is labeled with the months May, Jun, Jul, Aug, and Sep. A prominent spike in early May reaches approximately 900 cases. The data shows significant daily fluctuations, with several smaller peaks, notably one in late June reaching about 400 cases, and another in late August/early September reaching about 300 cases. The baseline number of cases fluctuates between approximately 50 and 100 for most of the period.

The graph displays the daily number of cases over a five-month period. A prominent peak occurs in early May, reaching approximately 95 cases. Following this, the number of cases drops significantly and remains relatively low, with minor fluctuations, until late July. From late July onwards, there is a gradual increase in the number of cases, reaching about 25 cases by the end of the period shown.


BB630-A-% rCV




BB660-A-% rCV




PerCP-E710-A-% rCV




BB790-A-% rCV




PE-A-% rCV




PE-Alexa 594-A-% rCV




E-Alexa 594-H-% rCV




E-Cy5-A-% rCV




E-Cy5-5-A-% rCV




PE-Cy7-A-0% rCV



APC-A-% rCV



Alexa 700-A-% rCV



The line graph displays daily case counts over a five-month period. The y-axis represents the number of cases, with a grid line at 100. The x-axis shows the months from May to September. The data is characterized by frequent fluctuations, with major peaks occurring in early May (reaching approximately 150 cases) and late June (reaching approximately 140 cases). A period of relative stability and lower case counts is observed throughout July and August, with a slight upward trend in late August and early September.

The graph displays the daily count of new COVID-19 cases in the Netherlands from May 1st to September 1st, 2020. The y-axis represents the number of cases, ranging from 0 to 10,000 in increments of 2,000. The x-axis shows the months of May, June, July, August, and September. The data is characterized by significant daily fluctuations. A major peak occurs in early June, reaching nearly 10,000 cases. Other notable peaks are seen in late May and mid-June. Following the June peak, the number of cases generally declines, with a period of relative stability and low case counts in July and August. A small resurgence is visible in late August and early September, with cases rising to around 3,000.

Date	Number of New Cases
May 1	2,500
May 2	5,500
May 3	9,000
May 4	1,500
May 5	1,000
May 6	2,000
May 7	1,500
May 8	3,500
May 9	2,500
May 10	3,000
May 11	2,500
May 12	2,500
May 13	7,000
May 14	1,500
May 15	5,500
May 16	2,000
May 17	7,500
May 18	4,500
May 19	4,500
May 20	2,500
May 21	7,500
May 22	2,500
May 23	7,500
May 24	2,500
May 25	7,500
May 26	2,500
May 27	7,500
May 28	2,500
May 29	7,500
May 30	2,500
May 31	7,500
Jun 1	2,500
Jun 2	7,500
Jun 3	2,500
Jun 4	9,500
Jun 5	4,500
Jun 6	4,500
Jun 7	1,500
Jun 8	1,500
Jun 9	2,000
Jun 10	1,500
Jun 11	1,000
Jun 12	1,000
Jun 13	1,500
Jun 14	2,000
Jun 15	1,500
Jun 16	2,500
Jun 17	1,500
Jun 18	5,500
Jun 19	1,500
Jun 20	1,500
Jul 1	1,500
Jul 2	1,500
Jul 3	1,500
Jul 4	1,500
Jul 5	1,500
Jul 6	1,500
Jul 7	1,500
Jul 8	1,500
Jul 9	1,500
Jul 10	1,500
Jul 11	1,500
Jul 12	1,500
Jul 13	1,500
Jul 14	1,500
Jul 15	1,500
Jul 16	1,500
Jul 17	1,500
Jul 18	1,500
Jul 19	1,500
Jul 20	1,500
Jul 21	1,500
Jul 22	1,500
Jul 23	1,500
Jul 24	1,500
Jul 25	1,500
Jul 26	1,500
Jul 27	1,500
Jul 28	1,500
Jul 29	1,500
Jul 30	1,500
Jul 31	1,500
Aug 1	1,500
Aug 2	1,500
Aug 3	1,500
Aug 4	1,500
Aug 5	1,500
Aug 6	1,500
Aug 7	1,500
Aug 8	1,500
Aug 9	1,500
Aug 10	1,500
Aug 11	1,500
Aug 12	1,500
Aug 13	1,500
Aug 14	1,500
Aug 15	1,500
Aug 16	1,500
Aug 17	1,500
Aug 18	1,500
Aug 19	1,500
Aug 20	1,500
Aug 21	1,500
Aug 22	1,500
Aug 23	1,500
Aug 24	1,500
Aug 25	1,500
Aug 26	1,500
Aug 27	1,500
Aug 28	1,500
Aug 29	1,500
Aug 30	1,500
Aug 31	1,500
Sep 1	1,500

The graph displays daily case counts over a five-month period. A significant peak occurs in early May, reaching approximately 95 cases. Following this peak, the number of cases drops sharply and remains relatively low, with minor fluctuations, for the remainder of the period shown. The x-axis is labeled with the months May, Jun, Jul, Aug, and Sep. The y-axis has major grid lines every 20 units, from 0 to 100.