Description

The provider reviews the full list of vaccine inventory.

Comments

No Comments

Pre-condition

Inventory has been entered into the EMR.

Post-Condition

The list of available inventory is displayed.

Test Objectives

Display Available Vaccine Antigens: The system presents a list of vaccine antigens available for administration to patients (i.e., private stock Vs. specific guarantee program).

Evaluation Criteria

The EMR inventory shows (minimally):

1.

Manufacturer:	Novartis Vaccines and Diagnostics Ltd
NDC:	66521-0113-02
Product Name:	FLUVIRIN
Lot#:	8L4B3521
Expiration Date:	12/31/2020
GTIN:	00358160881411
Vaccine source:	VFC
Quantity:	25 Syringes (or doses)

2.

Manufacturer:	Sanofi Pasteur Inc.
NDC:	49281-0413-58
Product Name:	FLUZONE QUADRIVALENT
Lot#:	D8043IN8422
Expiration Date:	12/31/2020
GTIN:	00349281413582
Vaccine source:	VFC
Quantity:	15 Vials (or doses)

3.

Manufacturer:	Sanofi Pasteur Inc.
NDC:	49281-0413-58
Product Name:	FLUZONE QUADRIVALENT
Lot#:	D8043IN8855
Expiration Date:	12/31/2020
GTIN:	00349281413582
Vaccine source:	Non-VFC
Quantity:	12 Vials (or doses)

4.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0820-43
Product Name:	ENGERIX-B
Lot#:	6332FK18
Expiration Date:	6/15/2019
GTIN:	10358160820431
Vaccine source:	Non-VFC
Quantity:	18 Syringes (or doses)

5.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0820-43
Product Name:	ENGERIX-B
Lot#:	6332FK26
Expiration Date:	12/31/2020
GTIN:	10358160820431
Vaccine source:	Non-VFC
Quantity:	20 Syringes (or doses)

6.

Manufacturer:	GlaxoSmithKline Biologicals SA
NDC:	58160-0811-43
Product Name:	Pediarix
Lot#:	6559FK32

Expiration Date:	12/35/87/2020
Vaccine source:	Non-VFC
Quantity:	16 Syringes (or doses)

Notes

Tester should document how quantity is displayed and what is present (e.g. volume, # doses).