









Comment	Description	Designator	Footprint	LibRef	Quantity
5100pF	CAP CER 5100PF 50V	C1, C2	SMD-0603C	GRM1887U1H512JA01	2
•	U2J 0603 CAP CER 1000PF 50V	C3, C4, C5, C6, C7, C8,		D GCJ188R71H102KA01	
1000pF	X7R 0603	C9, C10	SMD-0603C	D	8
	CAP CER 1UF 16V X7R			GCM188R71C105KA64	
1μF	0603, CAP CER 1UF	C11, C13, C14, C15,	SMD-0603C	D,	6
	6.3V X6S 0603	C16, C17		GRM185C80J105KE26 D	
0.40.5	CAP CER 0.1UF 16V	040	01 4D 04000	GCJ188R71C104KA01	
0.10μF	X7R 0603	C12	SMD-0603C	D	1
2.2μF	CAP CER 2.2UF 6.3V	C18	SMD-0603C	GCM188R70J225KE22	1
	X7R 0603 LED, RED, 2.1 V, -40 to			D	
T. I. 404 400 0000	100 degC, 2-			01.40 4/// 00007.4	
TLMS1100-GS08	Pin SMD (0603),	D1	VISH-TLMX1100_V	CMP-1666-00027-1	1
	RoHS, Tape and Reel				
87233-3 SAMTEC-SMH-103-02-		J5	TE_87233-3 SAMTEC-SMH-103-02-	87233-3 SAMTEC-SMH-103-02-	1
X-S		J7	X-S	X-S	1
	Commontor	10	SHDR2W99P0X254_1X		1
171856-0002	Connector	J8	2_493X635X818P	171856-0002	ı
10k	RES SMD 10K OHM 1%		SMD-0603-RES	ERJ-3EKF1002V	6
	1/10W 0603 RES SMD 1K OHM 1%	R20			
1k	1/10W 0603	R3, R27	SMD-0603-RES	ERJ-3EKF1001V	2
4.7k	RES SMD 4.7K OHM	R5	SMD-0603-RES	FRJ-3FKF4701V	1
7.76	1% 1/10W 0603	11.0	SIVID GOOD RES	LIG SERI 4701V	
54.9k	RES SMD 54.9K OHM 1% 1/10W 0603	R6	SMD-0603-RES	ERJ-3EKF5492V	1
	RES SMD 41.2K OHM				
41.2k	1% 1/10W 0603	R7	SMD-0603-RES	ERJ-3EKF4122V	1
17.4k	RES SMD 17.4K OHM	R8	SMD-0603-RES	ERJ-3EKF1742V	1
	1% 1/10W 0603	117			
13k	RES SMD 13K OHM 1% 1/10W 0603	R9	SMD-0603-RES	ERJ-3EKF1302V	1
400	RES SMD 698 OHM 1%	D10	CAAD OVOS DEC	ED 251/5 (000) (-
698	1/10W 0603	R10	SMD-0603-RES	ERJ-3EKF6980V	
536	RES SMD 536 OHM 1%	R11	SMD-0603-RES	ERJ-3EKF5360V	1
	1/10W 0603 RES SMD 165K OHM				
165k	1% 1/10W 0603	R12	SMD-0603-RES	ERJ-3EKF1653V	1
86.6k	RES SMD 86.6K OHM	R13	SMD-0603-RES	ERJ-3EKF8662V	1
	1% 1/10W 0603 RES SMD 11K OHM 1%	1117			
11k	1/10W 0603	R14	SMD-0603-RES	ERJ-3EKF1102V	1
F 7/1.	RES SMD 5.76K OHM	D1E	CMD 0/02 DEC	EDI SEKEEZ/4V	1
5.76k	1% 1/10W 0603	R15	SMD-0603-RES	ERJ-3EKF5761V	1
332	RES SMD 332 OHM 1%	R16	SMD-0603-RES	ERJ-3EKF3320V	1
	1/10W 0603 RES SMD 174 OHM 1%				
174	1/10W 0603	R17	SMD-0603-RES	ERJ-3EKF1740V	1
300	RES SMD 300 OHM 1%	R25	SMD-0603-RES	ERJ-3EKF3000V	1
300	1/10W 0603	1/25	SIVID-0003-RES	EIG-SEN 3000V	
750	RES SMD 750 OHM 1% 1/10W 0603	R26	SMD-0603-RES	ERJ-3EKF7500V	1
416131160803	Switch	SW1	416131160803	416131160803	1
Switch_Omron_A6S-	SWITCH SLIDE DIP	SW2	Omron_A6S-1104-	Switch_Omron_A6S-	1
1104-PH_eec	SPST 25MA 24V	J***	PH_0	1104-PH_eec	
	Sound Plus High-				
	Performance, Bipolar-				
	Input Audio				
OPA1604AIPWR	Operational Amplifier, 4.5 to 36 V,	U1, U2	PW0014A_N	CMP-0272-01731-3	2
	-40 to 85 degC, 14-pin				
	SOP (PW14), Green				
	(RoHS & no Sb/Br)				
LTC6910-		U3	LT-TS8-8-TSOT-23_V	CMP-0359-03721-2	1
3CTS8#TRPBF	IO A DO AODIT CA D			0.007 00721-2	'
LTC1197LIMS8#PBF	IC ADC 10BIT SAR 8MSOP	U4	FP-MS8-8-05-08-1660- IPC_A	CMP-09081-000582-1	1
	014/0/01	l	n ∧_∨		