A Deep Learning approach for Time Series Imputation on Photovoltaic data

Nicolò Vescera

November 9, 2023

Università degli Studi di Perugia

Intro

Problem Introduction

The growing need for generating clean energy from renewable sources has resulted in extensive data collection.

However, these data often contain gaps and deficiencies.

Accurate imputation of these gaps is essential to ensure the reliability of analyses and predictions based on this data.

Problem Definition

Given a set of N time series $S = \{S_1, S_2, \ldots, S_N\}$, where each $S_i = (t_i, v_i)$, represents the moment t_i when v_i was recorded,

$S^* \in S$, a specific target series that represent the *Total generated energy*,

The objective of the **imputation problem** is to **estimate eventual missing values** $v_j, \ldots, v_{j+h} \in S^*$, using other time points temporally adjacent to t_j and t_{j+h}.

Photovoltaic Implant



Original Dataset

Files

- 2022_02_02_inverter.csv
- 2022_02_02_meter.csv
- 2022_02_02_platDevice.csv
- 2022_02_02_stringbox.csv

⋮

- 2023_06_16_inverter.csv
- 2022_06_16_meter.csv
- 2022_06_16_platDevice.csv
- 2022_06_16_stringbox.csv

Start Date	Feb. 02, 2022
End Date	June 16, 2023
Files	2,814
File Type	6
Size	54.3 MB

Target Feature



Solargis


Solargis
Impianto_SolargisGHI(W/m2)
Impianto_SolargisGTI(W/m2)
Solar Irradiation (W/m2)
0
200
400
600
800
1000
10-01 00
10-01 06
10-01 12
10-01 18
10-02 00
10-02 06
10-02 12
10-02 18
10-03 00
timestamp

Data Preprocessing

Monolithic Table

timestamp	DEV.NAME$_1$_FEAT$_1$	...	DEV.NAME$_n$_FEAT$_n$
⋮	⋮	⋮	⋮
01/10/2022 10:00	...	...	...
01/10/2022 10:05	...	...	...
01/10/2022 10:10	...	...	...
⋮	⋮	⋮	⋮

Rows (#)	143,430
Columns (#)	733
Size (MB)	463.9

Timestamp Cyclical Encoding

We cyclically encoded timestamps using sine and cosine values to capture time patterns for minutes, hours, days, and years.



Historical Weather



Dealing with Gaps





Target feature



Re-sampling



Instant Energy (target feature)
target
Instant Energy (kW)
175
150
125
100
75
50
25
0
00:00
01-Oct
06:00
12:00
18:00
00:00
02-Oct
06:00
12:00
18:00

Feature Selection

Correlation Matrix



Power Predictive Score (PPS)



Resulting Dataset

Rows (#)	46,537
Columns (#)	33
Size (MB)	14.5

	Start	End	Rows
Train	June 01, 2022	February 28, 2023	24,864
Val	March 01, 2023	March 31, 2023	2,880
Test	April 01, 2023	April 30, 2023	2,880

Deep Learning Models

MLP-based Model Architecture



Training Phase



Training Phase



Training Phase



RNN-based Model Architecture



Training Phase



Training Phase



Training Phase



Transformer-based Model Architecture





Training Phase



Training Phase



Training Phase



Model Evaluations & Comparisons

MLP-based Model



AVG MAE	(kW)	14.11	±	3.81
AVG MAPE	(%)	70.98	±	27.99
AVG MAPE@20	(%)	53.01	±	20.10
AVG R^2		0.69	±	0.17

MLP-based Model



RNN-based Model



AVG MAE	(kW)	6.86	$\pm$	1.87
AVG MAPE	(%)	28.83	$\pm$	10.02
AVG MAPE@20	(%)	21.02	$\pm$	8.67
AVG R^2		0.92	$\pm$	0.06

Transformer-based Model



AVG MAE	(kW)	3.76	±	0.39
AVG MAPE	(%)	18.14	±	6.76
AVG MAPE@20	(%)	11.18	±	3.33
AVG R^2		0.98	±	0.02

Comparisons





Comparisons

	Gain (%)	
	MLP vs RNN	*RNN vs Trans.*
MAE	51.38	45.18
MAPE	59.38	30.07
MAPE@20	60.34	46.81
R^2	25.00	6.12
AVG	*49.03*	*32.05*

The end