AE 737 - MECHANICS OF DAMAGE TOLERANCE

LECTURE 14

Dr. Nicholas Smith

Last Updated: March 10, 2016 at 2:42pm

Wichita State University, Department of Aerospace Engineering

SCHEDULE

- 10 Mar Exam return, Final Project discussion, Project abstract assigned
- · 22 Mar Stress based fatigue, Homework 6 assigned
- · 24 Mar Stress based fatigue
- 29 Mar Influence of notches on fatigue, Homework 7 assigned, Homework 6 due
- · 31 Mar Strain based fatigue, project abstract due

OUTLINE

- 1. exam
- 2. final project



• Before curve, average score: 80.3

- Before curve, average score: 80.3
- Before curve, std dev: 15.8

- Before curve, average score: 80.3
- Before curve, std dev: 15.8
- · High score: 96 (1 student, 3 had 95)

• Purpose of curve: tighten distribution (goal is to have std dev = 10%)


- Purpose of curve: tighten distribution (goal is to have std dev = 10%)
- I find one exam that I consider excellent and set that as the high score (95 in this case)

- Purpose of curve: tighten distribution (goal is to have std dev = 10%)
- I find one exam that I consider excellent and set that as the high score (95 in this case)
- I find one that I consider "average" and set that to be a C (61 in this case)


- Purpose of curve: tighten distribution (goal is to have std dev = 10%)
- I find one exam that I consider excellent and set that as the high score (95 in this case)
- I find one that I consider "average" and set that to be a C (61 in this case)
- Curve for this exam: Adjusted score = 0.735 (original score) + 30.15

- Purpose of curve: tighten distribution (goal is to have std dev = 10%)
- I find one exam that I consider excellent and set that as the high score (95 in this case)
- I find one that I consider "average" and set that to be a C (61 in this case)
- Curve for this exam: Adjusted score = 0.735 (original score) + 30.15
- · New average: 89.2, new std dev: 11.6

BEFORE CURVE



AFTER CURVE



SOLUTIONS

on board



 $\boldsymbol{\cdot}$ This is in place of a final exam

- · This is in place of a final exam
- Should demonstrate your understanding of the course as a whole

- · This is in place of a final exam
- Should demonstrate your understanding of the course as a whole
- · Choose any real object

- · This is in place of a final exam
- Should demonstrate your understanding of the course as a whole
- · Choose any real object
- · Needs to undergo some cyclic loading (for fatigue)

- · This is in place of a final exam
- Should demonstrate your understanding of the course as a whole
- · Choose any real object
- · Needs to undergo some cyclic loading (for fatigue)
- · Materials, loads, and any other "given" data can be made up

 $\boldsymbol{\cdot}$ Estimate stress intensity factor at some critical location

- · Estimate stress intensity factor at some critical location
- Estimate residual strength (use a "typical" crack length)

- Estimate stress intensity factor at some critical location
- · Estimate residual strength (use a "typical" crack length)
- Estimate crack growth and propagation (fatigue)

- · Estimate stress intensity factor at some critical location
- · Estimate residual strength (use a "typical" crack length)
- · Estimate crack growth and propagation (fatigue)
- · Suggest reasonable inspection cycle for safe use

- · Estimate stress intensity factor at some critical location
- · Estimate residual strength (use a "typical" crack length)
- · Estimate crack growth and propagation (fatigue)
- · Suggest reasonable inspection cycle for safe use
- Suggest an improvement to make part more damage tolerant

• Per course syllabus, project will be worth 25% of final grade

- Per course syllabus, project will be worth 25% of final grade
- \cdot 5% Project abstract submission and approval

- Per course syllabus, project will be worth 25% of final grade
- 5% Project abstract submission and approval
- 10% for each major component

- Per course syllabus, project will be worth 25% of final grade
- 5% Project abstract submission and approval
- 10% for each major component
 - stress intensity factor

- Per course syllabus, project will be worth 25% of final grade
- 5% Project abstract submission and approval
- 10% for each major component
 - · stress intensity factor
 - · residual strength

- Per course syllabus, project will be worth 25% of final grade
- 5% Project abstract submission and approval
- 10% for each major component
 - stress intensity factor
 - · residual strength
 - fatigue (x2, growth and propagation)

- Per course syllabus, project will be worth 25% of final grade
- 5% Project abstract submission and approval
- 10% for each major component
 - stress intensity factor
 - · residual strength
 - fatigue (x2, growth and propagation)
 - \cdot inspection cycle

- Per course syllabus, project will be worth 25% of final grade
- 5% Project abstract submission and approval
- 10% for each major component
 - · stress intensity factor
 - · residual strength
 - · fatigue (x2, growth and propagation)
 - · inspection cycle
- · 20% for damage tolerant improvement

- Per course syllabus, project will be worth 25% of final grade
- 5% Project abstract submission and approval
- 10% for each major component
 - · stress intensity factor
 - · residual strength
 - · fatigue (x2, growth and propagation)
 - · inspection cycle
- · 20% for damage tolerant improvement
- · 25% general presentation, organization, and grammar

 Main purpose of abstract is for you to make sure your idea fits with project purpose

- Main purpose of abstract is for you to make sure your idea fits with project purpose
- I will give you feedback on how to tweak your proposed idea to better meet project purpose

- Main purpose of abstract is for you to make sure your idea fits with project purpose
- I will give you feedback on how to tweak your proposed idea to better meet project purpose
- · Abstract submission should be 1-2 pages

- Main purpose of abstract is for you to make sure your idea fits with project purpose
- I will give you feedback on how to tweak your proposed idea to better meet project purpose
- · Abstract submission should be 1-2 pages
- Briefly describe your chosen part, how it undergoes cyclic loading, what location you intend to consider for the stress intensity factor.

- Main purpose of abstract is for you to make sure your idea fits with project purpose
- I will give you feedback on how to tweak your proposed idea to better meet project purpose
- · Abstract submission should be 1-2 pages
- Briefly describe your chosen part, how it undergoes cyclic loading, what location you intend to consider for the stress intensity factor.
- This is like a proposal: convince me that your idea has what it takes to be a great final project

JUSTIFY ASSUMPTIONS

 You will need to make many assumptions in order to complete this project

JUSTIFY ASSUMPTIONS

- You will need to make many assumptions in order to complete this project
- Clearly state your assumptions and justify them (i.e. if you assume plane strain conditions, justify that by showing how thick your part is)

JUSTIFY ASSUMPTIONS

- You will need to make many assumptions in order to complete this project
- Clearly state your assumptions and justify them (i.e. if you assume plane strain conditions, justify that by showing how thick your part is)
- Although will not have experimental or FE analysis specific to your part, use concepts from other data in the text (stiffeners, multiple site damage) in a qualitative manner

FIGURES

• Figures can greatly enhance your project report, if you use them well

FIGURES

- Figures can greatly enhance your project report, if you use them well
- Many readers will jump to figures in a report, include sufficient information in caption and axis labels so a reader with general damage tolerance understanding can understand your figure

FIGURES

- Figures can greatly enhance your project report, if you use them well
- Many readers will jump to figures in a report, include sufficient information in caption and axis labels so a reader with general damage tolerance understanding can understand your figure
- · This will interest them in the rest of your paper