

Activation

The typer is activated by double-clicking `Atlanton-Typer.ahk`. It is advisable to save this file somewhere easily accessible, since by default the typer will be deactivated whenever the user signs out or restarts the computer.

It is possible to make the typer activate automatically whenever the computer starts up by following these steps:

1. Right-click `Atlanton-Typer.ahk`.
2. Click **Show more options** and then **Make shortcut**.
3. Press Win+R, type `shell:startup`, and click **Enter**.
4. Move the shortcut that you created in step 2 into this folder.

When the typer is active, an **H** icon is visible in the system tray, usually in the bottom right of the screen where the time is displayed. (If the icon has been hidden, clicking **^** should reveal it.) Right-click this **H** to **Pause** or **Reload** the typer, as desired.

Usage

Open your word processor or spreadsheet program of choice and set the font to Atlanton. Note that other fonts will not be able to display the new symbols that have been added, such as **ǎ**.

The typer exploits a series of character blocks. Here is the first, which is based on the Latin letter **a**:

α ∘	a ∘	ǎ ∘
α	a	ǎ
α	a	ǎ
α	a	ǎ

Type **a** and then use any of the four directional arrows on your keyboard to transform that **a** into the other letters in this block. For example,  will make **a** into a superscript ^a, and    will make the superscript ^a back into a regular **a**, then into the turned variant **ǣ**, then into the subscript turned **ǣ̣**. In this manner one can freely ‘navigate’ the block shown above. Note that any combining letter produced in this manner (i.e. any of the top letters in the block) will automatically attach to a preceding letter, such that typing the sequence     will result in ^ǣo, and so on.

(Note: to use the directional arrows in their normal functions of scrolling, etc. press them in conjunction with the  key, which temporarily disables block-navigation.)


Every basic Latin letter has a dedicated block, of varying size and complexity. For example, this is the **b** block:

			
β	b	ḃ	Ḅ
β	b	ḃ	Ḅ
β	b	ḃ	Ḅ

As before, one may type the central letter **b** and then use directional arrows to transform it. Note that the equivalent Greek letter is placed to the left of the Latin one, as has been done in the **a** block. This is in fact always the case, as can be seen in the full list of blocks provided in [Atlanton-Typing-Index.pdf](#).

Altogether, these blocks cover not only all the characters of the classic phonetic alphabets of Romance dialectology, but also all the diacritics. Most of the latter are grouped in one large block, which

may be viewed in full at the end of [Atlanton-Typing-Index.pdf](#). Here, for limitations of space and legibility, we will only consider the right half of the diacritic block:



Unlike the other blocks, this one offers several entry points, in each case a common and easily-typed symbol (the central ones in red).

Observe that each column follows a sort of vertical logic and visual similarity. For instance ^ can be ‘promoted’ to a combining circumflex ◌̂ or ‘demoted’ to a combining lower caron ◌̇.

For illustration, [marčá] may be typed in the following manner:

- Type *marc* normally
- Add a comma (,) after the *c*
- Use ↑↑ to promote the comma twice to ◌̂̂̂̂
- Type *a* normally
- Add a slash (/) after the *a*
- Use ↑ to promote the slash to ◌̂̂̂̂

Finally, note that **caps** (capslock) has been repurposed to type small capital letters, a conventional means of indicating Latin words, as in STĒLLA or MANDŪCARE. Small capitals, as well as regular ones, are unaffected by any transformations triggered by    .

Contact

Any remaining questions or concerns may be addressed to nicolasdatua@gmail.com.