## VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

### INTERNET TEHNOLOGIJE

# "Oglašavanje polovnih automobila" WEB APLIKACIJA U LARAVEL FRAMEWORKU

Završni rad

Mentor: Student:

Dr Nenad Kojić, dipl. inž. Nenad Dimić 150/12

# VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

## INTERNET TEHNOLOGIJE

Predmet: Web programiranje PHP 2			
Tema: " Oglašavanje polovnih automobila "			
	Ocena	(	)
		Članovi komisije:	
	1		
	2		
	3		

# Sadržaj

1	UVOD	7
2	RADNO OKRUŽENJE	8
	2.1 Laravel Framework	9-10
	2.1.1 Struktura Laravel aplikacije	11-12
	2.1.2 Model	12
	2.1.3 View	13
	2.1.4 Controller	13
	2.1.5 Rad sa bazom u Laravel-u	13-14
3	ORGANIZACIJA	15
	3.1 Stranice	15
	3.1.1 login/	15
	3.1.2 register/	16
	3.1.3 password/reset/	16
	3.1.4 cars/	17
	3.1.5 add/car/	18
	3.1.6 user/ads/	19
	3.1.7 profile/	20
	3.1.8 categories/	21
	3.1.9 edit/cateogory/id	22
	3.1.10 admin/cars	23
	3.1.11 edit/ad/id	24
	3.1.12 admin/users	25
	3.1.13 admin/edit/user/id	26
	3.1.14 admin/new/user	27
	3.1.15 car/id	28
1	KODOVI.	
	4.1 Laravel konfiguracioni fajlovi	
	4.1.1 .env	
	4.2 MVC PHP kodovi	
	4.2.1 Controllers	
	4.2.1.1 ForgotPasswordController.php	
	4 2 1 2 LoginController php	30

4.2.1.3 RegisterController.php.	31
4.2.1.4 ResetPasswordController.php	32
4.2.1.5 CarsController.php	33-37
4.2.1.6 CategoriesController.php	38-39
4.2.1.7 Controller.php	40
4.2.1.8 HomeController.php	40-42
4.2.2 Models	43
4.2.2.1 Car.php	43
4.2.2.2 Category.php	43
4.2.2.3 Role.php	44
4.2.2.4 User.php	45
4.2.3 Views	46
4.2.3.1 app.blade.php.	46-48
4.2.3.2 master.blade.php	49
4.2.3.3 add_car.blade.php	49-51
4.2.3.4 admin_edit_user.blade.php	52-53
4.2.3.5 add_new_user.blade.php	53-54
4.2.3.6 admin_users.blade.php	55-56
4.2.3.7 approve_car.blade.php	56-58
4.2.3.8 car.blade.php.	59-61
4.2.3.9 cars.blade.php.	61-63
4.2.3.10 categories.blade.php	63-64
4.2.3.11 edit_ad.blade.php	65-66
4.2.3.12 edit_category.php	66-67
4.2.3.13 home.blade.php.	67-68
4.2.3.14 my_ads.blade.php	68-70
4.2.3.15 search_car.blade.php	70-71
4.2.3.16 search_result.blade.php	72-73
4.2.3.17 user_profile.blade.php	74-75
4.2.3.18 _footer.blade.php.	75
4.2.3.19 navigation.blade.php	75-76
4.2.3.20 footer.blade.php.	76
4.2.3.21 email.blade.php.	77
4 2 3 22 reset blade php	77-78

4.2.3.23 login.blade.php	78-79
4.2.3.24 register.blade.php	79-80
4.3 CSS	81
4.3.1 1-col-portfolio.css	81
4.3.2 bootstrap.css	81-174
5 BAZA PODATAKA	175
5.1 Šema baze podataka	175
5.2 Struktura baze podataka	176
6 ZAKLJUČAK	177
7 LITERATURA	178

Pristupni podaci za aplikaciju su:

- Admin (gmail: nenad.dimic34@gmail.com, password: admin123)
- Member ( gmail: <u>danijela.nikitin@test.com</u>, password: test123 )

## 1 UVOD

*Web* aplikacija "Oglašavanje polovnih automobila" je aplikacija na kojoj korisnici mogu postavljati, pregledavati i javljati se na oglase vlasnicima oglasa.

Aplikacija sadrži dva tipa korisnika, to su korisnik i admin. Na samoj aplikaciji registrovani korisnik može postavljati oglase i javljati se na tuđe oglase. Takođe, korisnik može videti listu svih svojih postavljenih oglasa kao i editovati svoj lični profil. Admin ima znatno veće privilegije na aplikaciji. Admin ima pristup svim kategorijama, svim oglasima, svim korisnicima i naravno svom profilu. On može dodavati, editovati i brisati sve od navedenih stvari. Takođe, adminu stižu notifikacije na email kada neko postavi novi oglas, jer je potrebno da admin odobri taj oglas. Tek kad admin odobri oglas, taj oglas će postati vidljiv svim korisnicima.

Rad je organizovan u četiri celine:

- 1. Opis Laravel Framework-a;
- 2. Organizacija projekta sa stranicama i opisom svake;
- 3. Kodovi controller-a, model-a, view-a kao i svih skripti;
- 4. Šema baze podataka

# 2 RADNO OKRUŽENJE

Prilikom izrade ovog projekta korišćen je *Laravel* v.5.4.36, PHP *framework* sa MVC arhitekturom. Pored toga, na serverskoj strani podaci su skladišteni u *MySQL* bazu podataka koja je administrirana alatima *PhpMyAdmin*.

U toku razvoja aplikacije korišćena su sledeća razvojna okruženja:

- JetBrains phpStorm
- *PhpMyAdmin*

JavaScript, jQuery biblioteke, CSS:

- respond.min.js
- html5shiv.js
- bootstrap.js
- agency.min.js
- bootstrap.min.css
- 1-col-portfolio.css
- app.css

## 2.1 Laravel Framework

Laravel je *open source framework* za *PHP* jezik. Namenjen je za razvoj *web* aplikacija i zasnovan je na *Symfony*-u (PHP Framework). Kao i *CodeIgniter*, *Laravel* ima MVC arhitekturu (Model, View, Controller). Laravel ima svoje "*artisan*" komande pomoću kojih možemo napraviti *controller*, *model* i mnoge druge stvari. Takođe se pomoću jedne komande mogu napraviti *resource controller*, *model*, *migration*, *factory*...

• *Model* – Laravel koristi *Eloquent* ORM model sto znači da svaka tabela u bazi ima odgovarajući "*model*" koji se koristi za interakciju sa tom tabelom.

php artisan make:model Flight -migration — Ovom komandom kreiramo model *Flight* kao i migraciju za taj model ( u migraciji se unose nazivi i tipovi polja koji se šalju u bazu podataka prilikom kreiranja tabele ).

• *Controller* služi kao posrednik između modela i *view-*a, obrađuje *HTTP* zahteve i generiše web stranice.

php artisan make:controller PhotoController -resource - Ovom komandom kreiramo novi controller sa već napisanim funkcijama ( prazne su ) u njemu, To su funkcije: index, store, show, edit, update i destroy.

• *View* služi za prezentaciju podataka korisniku. U Laravel-u *view* koristi *blade template* i njegovu sintaksu. Smešteni su unutar resources/views foldera.


*Laravel framework* ima jako dobru razvijenu logiku vezanu za modele i relacije, tako da nam u samom startu mnogo olakšava rad sa tabelema, relacijama i samom bazom podataka.

Laravel nam pomaže da programiramo u PHP programskom jeziku bolje i jednostavnije. Takodje poseduje veliki broj paketa koje mozemo koristiti i samim tim uštedeti na vremenu i sprečiti gomilanje koda.

Prednost ovog framework-a u odnosu na druge je u tome što je Laravel:

- Besplatan
- Veoma jednostavno se instalira i konfiguriše
- Odlična dokumentacija
- Ima odličnu podršku zajednice preko velikog broja foruma
- Sadrži veliki broj biblioteka i funkcija korisnih za razvoj aplikacija.
- Generiše čiste i 'Search engine friendly' URL-ove koji pomažu kod kotiranja u pretraživačima

## 2.1.1. Struktura Laravel aplikacije



Slika 1: Struktura laravel aplikacije

Za razliku od *CodeIgniter*-a, struktura aplikacije se malo razlikuje. *Controller*-i se nalaze unutar foldera app/Http/Controllers, dok su modeli u samom folderu /app. Views su smešteni unutar /resources/views.

Konfiguracioni fajlovi nalaze se logično unutar /config foldera. Svi podaci vezani za bazu podataka nalaze se u folderu /database. Unutar foldera database nalaze se migrations i seeds.

U migracijama kreiramo nove i editujemo, brišemo postojeće tabele, kolone, tipove polja... U folderu /seeds nalaze se seeder-i koji nam služe da neku tabelu popunimo nekim podacima. Komande vezane za migrations i seeds su: php artisan migrate ( da se izvrše sve migracije i da se naprave tabele u bazi ) i php artisan db:seed ( da u te napravljene tabele insertujemo podatke ).

Unutar foldera public čuvamo ono što je vezano za JavaScript, CSS, pictures, fonts...

Kao što je već navedeno, u folderu /resources nalaze se views.

Rute ( routes ) su smeštene u zaseban folder /routes. U ovom slučaju mi koristimo web.php rute.

*Vendor* folder se ubacuje u strukturu prilikom podizanja samog okruzenja i to komandom *composer update*. U *vendor* folderu su smešteni svi paketi i sve što *Laravel* kao *framework* poseduje. Fajlovi unutar *vendor* foldera se nikada ne diraju niti menjaju, jer će prvi put kada se izvrši komanda *compose update* sve to biti "pregaženo" i promene će nestati.

U samom rutu projekta nalazi se .env fajl. U njemu povezujemo projekat sa bazom podataka.

#### 2.1.2. Model

Modeli se nalaze u /app folderu. Moraju da nasleđuju Eloquent\Model klasu. Da bismo pozvali ili koristili model dovoljno je samo sa use uvesti model:

use App\ImeModela;

Po *default*-u prilikom pravljena tabele, svaka migracija ima u sebi dve kolone ( *updated\_at, created at* ) koje se prave ako u samom modelu napišemo:

*public* \$timestamps = true;

\$timestamps je property modela.

Takodje, možemo koristiti *property* \$fillable i njega možemo napisati ovako:

```
protected $fillable = [ 'email', 'name', 'phone'];
```

Ovim smo rekli da se ova 3 polja mogu unositi u bazu preko *eloquent-*a.

Ako u samom modelu napišemo relaciju tog modela i definišemo vezu sa nekom drugom tabelom i želimo da u *query*-u tog modela vratimo i podatke iz te druge tabele sa kojoj smo vezali model onda ćemo napisati *property* \$with.

```
protected $with = [ 'category'];
```

Naravno, postoji još puno property-a.

2.1.3. View

View fajlovi se nalaze u /resources/views/ folderu. Služe za prikaz podataka koje šalje kontroler i

uglavnom su to *blade.php* stranice. *View* pozivamo sa:

view( 'layouts.pages.homepage', compact ( 'arg') );

Drugi argument funkciji mogu biti podaci u obliku niza/objekta koje view treba da ispiše.

2.1.4. Controller

Controller-i se nalaze na lokaciji app/Http/Controllers. Controller-i mogu biti resource-ni i

kao takve ih pravimo preko komande php artisan make:controller ControllerName -resource, a

možemo ih sami praviti "ručno" i moraju nasleđivati klasu App\Http\Controllers\Controller.

Laravel po default-u ima svoje Auth controller-e u kojima je smeštena logika za login user,

register user, forgot password i reset password, tako da te stvari mi kao programeri ne moramo da

radimo, sam framework je to uradio za nas, kao i views na kojima se prikazuju forme za login i

register ( naravno mozemo ih menjati i prilagodjavati kako nama odgovara, ali je sama logika

Laravel-ova).

2.1.5. Rad sa bazom u Laravel-u

Laravel poseduje Query Builder koji se koristi za jednostavnije pisanje SQL upita. Query

Builder nam znatno olakšava dobijanje podataka iz baze i skraćuje posao ( ne moramo da pišemo

sql upite kako se oni pišu u potpunosti ).

Primer:

Izvršavanje komande:  $DB::table(`users') \rightarrow get();$ 

je ekvivalent upitu: select \* from users;

13

Takođe postoji i drugi način dohvatanja podataka iz baze preko pomenutog *Eloquent-*a.

Primer:

U ovom slučaju pozivano model '*User*'.

Izvršavanje komande: *User::all();* 

*je ekvivalent upitu: select \* from users;* 


## **3 ORGANIZACIJA**

## 3.1. Stranice

Svaka stranica sa slikom i svojim funkcionalnostima je opisana u daljem tekstu.

## 3.1.1. /login


*Login* strana sadrži formu za logovanje, linkove ka početnoj strani i link za registarciju korisnika. Takođe na samoj formi imamo i link za *forgot password*.



Slika 2: Login forma

## 3.1.2 /register


Stranica za registraciju korisnika.



Slika 3: Forma za registraciju korisnika

## 3.1.3. /password/reset

Stranica za resetovanje lozinke.



Slika 4: Forma za resetovanje lozinke

## 3.1.4. /cars

Na starnici /cars nalaze se svi odobreni i aktivni oglasi. Ovoj stranici mogu pristupiti i admin i običan korisnik.

	Mercedes Benz AMG GT	Filter
	100000€	Izaberite katergoriju
	2018. godište	Cena do
		Godiste od
		Godiste do
		Pretraži
	Mercedes C Class	
	40000€	l
Cities 1	2017. godište	
4-6-10-	Audi A4 2.0 TDI S line	
	22000 €	
	2015. godište	
	Audi	
	« 1 2 »	

Slika 5: Stranica sa oglasima

## 3.1.5. /add/car


Na ovoj stranici korisnik/admin može postaviti oglas i na njoj se nalazi forma za dodavanje novog oglasa.

Novi oglas				
* Kategorija:				
Izaberite kategoriju	*			
* Naziv automobila:		23 M 42	$\alpha$	
Unesite naziv automobila			Audi	
* Cena (u evrima):				
Unesite cenu automobila				
* Godište:				
Izaberite godinu proizvodnje	•			
* Kilometraza:				
Unesite pređenu kilometražu				
* Slika:				
Choose File No file chosen				
Opis:				
Unisite opis				
	d			
Postavi oglas				

Slika 6: Forma za dodavanje novog oglasa


#### 3.1.6. /user/ads

Na ovoj stranici korisnik moze videti sve oglase koje je on postavio ili koji su na čekanju na odobrenje od strane admina.



Slika 7: Prikaz korisnikovih oglasa

Ako korisnik nije nikada postavio oglas, stranica će izgledati ovako:



Slika 8: Korisnik nema svojih postavljenih oglasa

## 3.1.7. /profile

 $User\ profile\ stranica\ je\ stranica\ gde\ korisnik\ može\ videti\ i\ izmeniti\ svoje\ lične\ podatke\ (ime,\ email\ i\ broj\ telefona\ ).$ 

Polovni automobili	Oglasi	Postavi oglas	Moji oglasi	Moj profil	Odjavite se
Profil					
* Ime:					
Nenad Dimic					
* Email:					
nenad.dimic34@gmail.c	om				
* Broj telefona:					
0659895525					
		Sačuvaj			
			C	opyright © Og	asi - Polovni automobili 2018
					, Visoka ICT skola, 150/12

Slika 9: User profile (podaci korisnika)

## 3.1.8. /categories

Na ovoj stranici Admin može upravljati kategorijama.

Polovni automobili	Oglasi	Admin - Kategorije	Admin - Oglasi	Admin - Korisnici	Admin - Postavi oglas	Moj profil	Odjavite se
				Kategorije			
		BMW				Aud	İ
						QQQ Aud	
	ı	zmeni kategoriju				Izmeni kate	goriju
		Mercedes					
	- 1	zmeni kategoriju					
Nova kategorija	ì						
* Naziv kategorije:							
* Logo kategorije:  Choose File No file o	hosen						
		Dodaj kategoriju					

Slika 10: Prikaz kategorija (vidljiv samo adminu)

## 3.1.9. /edit/category/id

Na ovoj stranici admin može editovati postojeću kategoriju.



Slika 11: Forma za editovanje kategorije

#### 3.1.10. /admin/cars

Na ovoj stranici admin može upravljati svim oglasima. Kada korisnik postavi oglas, adminu stiže email koji ga obaveštava da se pojavio novi oglas u njegovoj listi za odobravanje ( to je ova stranica ). On mora odobriti oglas da bi se taj oglas pojavio na stranici oglasa i da bi korisnici mogli da vide taj oglas. Može editovati oglase i može ih brisati.

Polovni automobili

Oglasi

Admin - Kategorije

Admin - Oglasi

Admin - Korisnici

Admin - Postavi oglas

Moj profil

Odjavite se

## Oglasi Polovni automobili



16000€

2014. godište

150000 km.

Postavljeno: pre 1 dana.

Broj oglasa: 9

Oglas postavio: Marko Markovic (ID: 2)


Odobriti oglas ( prikazati ga u listi oglasa ) Izmeniti oglas Izbrisati oglas

Slika 12: Pregled oglasa (admin)

### 3.1.11. /edit/ad/id

Na ovoj stranici nalazi se forma za editovanje oglasa. Na istoj ovoj stranici oglas edituju i korisnik i admin.


## Mercedes-Benz S-Coupe



Slika 13: Forma za editovanje oglasa

#### 3.1.12. /admin/users

Na ovoj stranici admin u potpunosti može upravljati svim korisnicima na aplikaciji.



Slika 14: Pregled svih korisnika na aplikaciji ( admin )

## 3.1.13. /admin/edit/user/id

Na ovoj stranici admin može editovati postojeće korisnike na aplikaciji.

Polovni automobili	Oglasi	Admin - Kategorije	Admin - Oglasi	Admin - Korisnici	Admin - Postavi oglas	Moj profil	Odjavite se
Profil korisnika	Marko	Markovic					
* Ime:							
Marko Markovic							
* Email:							
marko.markovic@test.co	om						
Broj telefona:							
Unesite broj telefona							
		Sačuvaj					
			Copyright (	🔋 Oglasi - Polovni auto	omobili 2018		
				Dimic, Visoka ICT skol			

Slika 15: Forma za editovanje korisnika ( admin )

## 3.1.14. /admin/new/user


Na ovoj stranici admin može dodati novog korisnika. Potrebno je da unese ime korisnika, email i lozinku. Broj telefona nije obavezno polje. Nakon sto kreira novog korisnika, novom korisniku će na email stići kredencijali za logovanje i pristup sajtu.

Polovni automobili	Oglasi	Admin - Kategorije	Admin - Oglasi	Admin - Korisnici	Admin - Postavi oglas	Moj profil	Odjavite se
Novi korisnik							
* Ime:							
Unesite ime							
* Email:							
Unesite email							
* Lozinka:							
Unesite lozinku							
Broj telefona:							
Unesite broj telefona							
		Sačuvaj					

Slika 16: Forma za dodavanje novog korisnika u sistem

#### 3.1.15. /car/id

Na ovoj stranici korisnici i admini mogu videti sve detalje o automobilu koji je postavljen kao oglas. Možemo videti puno ime, cenu, godište, pređenu kilometražu, kad je oglas postavljen, broj oglasa, ko je postavio oglas i opis. Takođe na samoj stranici možemo se porukom obratiti vlasniku oglasa.



Opis BMW serije 3 je automobil iz srednje klase njemačke marke BMW i proizvodi se od 1975. godine. Trenutačno je u proizvodnji peta generacija. Trojka je najprodavaniji BMW-ov model te nosi oko 40% ukupne BMW-ove proizvodnje te ujedno jedan od najpopularnijh automobila u svijetu.

Copyright © Oglasi - Polovni automobili 2018 Nenad Dimic, Visoka ICT skola, 150/12

Slika 17: Prikaz automobila sa njegovim detaljima

## 4 KODOVI

## 4.1. Laravel Konfiguracioni fajlovi

## 4.1.1. .env

```
APP NAME=Diplomski
APP ENV=local
APP KEY=base64:JM98G+SJ70mM12rN2erYcURa3wJ4V0Rc3zVetJ3s1Jg=
APP_DEBUG=true
APP_LOG_LEVEL=debug
APP URL=http://diplomski.local
DB CONNECTION=mysql
DB H0ST=127.0.0.1
DB PORT=3306
DB DATABASE=db diplomski
DB_USERNAME=root
DB PASSWORD=php123
BROADCAST DRIVER=log
CACHE DRIVER=file
SESSION DRIVER=file
SESSION_LIFETIME=120
QUEUE_DRIVER=sync
REDIS HOST=127.0.0.1
REDIS PASSWORD=null
REDIS PORT=6379
MAIL DRIVER=smtp
MAIL_HOST=smtp.gmail.com
MAIL PORT=587
MAIL USERNAME=nenad.dimic993@gmail.com
MAIL PASSWORD=retrospektiva
MAIL ENCRYPTION=tls
MAIL_FROM_NAME="Polovni automobili"
PUSHER_APP_ID=
PUSHER APP KEY=
PUSHER APP SECRET=
```

## 4.2 MVC PHP kodovi

#### 4.2.1 Controllers

#### 4.2.1.1 ForgotPasswordController.php

```
namespace App\Http\Controllers\Auth;
use App\Http\Controllers\Controller;
use Illuminate\Foundation\Auth\SendsPasswordResetEmails;
class ForgotPasswordController extends Controller
     Password Reset Controller
     This controller is responsible for handling password reset emails and
     includes a trait which assists in sending these notifications from
     your application to your users. Feel free to explore this trait.
   use SendsPasswordResetEmails;
    * Create a new controller instance.
    * @return void
   public function __construct()
       $this->middleware('guest');
                                     4.2.1.2 LoginController.php
<?php
namespace App\Http\Controllers\Auth;
use App\Http\Controllers\Controller;
use Illuminate\Foundation\Auth\AuthenticatesUsers;
class LoginController extends Controller
    |-----
    | Login Controller
     This controller handles authenticating users for the application and
     redirecting them to your home screen. The controller uses a trait
     to conveniently provide its functionality to your applications.
   use AuthenticatesUsers;
    * Where to redirect users after login.
    * @var string
   protected $redirectTo = '/';
    ^{st} Create a new controller instance.
    * @return void
   public function __construct()
```

#### 4.2.1.3 RegisterController.php

```
<?php
namespace App\Http\Controllers\Auth;
use App\User;
use App\Http\Controllers\Controller;
use Illuminate\Support\Facades\Validator;
use Illuminate\Foundation\Auth\RegistersUsers;
class RegisterController extends Controller
     Register Controller
     ______
     This controller handles the registration of new users as well as their
     validation and creation. By default this controller uses a trait to
     provide this functionality without requiring any additional code.
    */
    use RegistersUsers;
     * Where to redirect users after registration.
     * @var string
     */
    protected $redirectTo = '/';
     * Create a new controller instance.
     * @return void
    public function __construct()
    {
        $this->middleware('guest');
    }
     \ensuremath{^{*}} Get a validator for an incoming registration request.
     * @param array $data
     * @return \Illuminate\Contracts\Validation\Validator
    protected function validator(array $data)
    {
        return Validator::make($data, [
            'name' => 'required|string|max:255',
            'email' => 'required|string|email|max:255|unique:users',
            'password' => 'required|string|min:6|confirmed',
        ]);
    }
     * Create a new user instance after a valid registration.
     * @param array $data
     * @return \App\User
     */
    protected function create(array $data)
        return User::create([
            'name' => $data['name'],
'email' => $data['email'],
            'password' => bcrypt($data['password']),
```

#### 4.2.1.4 ResetPasswordController.php

```
<?php
namespace App\Http\Controllers\Auth;
use App\Http\Controllers\Controller;
use Illuminate\Foundation\Auth\ResetsPasswords;
class ResetPasswordController extends Controller
{
     Password Reset Controller
    | This controller is responsible for handling password reset requests
     and uses a simple trait to include this behavior. You're free to
     explore this trait and override any methods you wish to tweak.
    use ResetsPasswords;
     \ensuremath{^{*}} Where to redirect users after resetting their password.
     * @var string
     */
    protected $redirectTo = '/';
     \ ^{*} Create a new controller instance.
     * @return void
    public function __construct()
        $this->middleware('guest');
```

## 4.2.1.5 CarsController.php

```
<?php namespace App\Http\Controllers;</pre>
use App\Car;
use App\Category;
use App\Mail\NotifyAdminAboutNewAd;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use App\Behaviors\Upload;
use App\Behaviors\Expire;
use Illuminate\Support\Facades\Mail;
class CarsController extends Controller
   use Upload, Expire;
   public function index()
      $cars = Car::whereStatus( 1 )->with( 'category' )->orderBy( 'id', 'desc' )->paginate( 3 );
      $categories = Category::all();
      // We are checking if ads are expired
      // $this->expiredAds();
      return view( 'layouts.pages.cars', compact( 'cars', 'categories' ) );
   }
   public function getCars( Request $request )
      $categories = Category::all();
      $category_id = $request->get( 'category' );
                   = $request->get( 'price' );
      $price
                   = $request->get( 'car_year_from' );
      $year_from
                   = $request->get( 'car_year_to' );
      $year_to
      if ( $category_id || $price || $year_from || $year_to ) {
         $query = Car::where( 'status', 1 );
         if ( $category_id ) {
            $query->where( 'category_id', $category_id );
         if ( $price ) {
            $query->where( 'price', '<=', $price );</pre>
         if ( $year_from ) {
            $query->where( 'year', '>=', $year_from );
         }
         if ( $year_to ) {
            $query->where( 'year', '<=', $year_to );</pre>
         }
      } else {
         return redirect()->route( 'cars' );
      }
      $cars = $query->get();
      return view( 'layouts.pages.search_result', compact( 'cars', 'categories' ) );
```

```
}
   public function carDetails( $id )
      $car = Car::find($id);
      $car->update( [
         'counter' => $car->counter + 1
      return view( 'layouts.pages.car', compact( 'car' ) );
   }
   public function addCar()
      $categories = Category::all();
      return view( 'layouts.pages.add_car', compact( 'categories' ) );
   }
   public function saveCar( Request $request )
      // Validation messages
      $messages = [
         'car_category_id.required' => 'Morate izabrati kategoriju automobila!',
                                    => 'Morate uneti naziv automobila!',
         'car_name.required'
         'car_price.required'
                                    => 'Morate uneti cenu automobila!',
         'car_price.digits_between' => 'Cena nije uneta u dobrom formatu!',
         'car_year_id.required'
'car_km.required'
                                    => 'Morate izabrati godinu proizvodnje automobila!',
                                    => 'Morate uneti pređenu kilometražu!'
         'car km.digits between'
                                   => 'Kilometraža nije uneta u dobrom formatu!',
                                   => 'Morate postaviti sliku automobila!'
         'car_image.required'
      ];
      // Validation
      $this->validate( $request, [
         'car_category_id' => 'required',
                          => 'required'
         'car_name'
                          => 'required|digits_between:1,20',
         'car_price'
                          => 'required'
         'car_year_id'
                          => 'required|digits_between:1,20',
         'car_km'
                          => 'required|image'
         'car_image'
      ], $messages );
      // Uploading picture
      $imageCar = $request->file( 'car_image' );
      $imageName = time() . '.' . $imageCar->getClientOriginalName();
      $this->upload( $imageCar, $imageName );
      // Inserting car in database
      $car = Car::create( [
         'category_id' => $request->get( 'car_category_id' ),
         'name'
                      => $request->get( 'car_name' ),
                       => $request->get( 'car_price'
         'price'
         'year'
                       => $request->get( 'car_year_id' ),
                       => $request->get( 'car_km' ),
         'km'
         'image'
                       => $imageName,
         'description' => $request->get( 'car_description' ) ? $request->get( 'car_description' ) :
         'user_id'
                       => Auth::id()
      ]);
      Mail::to( 'nenad.dimic34@gmail.com' )->send( new NotifyAdminAboutNewAd( auth()->user(), $car )
);
```

```
$request->session()->flash( 'alert-success', 'Oglas je uspešno dodat! Naši administatori će
razmotriti Vaš oglas.');
      return redirect()->route( 'add_car' );
   public function userAds()
      $cars = Car::whereUserId( Auth::id() )->with( 'category' )->paginate( 3 );
      return view( 'layouts.pages.my_ads', compact( 'cars' ) );
   }
   public function editMyAd( $id )
      $car = Car::find( $id );
      return view( 'layouts.pages.edit_ad', compact( 'car' ) );
   }
   public function updateAd( Request $request )
                   = $request->input( 'car_id' );
= $request->input( 'car_name'
      $id
      $name
                   = $request->input( 'car_price' );
      $price
                   = $request->input( 'car_year' );
      $year
      $km = $request->input( 'car_km' );
$description = $request->input( 'car_description' );
      if ( ! $name || is_numeric( $name ) ) {
         if ( is numeric( $name ) ) {
            $request->session()->flash( 'alert-danger', 'Naziv automobila nije unet u dobrom
formatu!');
         } else {
            $request->session()->flash( 'alert-danger', 'Morate uneti naziv automobila!' );
         return redirect()->back();
      } elseif ( ! $price || ! is_numeric( $price ) ) {
         if ( ! is_numeric( $price ) && $price ) {
            $request->session()->flash( 'alert-danger', 'Cena nije uneta u dobrom formatu!' );
         } else {
            $request->session()->flash( 'alert-danger', 'Morate uneti cenu automobila!' );
         return redirect()->back();
      } elseif ( ! $year ) {
         $request->session()->flash( 'alert-danger', 'Morate izabrati godinu proizvodnje
automobila!' );
         return redirect()->back();
      } elseif ( ! $km || ! is_numeric( $km ) ) {
         if (! is_numeric( $km ) && $km ) {
            $request->session()->flash( 'alert-danger', 'Kilometraža nije uneta u dobrom
formatu!');
         } else {
            $request->session()->flash( 'alert-danger', 'Morate uneti pređenu kilometražu!' );
         return redirect()->back();
      }
      if ( $request->hasFile( 'car_image' ) ) {
         $new
                           = $request->file( 'car_image' );
```

```
$imageName = time() . '.' . $new->getClientOriginalName();
$destinationPath = public_path( '/images', $new->getClientOriginalName() );
      $new->move( $destinationPath, $imageName );
      Car::whereId( $id )->update( [ 'image' => $imageName ] );
   }
   Car::whereId( $id )->update( [
                    => $name,
      'name'
      'price'
                    => $price,
      'vear'
                    => $year,
      'km'
                     => $km,
      'description' => $description
   $request->session()->flash( 'alert-success', 'Uspešno se izmenili Vaš oglas!' );
   return redirect()->back();
}
public function adminListCars()
   $cars = Car::with( 'user' )->orderBy( 'id', 'desc' )->paginate( 3 );
   return view( 'layouts.pages.approve_car', compact( 'cars' ) );
}
public function approveCar( Request $request )
   $id = $request->input( 'approve_car_id' );
   if ( $id ) {
      Car::whereId( $id )->update( [
         'status'
                      => 1,
         'is_expired' => 0
      ]);
      $request->session()->flash( 'alert-success', 'Oglas je odobren!' );
      return redirect()->back();
   }
   $request->session()->flash( 'alert-danger', 'Oglas nije odobren!' );
   return redirect()->back();
}
public function deleteCar( Request $request )
   $id = $request->input( 'delete_car_id' );
   if ( $id ) {
      Car::whereId( $id )->update( [ 'status' => 0 ] );
      $request->session()->flash( 'alert-info', 'Oglas je neodobren!' );
      return redirect()->back();
   }
   $request->session()->flash( 'alert-danger', 'Oglas nije izbrisan!' );
   return redirect()->back();
}
public function hardDeleteCar( Request $request )
   $id = $request->input( 'delete_car_id' );
   $car = Car::find( $id );
   $car->delete();
```

### 4.2.1.6 CategoriesController.php

```
<?php namespace App\Http\Controllers;</pre>
use App\Category;
use Illuminate\Http\Request;
use App\Behaviors\Upload;
class CategoriesController extends Controller
   use Upload;
   public function index()
      $categories = Category::all();
      return view( 'layouts.pages.categories', compact( 'categories' ) );
   }
   public function edit( $id )
      $category = Category::find( $id );
      return view( 'layouts.pages.edit_category', compact( 'category' ) );
   }
   public function addCategory( Request $request )
      $messages = [
         'category_name.required' => 'Morate uneti naziv kategorije!',
         'category_logo.required' => 'Morate uneti logo kategorije!',
                                  => 'Kategorija sa ovim nazivom vec postoji!',
         'category_name.unique'
         'category_logo.image'
                                  => 'Logo kategorije u dobrom formatu!'
      ];
      $this->validate( $request, [
         'category_name' => 'required|unique:categories,name|max:255',
         'category_logo' => 'required|image'
      ], $messages );
      $name = $request->input( 'category_name' );
      if ( $name && $request->hasFile( 'category_logo' ) ) {
         $category = new Category;
         $category->name = $name;
                    = $request->file( 'category_logo' );
         $imageName = time() . '.' . $logo->getClientOriginalName();
         $this->upload( $logo, $imageName );
         $category->logo = $imageName;
         $category->save();
         $request->session()->flash( 'alert-success', 'Kategorija je uspešno dodata!' );
         return redirect()->route( 'categories' );
      }
      $request->session()->flash( 'alert-danger', 'Morate uneti naziv i logo kategorije!' );
      return redirect()->route( 'categories' );
   }
```

```
public function deleteCategory( Request $request )
   $id = $request->input( 'category_id' );
   $category = Category::find( $id )->delete();
   $request->session()->flash( 'alert-success', 'Kategorija je uspešno izbrisana!' );
   return redirect()->route( 'categories' );
}
public function editCategory( Request $request )
   $id = $request->input( 'category_id' );
   $name = $request->input( 'category name' );
   if ( $request->hasFile( 'category_logo' ) ) {
      $logo
                        = $request->file( 'category_logo' );
      $imageName = time() . '.' . $logo->getClientOriginalName();
$destinationPath = public_path( '/storage/car_uploads', $logo->getClientOriginalName() );
      $logo->move( $destinationPath, $imageName );
      Category::whereId( $id )->update( [
         'logo' => $imageName,
      ]);
   }
   if ( $name ) {
      Category::whereId( $id )->update( [
         'name' => $name,
      ]);
      $request->session()->flash( 'alert-success', 'Kategorija je uspešno izmenjena!' );
      return redirect()->back();
   }
   $request->session()->flash( 'alert-danger', 'Kategorija nije uspesno izmenjena!' );
   return redirect()->back();
```

#### 4.2.1.7 Controller.php

```
<?php
namespace App\Http\Controllers;
use Illuminate\Foundation\Bus\DispatchesJobs;
use Illuminate\Routing\Controller as BaseController;
use Illuminate\Foundation\Validation\ValidatesRequests;
use Illuminate\Foundation\Auth\Access\AuthorizesRequests;
class Controller extends BaseController
{
    use AuthorizesRequests, DispatchesJobs, ValidatesRequests;
}</pre>
```

### 4.2.1.8 HomeController.php

```
<?php namespace App\Http\Controllers;</pre>
use App\Car;
use App\Mail\NewUserInfo;
use App\Mail\SendEmailToOwner;
use App\User;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Mail;
class HomeController extends Controller
    * Create a new controller instance.
    * @return void
   public function __construct()
      //$this->middleware('auth');
   }
    * Show the application dashboard.
    * @return \Illuminate\Http\Response
   public function index()
      $randomCars = Car::whereStatus( 1 )->orderBy( 'counter', 'desc' )->get();
      return view( 'layouts.pages.home', compact( 'randomCars' ) );
   }
   public function users()
      $users = User::where( 'id', '!=', auth()->user()->id )->get();
      return view( 'layouts.pages.admin users', compact( 'users' ) );
   }
   public function adminEditUser( $id )
      $user = User::find( $id );
      return view( 'layouts.pages.admin_edit_user', compact( 'user' ) );
   }
   public function editUser( Request $request )
```

```
$id = $request->input( 'user id' );
   $user = User::find( $id );
   $user->update( $request->all() );
   $request->session()->flash( 'alert-success', 'Uspesno ste izmenili korisnika!' );
   return redirect()->route( 'admin_users' );
}
public function deleteUser( $id, Request $request )
   $user = User::find( $id );
   $name = $user->name;
   // Removing all user's ads
   $user->cars()->delete();
   $request->session()->flash( 'alert-success', "Uspesno ste izbrisali korisnika {$name}!" );
   return redirect()->back();
}
public function adminNewUser()
   return view( 'layouts.pages.admin_new_user', compact( 'user' ) );
}
public function newUser( Request $request )
   $email
             = $request->input( 'email' );
   $password = $request->input( 'password' );
   $request->merge( [ 'password' => bcrypt( $request->input( 'password' ) ) ] );
   User::create( $request->all() );
   $request->session()->flash( 'alert-success', 'Uspesno ste kreirali novog korisnika!' );
  Mail::to( 'nenad.dimic34@gmail.com' )->send( new NewUserInfo( $email, $password ) );
   return redirect()->route( 'admin_users' );
}
public function userProfile()
   $user = auth()->user();
   return view( 'layouts.pages.user_profile', compact( 'user' ) );
}
public function userSaveData( Request $request )
   $messages = [
      'user_name.required'
                                 => 'Morate uneti Vase ime!'
      'user_email.required'
                                  => 'Morate uneti Vas email!',
                                 => 'Email nije u dobrom formatu!',
      'user_email.email'
      'user_phone.required'
                                 => 'Morate uneti Vas broj telefona!',
      'user_phone.digits_between' => 'Broj telefona nije u dobrom formatu!'
   ];
   // Validation
   $this->validate( $request, [
      'user_name' => 'required',
      'user_email' => 'required|email',
      'user_phone' => 'required|digits_between:7,20',
   ], $messages );
            = $request->get( 'user_name' );
   $name
```

# **4.2.2** *Models*

# 4.2.2.1 Car.php

```
<?php namespace App;</pre>
use Illuminate\Database\Eloquent\Model;
use App\Behaviors\Upload;
class Car extends Model
   use Upload;
   public $timestamps = true;
   protected $fillable = [
      'category_id',
      'name',
      'price<sup>'</sup>
      'status',
      'year',
      'Ŕm',
      'image',
      'description',
      'user_id',
      'is expired',
      'counter'
   ];
   protected $with = [
      'user',
      'category'
   ];
   protected $table = 'cars';
   public function category()
      return $this->belongsTo( Category::class );
   }
   public function user()
      return $this->belongsTo( User::class );
                                             4.2.2.2 Category.php
<?php namespace App;</pre>
use Illuminate\Database\Eloquent\Model;
class Category extends Model
   public $timestamps = true;
   public static $rules = [
      'name' => 'required',
      'logo' => 'required|file'
   protected $table = 'categories';
   public function cars()
      return $this->hasMany( Car::class );
```

# 4.2.2.3 Role.php

```
<?php namespace App;
use Illuminate\Database\Eloquent\Model;</pre>
class Role extends Model
   public $timestamps = false;
   * The database table used by the model.
    * @var string
    */
   protected $table = 'roles';
    * Fillable fields
    * @var array
   protected $fillable = [
      'name'
   /**
    * Rules
    * @var array
   public static $rules = [
   'name' => 'required|unique:roles'
    * A Roles users
    * @return Relationship
    */
   public function users()
       return $this->belongsToMany( User::class );
```

## 4.2.2.4 User.php

```
<?php
namespace App;
use Illuminate\Notifications\Notifiable;
use Illuminate\Foundation\Auth\User as Authenticatable;
class User extends Authenticatable
   use Notifiable;
   \ensuremath{^{*}} The attributes that are mass assignable.
    * @var array
    */
   protected $fillable = [
      'name',
      'email'
      'password',
      'phone'
   ];
    \ ^{*} The attributes that should be hidden for arrays.
    * @var array
   protected $hidden = [
      'password',
      'remember_token',
   ];
   * User Roles
    * @return Relationship
   */
   public function roles()
      return $this->belongsToMany( Role::class, 'users_roles' );
   }
   public function hasRole( $role )
      $roles = array_column( $this->roles->toArray(), 'name' );
      return array_search( $role, $roles ) > -1;
   }
   public function cars()
      return $this->hasMany( Car::class );
   }
}
```

# 4.2.3 Views

#### 4.2.3.1 app.blade.php

```
<!DOCTYPE html>
<html lang="{{ app()->getLocale() }}">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
   <!-- CSRF Token -->
   <meta name="csrf-token" content="{{ csrf_token() }}">
   <title>{{ config( 'app.name', 'Polovni automobili' ) }}</title>
   <!-- Styles -->
   <link href="{{ asset( 'css/app.css' ) }}" rel="stylesheet">
</head>
<style>
  body {
     font-family: Arial, Helvetica, sans-serif;
   /* Full-width input fields */
   input[type=text], input[type=password] {
      width: 100%;
     padding: 12px 20px;
     margin: 8px 0;
     display: inline-block;
     border: 1px solid #ccc;
     box-sizing: border-box;
   /* Set a style for all buttons */
   button {
     background-color: #4CAF50;
     color: white;
     padding: 14px 20px;
     margin: 8px 0;
     border: none;
     cursor: pointer;
     width: 100%;
  }
   button:hover {
      opacity: 0.8;
   /* Extra styles for the cancel button */
   .cancelbtn {
     width: auto;
      padding: 10px 18px;
      background-color: #f44336;
   /st Center the image and position the close button st/
   .imgcontainer {
      text-align: center;
     margin: 24px 0 12px 0;
     position: relative;
   }
   img.avatar {
      width: 40%;
      border-radius: 50%;
   . \\ container \\ \{
     padding: 16px;
```

```
span.psw {
   float: right;
   padding-top: 16px;
/* The Modal (background) */
.modal {
   display: none; /* Hidden by default */
position: fixed; /* Stay in place */
   z-index: 1; /* Sit on top */
   left: 0;
   top: 0;
   width: 100%; /* Full width */
   height: 100%; /* Full height */
   overflow: auto; /* Enable scroll if needed */
   background\text{-}color\text{:} \ rgb(0, 0, 0); \ /* \ Fallback \ color \ */
   background-color: rgba(0, 0, 0, 0.4); /* Black w/ opacity */
   padding-top: 60px;
}
/* Modal Content/Box */
.modal-content {
   background-color: #fefefe;
   margin: 5% auto 15% auto; /* 5% from the top, 15% from the bottom and centered */
   border: 1px solid #888;
   width: 80%; /* Could be more or less, depending on screen size */
}
/* The Close Button (x) */
.close {
   position: absolute;
   right: 25px;
   top: 0;
   color: #000;
   font-size: 35px;
   font-weight: bold;
}
.close:hover,
.close:focus {
   color: red;
   cursor: pointer;
}
/* Add Zoom Animation */
.animate {
   -webkit-animation: animatezoom 0.6s;
   animation: animatezoom 0.6s
@-webkit-keyframes animatezoom {
   from {
      -webkit-transform: scale(0)
   }
   to {
      -webkit-transform: scale(1)
}
@keyframes animatezoom {
   from {
      transform: scale(0)
   1
   to {
      transform: scale(1)
   }
}
/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
   span.psw {
      display: block;
```

```
float: none;
     }
      .cancelbtn {
        width: 100%;
</style>
<body>
<div id="app">
   <nav class="navbar navbar-inverse navbar-static-top">
      <div class="container">
        <div class="navbar-header">
           <!-- Collapsed Hamburger -->
           <button type="button" class="navbar-toggle collapsed" data-toggle="collapse"</pre>
                   data-target="#app-navbar-collapse">
              <span class="sr-only">Toggle Navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
           </button>
           <!-- Branding Image -->
           <a class="navbar-brand" href="{{ url('/') }}">
              Polovni automobili
           </a>
        </div>
        <div class="collapse navbar-collapse" id="app-navbar-collapse">
           <!-- Left Side Of Navbar -->
           ul class="nav navbar-nav">
               
           <!-- Right Side Of Navbar -->
           <!-- Authentication Links -->
              @if ( Auth::guest() )
                 <a href="{{ route( 'login' ) }}">Logovanje</a>
                 <li><a href="{{ route( 'register' ) }}">Registracija</a>
              @else
                 class="dropdown">
                    <a href="#" class="dropdown-toggle" data-toggle="dropdown" role="button"
                       aria-expanded="false">
                       {{ Auth::user()->name }} <span class="caret"></span>
                    </a>
                    class="dropdown-menu" role="menu">
                       <
                          <a href="{{ route( 'logout' ) }}"
                             onclick="event.preventDefault();
                                                   document.getElementById( 'logout-
form' ).submit();">
                            Logout
                          </a>
                          <form id="logout-form" action="{{ route( 'logout' ) }}" method="POST"</pre>
                               style="display: none;">
                             {{ csrf_field() }}
                          </form>
                       @endif
           </div>
     </div>
   </nav>
  @yield( 'content' )
</div>
<!-- Scripts -->
<script src="{{ asset( 'js/app.js' ) }}"></script>
</body>
</html>
```

#### 4.2.3.2 master.blade.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="description" content="">
  <meta name="author" content="">
  <meta name="csrf-token" content="{{ csrf_token() }}">
  <title>Oglasi - Polovni automobili</title>
  <!-- Bootstrap Core CSS -->
  <link href="{{ asset( 'css/bootstrap.min.css' ) }}" rel="stylesheet">
  <!-- Custom CSS -->
  <link href="{{ asset( 'css/1-col-portfolio.css' ) }}" rel="stylesheet">
  <!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->
  <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
  <!--[if lt IE 9]>
  <script src="{{ asset( 'https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js' )}}"></script>
  <script
src="{{ asset( 'https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js' )}}"></script>
  <![endif]-->
</head>
<body>
@include( 'layouts.partials._navigation' )
@yield( 'content' )
@include( 'layouts.partials._footer' )
@yield( 'scripts' )
</body>
</html>
                                       4.2.3.3 add car.blade.php
 @extends( 'layouts.master' )
@section( 'content' )
  <!-- Page Content -->
  <div class="container">
     @if ( $errors->any() )
        <div class="alert alert-danger">
           ul>
              @foreach ( $errors->all() as $error )
                 {{ $error }}
              @endforeach
           </div>
     @endif
     @foreach ( [ 'danger', 'warning', 'success', 'info' ] as $msg )
        @if( Session::has( 'alert-' . $msg ) )
           {{ Session::get( 'alert-' . $msg ) }}
              <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
           @endif
  @endforeach
  <!-- Add car form -->
     <div class="row">
```

```
<div class="col-md-12">
            <h1 class="page-header">
               <small>Novi oglas</small>
            </h1>
         </div>
         <br>
         <div class="col-md-6">
            <form method="post" action="{{ '/saveCar' }}" enctype="multipart/form-data">
               {!! csrf_field() !!}
               <div class="form-group required">
                  <label>Kategorija: </label>
                  <select class="form-control" name="car_category_id">
                     <option value="">Izaberite kategoriju...</option>
                     @foreach ( $categories as $category )
                        @if ( \Illuminate\Support\Facades\Input::old('car_category_id') ==
$category->id )
                           <option value="{{ $category->id }}" selected>{{ $category-}
>name }}</option>
                        @else
                            <option value="{{ $category->id }}">{{ $category->name }}</option>
                        @endif
                     @endforeach
                  </select><br>
               </div>
               <div class="form-group required">
                  <label>Naziv automobila: </label>
                  <input type="text" class="form-control" name="car_name"</pre>
                         placeholder="Unesite naziv automobila..."
value="{{ old( 'car_name' ) }}"/><br>
               </div>
               <div class="form-group required">
                  <label>Cena (u evrima): </label>
                  <input type="text" class="form-control" name="car price"</pre>
                         placeholder="Unesite cenu automobila..."
value="{{ old( 'car_price' ) }}"/><br>
               </div>
               <div class="form-group required">
                  <label>Godište: </label>
                  <select class="form-control" name="car_year_id">
                     <option name="car_year" value="">Izaberite godinu proizvodnje...</option>
                     Qfor ($i = 1980; $i \le 2017; $i++ )
                        @if ( \Illuminate\Support\Facades\Input::old('car_year_id') == $i )
                           <option value="{{ $i$}}" selected>{{ <math>$i$}}</option>
                        @else
                            <option value="{{ $i }}">{{ $i }}</option>
```

```
@endif
                     @endfor
                  </select><br>
               </div>
               <div class="form-group required">
                  <label>Kilometraza: </label>
                  <input type="text" class="form-control" name="car_km"</pre>
                          placeholder="Unesite pređenu kilometražu..."
value="{{ old( 'car_km' ) }}"/><br>
               </div>
               <div class="form-group required">
                  <label>Slika: </label>
                  <input type="file" class="form-control" name="car_image"</pre>
value="{{ old( 'car_image' ) }}"/><br>
               </div>
               <div class="form-group">
                  <label>Opis:</label>
                  <textarea class="form-control" name="car_description" rows="5"
placeholder="Unisite opis..."
                             maxlength="300" value="{{ old( 'car image' ) }}"></textarea><br>
               </div>
               <button type="submit" class="form-control btn btn-success">Postavi oglas/button>
            </form>
         </div>
         <div class="col-md-6">
            <hr><hr><hr><hr><
            @foreach ( $categories as $key => $category )
               <div class="col-md-{{ 12 / $loop->count }}">
                  @if ( $category ->default == 0 )
                      <a href="#" class="disableCoverPhoto">
                         <img class="img-responsive"</pre>
                              src="{{ url( '/storage/car_uploads/' .$category->logo ) }}"
                              alt="">
                      </a>
                  @else
                      <a href="#" class="disableCoverPhoto">
                         <img class="img-responsive"</pre>
                              src="{{ url('/images/' . $category->logo) }}"
                              alt="">
                     </a>
                  @endif
               </div>
            @endforeach
         </div>
      </div>
      <!-- /.row -->
      <hr>
   </div>
   <!-- Footer -->
   @include('layouts.partials.footer')
@endsection
```

```
@extends( 'layouts.master' )
@section( 'content' )
  <!-- Page Content -->
  <div class="container">
     @if ( $errors->any() )
         <div class="alert alert-danger">
            <l
               @foreach ( $errors->all() as $error )
                  {{ $error }}
               @endforeach
            </div>
      @endif
      @foreach ( [ 'danger', 'warning', 'success', 'info' ] as $msg )
        @if( Session::has( 'alert-' . $msg ) )
            {{ Session::get( 'alert-' . $msg ) }}
              <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
      @endif
  @endforeach
   <!-- Add car form -->
      <div class="row">
         <div class="col-md-12">
            <h1 class="page-header">
              <small>Profil korisnika {{ $user->name }}</small>
            </h1>
         </div>
         <hr>
         <div class="col-md-6">
            <form method="post" action="{{ '/editUser' }}" enctype="multipart/form-data">
               {!! csrf_field() !!}
               <div class="form-group required">
                  <label>Ime: </label>
                  <input type="text" class="form-control" name="name"</pre>
                         placeholder="Unesite Vase ime" required value="{{ $user->name }}"/><br>
               </div>
               <div class="form-group required">
                  <label>Email: </label>
                  <input type="text" class="form-control" name="email"</pre>
                         placeholder="Unesite Vas email" required value="{{ $user->email }}"/><br>
               </div>
               <div class="form-group">
                  <label>Broj telefona: </label>
```

```
<input type="text" class="form-control" name="phone"</pre>
                        placeholder="Unesite broj telefona" value="{{ $user->phone }}"/><br>
              </div>
              <input type="hidden" name="user_id" value="{{ $user->id }}">
              <button type="submit" class="form-control btn btn-success">Sačuvaj</button>
           </form>
        </div>
     </div>
     <!-- /.row -->
   </div>
  <!-- Footer -->
   @include('layouts.partials.footer')
@endsection
                                  4.2.3.5 admin new user.blade.php
@extends( 'layouts.master' )
@section( 'content' )
  <!-- Page Content -->
   <div class="container">
     @if ( $errors->any() )
        <div class="alert alert-danger">
           @endforeach
           </div>
     @endif
     @foreach ( [ 'danger', 'warning', 'success', 'info' ] as $msg )
        @if( Session::has( 'alert-' . $msg ) )
           {{ Session::get( 'alert-' . $msg ) }}
              <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
           @endif
   @endforeach
   <!-- Add car form -->
     <div class="row">
        <div class="col-md-12">
           <h1 class="page-header">
              <small>Novi korisnik</small>
           </h1>
        </div>
        <br>>
        <div class="col-md-6">
```

```
<form method="post" action="{{ route( 'new user' ) }}" enctype="multipart/form-data">
               {!! csrf_field() !!}
               <div class="form-group required">
                  <label>Ime: </label>
                  <input type="text" class="form-control" name="name"</pre>
                         placeholder="Unesite ime" required value=""/><br>
               </div>
               <div class="form-group required">
                  <label>Email: </label>
                  <input type="text" class="form-control" name="email"</pre>
                         placeholder="Unesite email" required value=""/><br>
               </div>
               <div class="form-group required">
                  <label>Lozinka: </label>
                  <input type="password" class="form-control" name="password"</pre>
                         placeholder="Unesite lozinku" required value=""/><br>
               </div>
               <div class="form-group">
                  <label>Broj telefona: </label>
                  <input type="text" class="form-control" name="phone"</pre>
                         placeholder="Unesite broj telefona" value=""/><br>
               </div>
               <button type="submit" class="form-control btn btn-success">Sačuvaj</button>
            </form>
         </div>
      </div>
      <!-- /.row -->
      <hr>
   </div>
   <!-- Footer -->
  @include('layouts.partials.footer')
@endsection
```

## 4.2.3.6 admin\_users.blade.php

```
@extends( 'layouts.master' )
@section( 'content' )
  <!-- Page Content -->
  <div class="container">
     <!-- Project One -->
     @foreach ( [ 'danger', 'warning', 'success', 'info' ] as $msg )
       @if(Session::has('alert-' . $msg))
          {{ Session::get('alert-' . $msg) }}
             <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
          @endif
     @endforeach
     <div class="col-md-12">
       <div align="left">
          <h1 class="page-header">Korisnici
             <small>Polovni automobili</small>
             <div align="right">
               <a href="{{ route( 'admin_new_user' ) }}"><input type="button" class="btn btn-
success"
                                                          value="Dodaj novog
korisnika"></a>
             </div>
          </h1>
       </div>
     </div>
     <br>>
     @if ( count( $users ) )
       <div class="table-responsive col-md-12">
          <thead>
             #
               Ime
               Email
               Telefon
               </thead>
             @foreach( $users as $user )
               {{ $user->id }}
                  {{ $user->name }}
                  {{ $user->email }}
                  {{ $user->phone }}
                  <a href="{{ route( 'admin_edit_user', $user->id ) }}"><input type="button"
                                                                          class="btn
btn-info"
value="Izmeni"></a>
                  <a href="{{ route( 'delete user', $user->id) }}"><input type="button"
                                                                      class="btn btn-
danger"
value="Izbrisi"></a>
                @endforeach
```

```
</div>
         <!-- /.row -->
         <!-- Pagination -->
         {{--<div class="row text-center">
            <div class="col-lg-12">
               {{ $users->links() }}
            </div>
         </div>--}}
      <!-- /.row -->
      @endif
      <hr>
   </div>
  <!-- Footer -->
  @include( 'layouts.partials.footer' )
@endsection
                                      4.2.3.7 approve car.blade.php
@extends( 'layouts.master' )
@section( 'content' )
  <!-- Page Content -->
  <div class="container">
  @if ( count( $cars ) )
      <!-- Project One -->
         <div class="row">
            @foreach ( [ 'danger', 'warning', 'success', 'info' ] as $msg )
               @if(Session::has('alert-' . $msg))
                  {{ Session::get('alert-' . $msg) }}
                    <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
                  @endif
            @endforeach
            <div class="col-md-12">
               <hl class="page-header">0glasi
                 <small>Polovni automobili</small>
               </h1>
            </div>
            <hr>>
            @foreach( $cars as $car )
            <!-- Car item -->
               <div class="row">
                  <div class="col-md-6">
                     <a href="{{ route( 'car details', $car->id ) }}">
                        @if ( $car->default == 0 )
                           <img class="img-responsive" src="{{ url( '/storage/car_uploads/' .$car-</pre>
>image ) }}"
                                alt="">
                       @else
                           <img class="img-responsive" src="{{ url( '/images/' .$car->image ) }}"
                                alt="">
                       @endif
                     </a>
```

```
</div>
                  <div class="col-md-6">
                     <h3 align="center" class="border"
                         style="background-color: #fff; color: black;">{{ $car->price }} €</h3>
                     <h3 align="center" class="border" style="background: #fff; color: black;">{{
$car->year }}.
                         godište</h3>
                     <h3 align="center" class="border"
                         style="background-color: #fff; color: black;">{{ $car->km }}
                        km.</h3>
                     @if ( $car->created_at->diffInMinutes() > 60 && $car->created_at->diffInHours()
< 24 )
                        <h3 align="center" class="border" style="background-color: #fff; color:</pre>
black;">
                            Postavljeno:
                            pre {{ $car->created_at->diffInHours() }} sata.</h3>
                     @elseif ( $car->created_at->diffInHours() > 24 )
                         <h3 align="center" class="border" style="background-color: #fff; color:</pre>
black;">
                            Postavljeno:
                            pre {{ $car->created_at->diffInDays() }} dana.</h3>
                     @else
                         <h3 align="center" class="border" style="background-color: #fff; color:</pre>
black;">
                            Postavljeno:
                           pre {{ $car->created_at->diffInMinutes() }} minuta.</h3>
                     @endif
                     <h3 align="center" class="border" style="background-color: #fff; color:</pre>
black; ">Broj
                         oglasa: {{ $car->id }}</h3>
                     <h3 align="center" class="border" style="background-color: #fff; color:</pre>
black; ">0glas
                         postavio: {{ $car->user->name }} (ID: {{ $car->user->id }})/h3><br>>
                     @if ( $car -> status == 0 )
                         <form method="post" action="{{ route( 'approve_car' ) }}">
                            {!! csrf field() !!}
                            <input type="hidden" name="approve_car_id" value="{{ $car->id }}"/>
                            <button type="submit" class="form-control btn btn-success"</pre>
style="color:#fff;">
                              Odobriti oglas ( prikazati ga u listi oglasa )
                            </button>
                         </form>
                     @else
                         <br>
                         <form method="post" action="{{ route( 'disapprove_car' ) }}">
                            {!! csrf_field() !!}
                            <input type="hidden" name="delete_car_id" value="{{ $car->id }}"/>
                            <button type="submit" class="form-control btn btn-warning"</pre>
style="color:#fff">
                              Neodobriti oglas ( ukloniti ga iz liste oglasa )
                            </button>
                         </form>
                     @endif
                     <br>
                     <a href="{{ route( 'edit_car', $car->id ) }}">
                         <button type="submit" class="form-control btn btn-info" style="color:#fff;">
                           Izmeniti oglas
```

```
</button>
                        </a>
                        <br>><br>>
                        <form method="post" action="{{ route( 'delete_car' ) }}">
                           {!! csrf_field() !!}
<input type="hidden" name="delete_car_id" value="{{ $car->id }}"/>
<button type="submit" class="form-control btn btn-danger"</pre>
style="color:#fff;">
                               Izbrisati oglas
                           </button>
                        </form>
                    </div>
                 </div>
                 <!-- /.row -->
                 <hr>
             @endforeach
          </div>
          <!-- /.row -->
          <!-- Pagination -->
          <div class="row text-center">
              <div class="col-lg-12">
                 {{ $cars->links() }}
              </div>
          </div>
          <!-- /.row -->
       @else
          <div class="col-md-12">
              <h1 class="page-header">
                 <small>Trenutno nema dostupnih oglasa.</small>
          </div>
       @endif
       <hr>>
   </div>
   <!-- Footer -->
   @include( 'layouts.partials.footer' )
@endsection
```

### 4.2.3.8 car.blade.php

```
@extends('layouts.master')
@section('content')
   <!-- Page Content -->
   <div class="container">
      @foreach ( [ 'danger', 'warning', 'success', 'info' ] as $msg )
         @if( Session::has( 'alert-' . $msg ) )
            {{ Session::get( 'alert-' . $msg ) }}
               <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
         @endif
      @endforeach
   <!-- Page Heading -->
      <div class="row">
         <div class="col-lg-12">
            <h1 class="page-header">{{ $car->name }}
               <small></small>
            </h1>
         </div>
      </div>
      <!-- /.row -->
      <!-- Project One -->
      <div class="row">
         <div class="col-md-5">
            <a href="#">
               @if ( $car->default == 0 )
                  <img style="height: 275px !important;" class="img-responsive"</pre>
                       src="{{ url( '/storage/car_uploads/' .$car->image ) }}"
               @else
                  <img style="height: 275px !important;" class="img-responsive"</pre>
                       src="{{ url( '/images/' .$car['image'] ) }}"
                       alt="">
               @endif
            </a>
         </div>
         <div class="col-md-4">
            <h3 align="center" class="border" style="background-color: orange; color: #fff;">{{
$car->price }}€</h3>
            <h3 align="center" class="border" style="background: #5aa700; color: #fff;">{{ $car-
>year }}.
               godište</h3>
            <h3 align="center" class="border" style="background-color: #29aade; color: #fff;">{{
$car->km }}km.</h3>
            <h3 align="center" class="border" style="background-color: #2a91af; color:</pre>
#fff;">Postavljeno:
               @if ( $car->created_at->diffInMinutes() > 60 && $car->created_at->diffInHours() <</pre>
24 )
                  pre {{ $car->created_at->diffInHours() }} sata.
               @elseif ( $car->created at->diffInHours() > 24 )
                  pre {{ $car->created_at->diffInDays() }} dana.
               @else
```

```
pre {{ $car->created at->diffInMinutes() }} minuta.
               @endif
            </h3>
            <h3 align="center" class="border" style="background-color: #575757; color: #fff;">Broj
               oglasa: #{{ $car->id }}</h3>
            <h3 align="center" class="border" style="background-color: #fff; color: black;">Oglas
               postavio: {{ $car->user->name }} </h3>
            @if ( $car->user->phone )
               <h3 align="center" class="border" style="background-color: #fff; color:</pre>
black;">Kontakt telefon:
                  <i>>{i} {{ $car->user->phone }} </i>></d>
            <div align="center"><img align="center" class="img-responsive"</pre>
                                     src="{{ url( '/storage/car_uploads/' .$car-
>category['logo'] ) }}"
                                     alt="">
            </div>
         </div>
         @if ( auth()->user() )
            <div class="col-md-3">
               <h4 align="center">Prijavite se na oglas i posaljite poruku vlasniku oglasa</h4>
               <form method="post" action="{{ route( 'send email' ) }}">
                  {!! csrf field() !!}
                  <textarea required rows="5" class="form-control" name="email_content"></textarea>
                  <input type="hidden" name="car details" value="{{ $car }}">
                  <input type="hidden" name="user_sender" value="{{ auth()->user() }}">
                  <button type="submit" class="form-control btn btn-info">Posaljite poruku</button>
               </form>
            </div>
         @else
            <div class="col-md-3" style="margin-top: 110px;">
               <h4 align="center"><a href="{{ '/login' }}">Ulogujte se</a> kako biste se prijavili
na oglas</h4>
            </div>
         @endif
      </div>
      <!-- /.row -->
      @if ( $car->description )
      <!-- Project One -->
         <div class="row">
            <div class="col-md-12">
               <h1 class="page-header">Opis
                  <small>{{ $car->description }}</small>
               </h1>
            </div>
         </div>
         <!-- /.row -->
```

```
@endif
   </div>
   <!-- Footer -->
   @include( 'layouts.partials.footer' )
@endsection
                                             4.2.3.9 cars.blade.php
@extends( 'layouts.master' )
@section( 'content' )
   <!-- Page Content -->
   <div class="container">
   @if ( count($cars) )
      <!-- Page Heading -->
         <div class="row">
             <div class="col-lg-12">
                <h1 class="page-header">Oglasi
                   <small>Polovni automobili
                </h1>
             </div>
         </div>
         <!-- /.row -->
         <!-- Car -->
         <div class="row">
             <div class="col-md-5">
                @foreach ( $cars as $car )
                   <a href="{{ route( 'car_details', $car->id ) }}">
                      @if ( $car->default == 0 )
                          <img height="275px" class="img-responsive"</pre>
                               src="{{ url( '/storage/car_uploads/' .$car->image ) }}"
                      @else
                          <img height="275px" class="img-responsive" src="{{ url( '/images/' .</pre>
$car['image'] ) }}"
                               alt="">
                      @endif
                   </a>
                   <br><br><br>><br>>
                @endforeach
             </div>
             <div class="col-md-4">
                @foreach ( $cars as $key => $car )
                   <h3 @if ($key > 0) style="margin-top: 80px" @endif align="center"
                   class="border">{{ $car->name }}</h3>
<h3 align="center" class="border"</pre>
                       style="background-color: orange; color: #fff;">{{ $car->price }}
                   <h3 align="center" class="border" style="background: #5aa700; color: #fff;">{{
$car->year }}.
                      godište</h3>
                   <div align="center">
                       <img class="img-responsive" style="width: 70px;"</pre>
                           src="{{ url( '/images/' . $car->category['logo'] ) }}" alt="">
                   </div>
```

```
<br><br><br><br>>
               @endforeach
            </div>
            <div class="col-md-3">
               <h3 align="center" class="border">Filter</h3>
               <form method="post" action="{{ route( 'car_results' ) }}">
                  {!! csrf_field() !!}
                  <select class="form-control" id="search_category_id" name="category">
                     <option value="0">Izaberite katergoriju...</option>
                     @foreach ( $categories as $category )
                        <option value="{{ $category->id }}">
                           {{ $category->name }}
                        </option>
                     @endforeach
                  </select><br>
                  <input class="form-control" placeholder="Cena do" type="number" name="price"/><br>
                  <select class="form-control" name="car_year_from">
                     <option value="">Godiste od</option>
                     @for ( $i = 1980; $i \le 2018; $i++ )
                        <option value="{{ $i }}">{{ $i }} god.</prion>
                  </select><br>
                  <select class="form-control" name="car_year_to">
                     <option value="">Godiste do</option>
                     @for ($i = 1980; $i \le 2018; $i++)
                        <option value="{{ $i }}">{{ $i }} god.</prion>
                     @endfor
                  </select><br>
                  <button type="submit" id="searchCar" class="form-control btn btn-</pre>
info">Pretraži</button>
               </form>
            </div>
         </div>
         <hr>
  @else
      <!-- Page Heading -->
         <div class="row">
            <div class="col-lg-12">
               <h1 class="page-header">
                  <small>Trenutno nema dostupnih oglasa.</small>
               </h1>
            </div>
         </div>
         <!-- /.row -->
```

```
</div>
   <!-- Pagination -->
   <div class="row text-center">
      <div class="col-lg-12">
        </div>
   </div>
   <!-- Footer -->
   @include( 'layouts.partials.footer' )
@endsection
                                     4.2.3.10 categories.blade.php
@extends( 'layouts.master' )
@section( 'content' )
   <!-- Page Content -->
   <div class="container">
      @if ( $errors->any() )
        <div class="alert alert-danger">
           ul>
              @foreach ( $errors->all() as $error )
                 {{ $error }}
              @endforeach
           </div>
      @endif
      @foreach ( [ 'danger', 'warning', 'success', 'info' ] as $msg )
        @if ( Session::has( 'alert-' . $msg ) )
           {{ Session::get( 'alert-' . $msg ) }}
              <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
      @endif
   @endforeach
   <!-- Page Heading -->
      <div class="row">
        <div align="center">
           <h1 class="page-header">
              <small>Kategorije</small>
        </div>
      </div>
      <!-- /.row -->
      <!-- Project One -->
      <div class="row">
        @foreach ( $categories as $category )
```

@endif

```
<div align="center" class="col-md-6">
               <h1 class="page-header">
                  <small>{{ $category->name }}</small>
               </h1>
               @if ( $category->default === 0 )
                  <img class="img-responsive" style="width: 70px;"</pre>
                       src="{{ url( '/storage/car_uploads/' . $category->logo ) }}"
                       alt="">
               @else
                  <img class="img-responsive" style="width: 70px;"</pre>
                       src="{{ url( '/images/' . $category->logo ) }}"
                       alt="">
               @endif
               <br>>
               <a href="{{ route( 'edit_category', $category->id ) }}">
                  <button type="submit" class="form-control btn btn-info">Izmeni kategoriju
               </a>
            </div>
         @endforeach
         <div class="col-md-12">
            <h1 class="page-header">
               <small>Nova kategorija</small>
            </h1>
         </div>
         <br>
         <div class="col-md-6">
            <form method="post" action="{{ route( 'add_category' ) }}" enctype="multipart/form-</pre>
data">
               {!! csrf_field() !!}
               <div class="form-group required">
                  <label>Naziv kategorije: </label>
                  <input type="text" name="category_name" class="form-control"</pre>
                         value="{{ old( 'category_name' )}}"/><br>
               </div>
               <div class="form-group required">
                  <label>Logo kategorije: </label>
                  <input type="file" name="category_logo" class="form-control"/><br>
               </div>
               <button type="submit" class="form-control btn btn-success">Dodaj kategoriju</button>
            </form>
         </div>
      </div>
      <!-- /.row -->
      <hr>
   </div>
   <!-- Footer -->
  @include('layouts.partials.footer')
```

#### 4.2.3.11 edit\_ad.blade.php

```
@extends( 'layouts.master' )
@section( 'content' )
   <!-- Page Content -->
   <div class="container">
      @foreach ( [ 'danger', 'warning', 'success', 'info' ] as $msg )
         @if ( Session::has( 'alert-' . $msg ) )
            {{ Session::get( 'alert-' . $msg ) }}
               <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
      @endif
   @endforeach
   <!-- Project One -->
      <div class="row">
         <div align="center" class="col-md-12">
            <h1 class="page-header">
               <small>{{ $car->name }}</small>
            </h1>
            @if ( $car->default == 0 )
               <img class="img-responsive" src="{{ url( '/storage/car_uploads/' .$car->image ) }}"
            @else
               <img class="img-responsive" src="{{ url( '/images/' .$car['image'] ) }}"</pre>
                    alt="">
            @endif
            <form method="post" action="{{ '/updateAd' }}" enctype="multipart/form-data">
               {!! csrf_field() !!}
               <label>Naziv:</label>
               <input type="text" class="form-control editWidth" name="car_name" value="{{ $car-</pre>
>name }}"><br>
               <label>Cena:</label>
               <input type="text" class="form-control editWidth" name="car price" value="{{ $car-</pre>
>price }}"><br>
               <label>Godište:</label>
               <select class="form-control editWidth" name="car_year">
                  <option name="car_year" value="0">Izaberite godinu proizvodnje...</option>
                  Ofor ($i = 1980; $i \le 2017; $i++ )
                     <option value="{{ $i$ }}" {{ $i$ == $car->year ? "selected" : "" }}>{{ <math>$i$ }
}}</option>
                  @endfor
               </select><br>
               <label>Kilometraža:</label>
               <input type="text" class="form-control editWidth" name="car km" value="{{ $car->km}
}}"><br>
               <label>Slika:</label> {{ $car->image }}
               <input type="file" class="form-control editWidth" name="car image" value="{{ $car-</pre>
>image }}"><br>
               <label>Opis:</label>
               <textarea class="form-control editWidth" name="car_description" rows="8"
                         placeholder="Unisite opis..."
                         maxlength="300">{{ $car->description }}</textarea><br>
               <button type="submit" class="form-control editWidth btn btn-success">Izmeni oglas
               </button>
               <input type="hidden" name="car id" value="{{ $car->id }}">
```

```
</form>
            <br>
            <a href="{{ route( 'my_ads' ) }}"><input type="button" class="form-control editWidth btn</pre>
btn-info"
                                                     value="Nazad na moje oglase"></a>
         </div>
      </div>
      <!-- /.row -->
      <hr>>
  </div>
  <!-- Footer -->
  @include( 'layouts.partials.footer' )
@endsection
                                     4.2.3.12 edit category.blade.php
  @extends( 'layouts.master' )
@section( 'content' )
  <!-- Page Content -->
   <div class="container">
      @foreach ( [ 'danger', 'warning', 'success', 'info' ] as $msg )
         @if( Session::has( 'alert-' . $msg ) )
            {{ Session::get( 'alert-' . $msg ) }}
               <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
            </n>
      @endif
  @endforeach
  <!-- Project One -->
      <div class="row">
         <div align="center" class="col-md-12">
            <h1 class="page-header">
               <small>{{ $category->name }}</small>
            </h1>
            @if ( $category->default === 1)
               <img class="img-responsive" src="{{ url('/images/' . $category->logo) }}" alt=""><br>
            @else
               <img class="img-responsive" src="{{ url('/storage/car_uploads/' . $category-</pre>
>logo) }}" alt=""><br>
            @endif
            <form method="post" action="{{ '/editCategory' }}" enctype="multipart/form-data">
               {!! csrf_field() !!}
               <input type="text" class="form-control" name="category_name" value="{{ $category-</pre>
>name }}"/><br>
               <input type="file" class="form-control" name="category_logo"/><br>
               <input type="hidden" name="category_id" value="{{ $category->id }}"/>
               <button type="submit" class="form-control btn btn-success">Izmeni kategoriju</button>
            </form>
            <br>
```

```
info"
                                                        value="Nazad na kategorije"></a>
         </div>
      </div>
      <!-- /.row -->
      <hr>
   </div>
  <!-- Footer -->
   @include( 'layouts.partials.footer' )
@endsection
                                        4.2.3.13 home.blade.php
 @extends( 'layouts.master' )
@section( 'content' )
   <!-- Project Five -->
   <div class="row">
      <div align="center" class="col-md-12">
         <img class="img-responsive" width="850" src="{{ url( '/images/cover.jpg' ) }}"</pre>
             alt="">
      </div>
  </div>
   <div class="row" style="margin-top: 50px;">
      <div align="center" class="col-md-12">
         Automobilizam je naziv za sve oblike sportskih
takmičenja
            u kojima se koriste motorna vozila na četiri točka.
           Osnovni cilj u pojedinačnim trkama je da se za najkraće vreme pređe određen broj
           krugova ili da se za određeno vreme pređe što veći broj krugova.
           Lista na kraju trke se formira u zavisnosti od potrošenog vremena,
           gde prvo mesto zauzima takmičar sa najkraćim vremenom, drugo odmah posle njega i tako
dalje.
           Vozači koji iz bilo kog razloga započnu, ali ne završe trku će takođe biti na finalnoj
listi.
           Međutim, njihova mesta će biti na samom dnu tabele, i to poslednje mesto će zauzeti
vozač koji se prvi
           povukao iz trke.
           Kod većine trke, nije neophodno proći kompletnu stazu, već će se računati da je vozač
uspešno završio
            trku ukoliko pređe određenu takmičarsku distancu (na primer, u Formuli 1, dovoljno je da
vozači pređu
           90% puno staze, te će se računati kao da su završili trku). Postoje brojne kategorije
automobilskih
           takmičenja, svaki sa različitim pravilima i propisima, kao što su obavezna zaustavljanja
radi tehničke
           provere i auto regulativa,
           kojih se svi takmičarski automobili i vozači moraju pridržavati.
      </div>
   </div>
   <div class="row" style="margin-top: 100px;">
      <h3 align="center">Najposećeniji oglasi</h3>
      <div style="margin-top: 80px;" class="col-md-4" align="center">
         <a href="{{ 'car/' . $randomCars[0]->id }}" style="color: black;">
            <img align="center" class="img-responsive"</pre>
                 src="{{ url( '/images/' .$randomCars[0]->image ) }}"
                 alt="" width="200" height="200">
         </a>
         <h4>{{ $randomCars[0]->name }}</h4>
```

<a href="{{ route( 'categories' ) }}"><input type="button" class="form-control btn btn-</pre>

```
</div>
      <img align="center" class="img-responsive"</pre>
                 src="{{ url( '/images/' .$randomCars[1]->image ) }}"
                 alt="" width="200" height="200">
         </a>
         <h4>{{ $randomCars[1]->name }}</h4>
      </div>
      <div style="margin-top: 80px;" class="col-md-4" align="center">
         <a href="{{ 'car/' . $randomCars[2]->id }}" style="color: black;">
            <img align="center" class="img-responsive"</pre>
                 src="{{ url( '/images/' .$randomCars[2]->image ) }}"
                 alt="" width="200" height="200">
         </a>
         <h4>{{ $randomCars[2]->name }}</h4>
      </div>
   </div>
   <!-- Footer -->
  @include( 'layouts.partials.footer' )
@endsection
                                       4.2.3.14 my_ads.blade.php
@extends( 'layouts.master' )
@section( 'content' )
   <!-- Page Content -->
   <div class="container">
  @if ( count( $cars ) )
      <!-- Page Heading -->
         <div class="row">
            <div class="col-lg-12">
               <h2 class="page-header">Moji oglasi
                  <small></small>
               </h2>
            </div>
         </div>
         <!-- /.row -->
      @foreach ( $cars as $car )
         <!-- Project One -->
            <div class="row">
               <div class="col-md-6">
                  <a href="{{ route( 'edit car', $car->id ) }}">
                     @if ( $car->default == 0 )
                        <img style="height: 275px !important;" class="img-responsive"</pre>
                             src="{{ url( '/storage/car_uploads/' .$car->image ) }}"
                             alt="">
                     @else
                        <img style="height: 275px !important;" class="img-responsive"</pre>
                             src="{{ url( '/images/' .$car['image'] ) }}"
                             alt="">
                     @endif
```

```
</a>
               </div>
               <div class="col-md-6">
                  <h3 align="center">Naziv automobila: </h3><h5 align="center">{{ $car->name }}</h5>
                  <h3 align="center">Cena: </h3><h5 align="center">{{ $car->price }} €</h5>
                  <h3 align="center">Godište: </h3><h5 align="center">{{ $car->year }}. godište</h5>
                  <h3 align="center">Kilometraza: </h3><h5 align="center">{{ $car->km }} km.</h5>
                  @if ( $car->created\_at->diffInMinutes() > 60 \& $car->created\_at->diffInHours() < 
24 )
                     <h3 align="center" class="border" style="background-color: #fff; color:
black;">Postavljeno:
                        pre {{ $car->created_at->diffInHours() }} sata.</h3>
                  @elseif ( $car->created_at->diffInHours() > 24 )
                     <h3 align="center" class="border" style="background-color: #fff; color:</pre>
black; ">Postavlieno:
                        pre {{ $car->created_at->diffInDays() }} dana.</h3>
                  @else
                     <h3 align="center" class="border" style="background-color: #fff; color:</pre>
black;">Postavljeno:
                        pre {{ $car->created_at->diffInMinutes() }} minuta.</h3>
                  @endif
                  @if ( $car->status )
                     <h3 align="center">Status: </h3><h5 align="center" style="color:
forestgreen; ">0dobren</h5>
                  @else
                     <h3 align="center">Status: </h3><h5 align="center" style="color:
red;">Neodobren (čeka se
                        obrada admina)</h5>
                  @endif
               </div>
            </div>
            <!-- /.row -->
            <hr>
         @endforeach
      @else
         <div align="center" class="col-md-12">
            <h3>Nemate svojih oglasa. <a href="{{ route( 'add car' ) }}">Postavite Vaš prvi
oglas</a> i zaradite.
            </h3>
         </div>
      @endif
   </div>
   <!i-- Pagination -->
   <div class="row text-center">
      <div class="col-lg-12">
```

```
{{ $cars->links() }}
      </div>
   </div>
   <!-- Footer -->
   @include( 'layouts.partials.footer' )
@endsection
                                       4.2.3.15 search_car.blade.php
 @extends( 'layouts.master' )
@section( 'content' )
   <!-- Page Content -->
   <div class="container">
      <!-- Page Heading -->
      <div class="row">
         <div class="col-lg-12">
            <h1 class="page-header">
               <small>Pretraga automobila</small>
            </h1>
         </div>
         <div class="col-md-4">
            <form method="post" action="{{ '/searchCar' }}">
               {!! csrf_field() !!}
               <select class="form-control" id="search_category_id">
                  <option value="0">Izaberite katergoriju...</option>
                  @foreach ( $categories as $category )
                     <option value="{{ $category->id }}">
                        {{ $category->name }}
                     </option>
                  @endforeach
               </select><br>
               <button type="submit" id="searchCar" class="form-control">Pretraži</button>
            </form>
         </div>
         <br><br>>
         <div class="col-md-12" id="search_result">
         </div>
      </div>
      <!-- /.row -->
   </div>
   <!-- Footer -->
   @include( 'layouts.partials.footer' )
@endsection
@section( 'scripts' )
   <script>
       $(document).ready(function () {
            $('#searchCar').on('click', function (e) {
```

```
e.preventDefault();
                 var token = $('meta[ name="csrf-token" ]').attr('content');
                 $.ajaxSetup({
                      headers: {
 'X-CSRF-TOKEN': token
                 });
                 var category_id = $('#search_category_id').val();
                 $.ajax({
                      url: '/search',
                      type: 'POST',
                      dataType: 'html',
                 data: {token: token, category_id: category_id}
}).error(function (xhr, response) {
                     alert('error');
                 }).success(function (response) {
                      $('#search_result').html(response);
        });
});
                 })
   </script>
@endsection
```

### 4.2.3.16 search result.blade.php

```
@extends( 'layouts.master' )
@section( 'content' )
   <!-- Page Content -->
   <div class="container">
   @if ( count($cars) )
      <!-- Page Heading -->
         <div class="row">
             <div class="col-lg-12">
                <h1 class="page-header">Oglasi
                   <small>Polovni automobili
                </h1>
            </div>
         </div>
         <!-- /.row -->
         <!-- Car -->
         <div class="row">
            <div class="col-md-4">
                @foreach ( $cars as $car )
                   <a href="{{ route( 'car_details', $car->id ) }}">
                      @if ( $car->default == 0 )
                         <img class="img-responsive" src="{{ url( '/storage/car uploads/' . $car-</pre>
>image ) }}"
                              alt="">
                      @else
                         <img class="img-responsive" src="{{ url( '/images/' . $car[ 'image' ] ) }}"</pre>
                              alt="">
                      @endif
                   </a>
                   <br><br><br>><br>>
                @endforeach
            </div>
            <div class="col-md-4">
                @foreach ( $cars as $car )
                   <h3 align="center" class="border">{{ $car->name }}</h3>
                   <h3 align="center" class="border"
                       style="background-color: orange; color: #fff;">{{ $car->price }}
                      €</h3>
                   <h3 align="center" class="border" style="background: #5aa700; color: #fff;">{{
$car->year }}.
                      godište</h3>
                   <div align="center">
                      <img class="img-responsive" style="width: 70px;"</pre>
                           src="{{ url( '/images/' . $car->category[ 'logo' ] ) }}" alt="">
                   </div>
                   <br><br><br>>
                @endforeach
            </div>
             <div class="col-md-4">
                <h3 align="center" class="border">Filter</h3>
```

```
<form method="post" action="{{ route( 'car results' ) }}">
                  {!! csrf_field() !!}
                  <select class="form-control" id="search_category_id" name="category">
                     <option value="0">Izaberite katergoriju...
                     @foreach ( $categories as $category )
                        <option value="{{ $category->id }}">
                           {{ $category->name }}
                        </option>
                     @endforeach
                  </select><br>
                  <input class="form-control" placeholder="Cena do" type="number" name="price"/><br>
                  <select class="form-control" name="car_year_from">
                     <option value="">Godiste od</option>
                     @for ( $i = 1980; $i \le 2018; $i++ )
                        <option value="{{ $i$ }}">{{ <math>$i$ }}} god.</option>
                     @endfor
                  </select><br>
                  <select class="form-control" name="car_year_to">
                     <option value="">Godiste do</option>
                     @for ( $i = 1980; $i \le 2018; $i++ )
                        <option value="{{ $i }}">{{ $i }} god.</option>
                     @endfor
                  </select><br>
                  <button type="submit" id="searchCar" class="form-control btn btn-</pre>
info">Pretraži</button>
               </form>
            </div>
         </div>
         <hr>
   @else
      <!-- Page Heading -->
         <div class="row">
            <div class="col-lg-12">
               <h1 align="center" class="page-header">
                  <small>Nema pronadjenih oglasa.
               <h4 align="center"><a href="{{ route('cars') }}">Vratite se na oglase</a></h4>
            </div>
         </div>
         <!-- /.row -->
      @endif
   </div>
   <!-- Footer -->
   @include( 'layouts.partials.footer' )
@endsection
```

#### 4.2.3.17 user profile.blade.php

```
@extends( 'layouts.master' )
@section( 'content' )
   <!-- Page Content -->
   <div class="container">
      @if ( $errors->any() )
         <div class="alert alert-danger">
            <111>
               @foreach ( $errors->all() as $error )
                   {{ $error }}
               @endforeach
            </div>
      @endif
      @foreach ( [ 'danger', 'warning', 'success', 'info' ] as $msg )
         @if( Session::has( 'alert-' . $msg ) )
            {{ Session::get( 'alert-' . $msg ) }}
               <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
      @endif
   @endforeach
   <!-- Add car form -->
      <div class="row">
         <div class="col-md-12">
            <h1 class="page-header">
               <small>Profil</small>
         </div>
         <br>>
         <div class="col-md-6">
            <form method="post" action="{{ route( 'save_user_info' ) }}" enctype="multipart/form-</pre>
data">
               {!! csrf_field() !!}
               <div class="form-group required">
                   <label>Ime: </label>
                   <input type="text" class="form-control" name="user_name"</pre>
                          placeholder="Unesite Vase ime" required value="{{ $user->name }}"/><br>
               </div>
               <div class="form-group required">
                   <label>Email: </label>
                   <input type="text" class="form-control" name="user_email"
    placeholder="Unesite Vas email" required value="{{ $user->email }}"/><br>
               </div>
               <div class="form-group required">
                   <label>Broj telefona: </label>
```

```
<input type="text" class="form-control" name="user phone"</pre>
                         placeholder="Unesite broj telefona" value="{{ $user->phone }}"/><br>
               </div>
               <input type="hidden" name="user_id" value="{{ $user->id }}">
               <button type="submit" class="form-control btn btn-success">Sačuvaj</button>
            </form>
         </div>
      </div>
      <!-- /.row -->
   </div>
  <!-- Footer -->
   @include('layouts.partials.footer')
@endsection
                                        4.2.3.18 footer.blade.php
 <!-- jQuery -->
<script src="{{ asset( 'js/jquery.js' ) }}"></script>
<!-- Bootstrap Core JavaScript -->
<script src="{{ asset( 'js/bootstrap.min.js' ) }}"></script>
                                      4.2.3.19 navigation.blade.php
  <!-- Navigation -->
<nav class="navbar navbar-inverse navbar-fixed-top" role="navigation">
  <div class="container">
      <!-- Brand and toggle get grouped for better mobile display -->
      <div class="navbar-header">
         <button type="button" class="navbar-toggle" data-toggle="collapse"</pre>
                 data-target="#bs-example-navbar-collapse-1">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
         </button>
         <a class="navbar-brand" href="{{ '/' }}">Polovni automobili</a>
      </div>
      <!-- Collect the nav links, forms, and other content for toggling -->
      <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
         class="nav navbar-nav">
            <
               <a href="{{ '/cars' }}">0glasi</a>
            @if ( Auth::user() )
               @if ( Auth::user()->hasRole( 'admin' ) )
                     <a href="{{ route( 'categories' ) }}">Admin - Kategorije</a>
                  <
                     <a href="{{ route( 'admin cars' ) }}">Admin - Oglasi</a>
```

```
<
                   <a href="{{ route( 'admin_users' ) }}">Admin - Korisnici</a>
                <
                   <a href="{{ route( 'add_car' ) }}">Admin - Postavi oglas</a>
             @else
                <
                   <a href="{{ route( 'add_car' ) }}">Postavi oglas</a>
                <
                   <a href="{{ route( 'my_ads' ) }}">Moji oglasi</a>
                @endif
             <
                <a href="{{ route( 'profile' ) }}">Moj profil</a>
             <a href="{{ route( 'logout' ) }}">Odjavite se</a>
             @else
             li>
                <a href="{{ '/login' }}">Prijavite se</a>
             @endif
        </div>
     <!-- /.navbar-collapse -->
  </div>
  <!-- /.container -->
</nav>
                                   4.2.3.20 navigation.blade.php
 <footer class="footer_custom">
  <div align="center" class="row">
     <div class="col-lg-12">
        Copyright © Oglasi - Polovni automobili <?= \Carbon\Carbon::now()->year ?>
        Nenad Dimic, Visoka ICT skola, 150/12
     </div>
  </div>
  <!-- /.row -->
</footer>
```

#### 4.2.3.21 email.blade.php

```
@extends('layouts.app')
@section('content')
<div class="container">
    <div class="row">
        <div class="col-md-8 col-md-offset-2">
            <div class="panel panel-default">
                 <div class="panel-heading">Resetovanje lozinke</div>
                 <div class="panel-body">
                     @if (session('status'))
                         <div class="alert alert-success">
                             {{ session('status') }}
                         </div>
                     @endif
                     <form class="form-horizontal" method="POST"</pre>
action="{{ route('password.email') }}">
                         {{ csrf field() }}
                         <div class="form-group{{ $errors->has('email') ? ' has-error' : '' }}">
                             <label for="email" class="col-md-4 control-label">E-Mail</label>
                             <div class="col-md-6">
                                 <input id="email" type="email" class="form-control" name="email"</pre>
value="{{ old('email') }}" required>
                                 @if ($errors->has('email'))
                                     <span class="help-block">
                                          <strong>{{ $errors->first('email') }}</strong>
                                      </span>
                                 @endif
                             </div>
                         </div>
                         <div class="form-group">
                             <div class="col-md-6 col-md-offset-4">
                                <button type="submit" class="btn btn" style="background-color:</pre>
#4a8636">
                                      Pošaljite link za resetovanje lozinke
                                 </button>
                             </div>
                         </div>
                     </form>
                 </div>
            </div>
        </div>
    </div>
</div>
@endsection
                                           4.2.3.22 reset.blade.php
  @extends('layouts.app')
@section('content')
<div class="container">
    <div class="row">
        <div class="col-md-8 col-md-offset-2">
            <div class="panel panel-default">
                 <div class="panel-heading">Resetovanje lozinke</div>
                 <div class="panel-body">
                     @if (session('status'))
                         <div class="alert alert-success">
                             {{ session('status') }}
                         </div>
                     @endif
                     <form class="form-horizontal" method="POST" action="{{ route('password.request')}</pre>
}}">
                         {{ csrf_field() }}
                         <input type="hidden" name="token" value="{{ $token }}">
                         <div class="form-group{{ $errors->has('email') ? ' has-error' : '' }}">
                             <label for="email" class="col-md-4 control-label">E-Mail</label>
                             <div class="col-md-6">
                                 <input id="email" type="email" class="form-control" name="email"</pre>
value="{{ $email or old('email') }}" required autofocus>
```

```
@if ($errors->has('email'))
                                   <span class="help-block">
                                      <strong>{{ $errors->first('email') }}</strong>
                                   </span>
                               @endif
                           </div>
                       </div>
                       <div class="col-md-6">
                               <input id="password" type="password" class="form-control"</pre>
name="password" required>
                               @if ($errors->has('password'))
                                   <span class="help-block">
                                       <strong>{{ $errors->first('password') }}</strong>
                                   </span>
                               @endif
                           </div>
                       </div>
                       <div class="form-group{{ $errors->has('password confirmation') ? ' has-
error' : '' }}">
                           <lass="col-md-4 control-label">Lozinka
ponovo</label>
                           <div class="col-md-6">
                               <input id="password-confirm" type="password" class="form-control"</pre>
name="password confirmation" required>
                               @if ($errors->has('password_confirmation'))
                                   <span class="help-block">
                                      <strong>{{ $errors-
>first('password_confirmation') }}</strong>
                                   </span>
                               @endif
                           </div>
                       </div>
                       <div class="form-group">
                           <div class="col-md-6 col-md-offset-4">
                               <button type="submit" class="btn btn-success">
                                   Resetuj lozinku
                               </button>
                           </div>
                       </div>
                   </form>
               </div>
           </div>
        </div>
   </div>
</div>
@endsection
                                       4.2.3.23 login.blade.php
 @extends('layouts.app')
@section('content')
   <div class="container">
      <div class="row">
        <div class="col-md-8 col-md-offset-2">
           <div class="panel panel-default">
              <div class="panel-heading">Logovanje</div>
              <div class="panel-body">
                 <form class="form-horizontal" method="POST" action="{{ route('login') }}">
                    {{ csrf_field() }}
                    <div class="imgcontainer">
                       <img src="{{ url( '/images/avatar.png' ) }}" alt="Avatar" class="avatar">
                       <br>><br>>
                       <div class="form-group{{ $errors->has('email') ? ' has-error' : '' }}">
                          <label for="email" class="control-label">E-Mail</label><br>
```

<input id="email" type="email" class="form-control"</pre>

```
style="width: 35%; margin-left: 241px" name="email"
                                   value="{{ old('email') }}" required autofocus>
                           @if ($errors->has('email'))
                              <span class="help-block">
                                 <strong>{{ $errors->first('email') }}</strong>
                              </span>
                           @endif
                        </div>
                        \label for="password" class="control-label">Lozinka</label><br/>br>
                           <input id="password" type="password" class="form-control" style="width:</pre>
35%"
                                   name="password" required>
                           @if ($errors->has('password'))
                              <span class="help-block">
                                  <strong>{{ $errors->first('password') }}</strong>
                           @endif
                        </div>
                        <div class="form-group">
                           <button type="submit" class="btn" style="width: 15%; background-color:</pre>
#4a8636">
                              Uloguj se
                           </button>
                            <br>
                            <a style="color: #636b6f;" class="btn btn-link"
                              href="{{ route('password.request') }}">
                              Zaboravili ste lozinku?
                           </a>
                        </div>
                        <div class="form-group">
                           <div class="checkbox">
                              <label>
                                  <input type="checkbox"</pre>
                                         name="remember" {{ old('remember') ? 'checked' : '' }}>
Zapamti me
                              </label>
                           </div>
                        </div>
                     </div>
                  </form>
               </div>
            </div>
         </div>
      </div>
   </div>
@endsection
                                         4.2.3.24 register.blade.php
 @extends('layouts.app')
@section('content')
   <div class="container">
      <div class="row">
         <div class="col-md-8 col-md-offset-2">
            <div class="panel panel-default">
               <div class="panel-heading">Registracija</div>
               <div class="panel-body">
                  <form class="form-horizontal" method="POST" action="{{ route('register') }}">
```

```
{{ csrf field() }}
                    <div class="form-group{{ $errors->has('name') ? ' has-error' : '' }}">
                       <label for="name" class="col-md-4 control-label">Ime</label>
                       <div class="col-md-6">
                          <input id="name" type="text" class="form-control" name="name"</pre>
                                value="{{ old('name') }}" required autofocus>
                         @if ($errors->has('name'))
                            <span class="help-block">
                                      <strong>{{ $errors->first('name') }}</strong>
                                  </span>
                         @endif
                       </div>
                    </div>
                    <div class="form-group{{ $errors->has('email') ? ' has-error' : '' }}">
                       <label for="email" class="col-md-4 control-label">E-Mail</label>
                       <div class="col-md-6">
                          <input id="email" type="email" class="form-control" name="email"</pre>
                                value="{{ old('email') }}" required>
                         @if ($errors->has('email'))
                            <span class="help-block">
                                      <strong>{{ $errors->first('email') }}</strong>
                         @endif
                       </div>
                    </div>
                    <div class="col-md-6">
                          <input id="password" type="password" class="form-control" name="password"</pre>
required>
                         @if ($errors->has('password'))
                            <span class="help-block">
                                      <strong>{{ $errors->first('password') }}</strong>
                                  </span>
                         @endif
                       </div>
                    </div>
                    <div class="form-group">
                       <lass="col-md-4 control-label">Lozinka
ponovo</label>
                       <div class="col-md-6">
                          <input id="password-confirm" type="password" class="form-control"</pre>
                                name="password_confirmation" required>
                       </div>
                    </div>
                    <div class="form-group">
                       <div class="col-md-6 col-md-offset-4">
                          <button type="submit" class="btn" style="background-color: #4a8636">
                            Registrujte se
                          </button>
                       </div>
                    </div>
                 </form>
              </div>
           </div>
        </div>
     </div>
  </div>
@endsection
```

## 4.3 CSS

## 4.2.1 1-col-portfolio.css

```
* Start Bootstrap - 1 Col Portfolio (http://startbootstrap.com/)
* Copyright 2013-2016 Start Bootstrap
* Licensed under MIT (https://github.com/BlackrockDigital/startbootstrap/blob/gh-pages/LICENSE)
body {
   padding-top: 70px; /* Required padding for .navbar-fixed-top. Remove if using .navbar-static-
top. Change if height of navigation changes. */
footer {
   margin: 50px 0;
.border {
    border-radius: 5px !important;
.disableCoverPhoto {
    pointer-events: none !important;
    cursor: default !important;
.footer_custom {
    /*position: absolute;*/
    right: 0;
    bottom: 0;
    left: 0;
    padding: 7rem;
    text-align: center;
    background: #101010;
    color: #9d9d9d;
.required:before {
    content:"*" !important;
    color:red !important;
.editWidth {
    width:806px !important;
```

# 4.2.2 bootstrap.css

```
* Bootstrap v3.3.7 (http://getbootstrap.com)
* Copyright 2011-2016 Twitter, Inc.
 * Licensed under MIT (https://github.com/twbs/bootstrap/blob/master/LICENSE)
/*! normalize.css v3.0.3 | MIT License | github.com/necolas/normalize.css */
html {
  font-family: sans-serif;
  -webkit-text-size-adjust: 100%;
       -ms-text-size-adjust: 100%;
body {
  margin: 0;
article,
aside,
details,
figcaption,
figure,
footer,
header,
hgroup,
main.
menu,
nav,
```

```
section,
summary {
  display: block;
audio,
canvas,
progress,
video {
  display: inline-block;
  vertical-align: baseline;
audio:not([controls]) {
  display: none;
height: 0;
[hidden],
template {
  display: none;
a {
  background-color: transparent;
a:active,
a:hover {
  outline: 0;
abbr[title] {
  border-bottom: 1px dotted;
b,
strong {
  font-weight: bold;
  font-style: italic;
ή1 {
  margin: .67em 0;
  font-size: 2em;
mark {
  color: #000;
  background: #ff0;
}
small {
  font-size: 80%;
sub,
sup {
 position: relative;
  font-size: 75%;
  line-height: 0;
  vertical-align: baseline;
}
sup {
  top: -.5em;
}
sub {
  bottom: -.25em;
img {
  border: 0;
svg:not(:root) {
  overflow: hidden;
figure {
  margin: 1em 40px;
hr {
  height: 0;
  -webkit-box-sizing: content-box;
     -moz-box-sizing: content-box;
          box-sizing: content-box;
```

```
}
pre {
  overflow: auto;
code,
kbd,
pre,
samp {
  font-family: monospace, monospace;
  font-size: 1em;
button,
input,
optgroup,
select,
textarea {
  margin: 0;
  font: inherit;
  color: inherit;
button {
  overflow: visible;
button,
select {
  text-transform: none;
button,
html input[type="button"],
input[type="reset"],
input[type="submit"] {
  -webkit-appearance: button;
  cursor: pointer;
button[disabled],
html input[disabled] {
  cursor: default;
button::-moz-focus-inner,
input::-moz-focus-inner {
  padding: 0;
  border: 0;
input {
  line-height: normal;
input[type="checkbox"],
input[type="radio"] {
  -webkit-box-sizing: border-box;
     -moz-box-sizing: border-box;
          box-sizing: border-box;
  padding: 0;
input[type="number"]::-webkit-inner-spin-button,
input[type="number"]::-webkit-outer-spin-button {
  height: auto;
input[type="search"] {
  -webkit-box-sizing: content-box;
     -moz-box-sizing: content-box;
          box-sizing: content-box;
  -webkit-appearance: textfield;
input[type="search"]::-webkit-search-cancel-button,
input[type="search"]::-webkit-search-decoration {
  -webkit-appearance: none;
fieldset {
  padding: .35em .625em .75em;
  margin: 0 2px;
  border: 1px solid #c0c0c0;
legend {
  padding: 0;
```

```
border: 0;
textarea {
  overflow: auto;
optgroup {
  font-weight: bold;
table {
  border-spacing: 0;
  border-collapse: collapse;
td,
th {
 padding: 0;
/*! Source: https://github.com/h5bp/html5-boilerplate/blob/master/src/css/main.css */
@media print {
  *:before,
  *:after {
   color: #000 !important;
    text-shadow: none !important;
    background: transparent !important;
    -webkit-box-shadow: none !important;
            box-shadow: none !important;
  }
  a,
  a:visited {
    text-decoration: underline;
  a[href]:after {
  content: " (" attr(href) ")";
  abbr[title]:after {
    content: " (" attr(title) ")";
  a[href^="#"]:after,
  a[href^="javascript:"]:after {
    content: "";
  }
  pre,
  blockquote {
    border: 1px solid #999;
    page-break-inside: avoid;
    display: table-header-group;
  }
  tr,
  img {
   page-break-inside: avoid;
  img {
   max-width: 100% !important;
  }
  р,
  h2,
  h3 {
    orphans: 3;
    widows: 3;
  h2,
  h3 {
   page-break-after: avoid;
  .navbar {
    display: none;
  .btn > .caret,
  .dropup > .btn > .caret {
    border-top-color: #000 !important;
```

```
.label {
    border: 1px solid #000;
  }
  .table {
    border-collapse: collapse !important;
  .table td,
  .table th {
    background-color: #fff !important;
  .table-bordered th,
  .table-bordered td {
    border: 1px solid #ddd !important;
@font-face {
  font-family: 'Glyphicons Halflings';
  src: url('../fonts/glyphicons-halflings-regular.eot');
  src: url('../fonts/glyphicons-halflings-regular.eot?#iefix') format('embedded-opentype'),
url('../fonts/glyphicons-halflings-regular.woff2') format('woff2'), url('../fonts/glyphicons-
halflings-regular.woff') format("woff"), url('../fonts/glyphicons-halflings-regular.ttf')
format('truetype'), url('../fonts/glyphicons-halflings-regular.svg#glyphicons_halflingsregular')
format('svg');
.glyphicon {
  position: relative;
  top: 1px;
  display: inline-block;
  font-family: 'Glyphicons Halflings';
  font-style: normal;
  font-weight: normal;
  line-height: 1;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
.glyphicon-asterisk:before {
  content: "\002a";
.glyphicon-plus:before {
  content: "\002b";
.glyphicon-euro:before,
.glyphicon-eur:before {
  content: "\20ac";
.glyphicon-minus:before {
  content: "\2212";
.glyphicon-cloud:before {
  content: "\2601";
.glyphicon-envelope:before {
  content: "\2709";
.glyphicon-pencil:before {
  content: "\270f";
.glyphicon-glass:before {
  content: "\e001";
.glyphicon-music:before {
  content: "\e002";
.glyphicon-search:before {
  content: "\e003";
.glyphicon-heart:before {
  content: "\e005";
.glyphicon-star:before {
  content: "\e006";
.glyphicon-star-empty:before {
```

```
content: "\e007";
}
.glyphicon-user:before {
  content: "\e008";
}
.glyphicon-film:before {
  content: "\e009";
.glyphicon-th-large:before {
  content: "\e010";
.glyphicon-th:before {
  content: "\e011";
.glyphicon-th-list:before {
  content: "\e012";
}
.glyphicon-ok:before {
  content: "\e013";
.glyphicon-remove:before {
  content: "\e014";
.glyphicon-zoom-in:before {
  content: "\e015";
.glyphicon-zoom-out:before {
  content: "\e016";
.glyphicon-off:before {
  content: "\e017";
.glyphicon-signal:before {
  content: "\e018";
.glyphicon-cog:before {
  content: "\e019";
.glyphicon-trash:before {
  content: "\e020";
.glyphicon-home:before {
  content: "\e021";
.glyphicon-file:before {
  content: "\e022";
.glyphicon-time:before {
  content: "\e023";
.glyphicon-road:before {
  content: "\e024";
.glyphicon-download-alt:before {
  content: "\e025";
.glyphicon-download:before {
  content: "\e026";
.glyphicon-upload:before {
  content: "\e027";
}
.glyphicon-inbox:before {
  content: "\e028";
.glyphicon-play-circle:before {
  content: "\e029";
.glyphicon-repeat:before {
  content: "\e030";
.glyphicon-refresh:before {
  content: "\e031";
```

```
.glyphicon-list-alt:before {
  content: "\e032";
}
.glyphicon-lock:before {
  content: "\e033";
.glyphicon-flag:before {
  content: "\e034";
.glyphicon-headphones:before {
  content: "\e035";
.glyphicon-volume-off:before {
  content: "\e036";
.glyphicon-volume-down:before {
  content: "\e037";
.glyphicon-volume-up:before {
  content: "\e038";
.glyphicon-qrcode:before {
  content: "\e039";
.glyphicon-barcode:before {
  content: "\e040";
.glyphicon-tag:before {
  content: "\e041";
.glyphicon-tags:before {
  content: "\e042";
.glyphicon-book:before {
  content: "\e043";
}
.glyphicon-bookmark:before {
  content: "\e044";
.glyphicon-print:before {
  content: "\e045";
}
.glyphicon-camera:before {
  content: "\e046";
.glyphicon-font:before {
  content: "\e047";
.glyphicon-bold:before {
  content: "\e048";
.glyphicon-italic:before {
  content: "\e049";
.glyphicon-text-height:before {
  content: "\e050";
.glyphicon-text-width:before {
  content: "\e051";
.glyphicon-align-left:before {
  content: "\e052";
}
.glyphicon-align-center:before {
  content: "\e053";
.glyphicon-align-right:before {
  content: "\e054";
.glyphicon-align-justify:before {
  content: "\e055";
.glyphicon-list:before {
  content: "\e056";
```

```
.glyphicon-indent-left:before {
  content: "\e057";
.glyphicon-indent-right:before {
  content: "\e058";
.glyphicon-facetime-video:before {
  content: "\e059";
}
.glyphicon-picture:before {
  content: "\e060";
.glyphicon-map-marker:before {
  content: "\e062";
.glyphicon-adjust:before {
  content: "\e063";
.glyphicon-tint:before {
  content: "\e064";
.glyphicon-edit:before {
  content: "\e065";
.glyphicon-share:before {
  content: "\e066";
.glyphicon-check:before {
  content: "\e067";
}
.glyphicon-move:before {
  content: "\e068";
.glyphicon-step-backward:before {
  content: "\e069";
.glyphicon-fast-backward:before {
  content: "\e070";
.glyphicon-backward:before {
  content: "\e071";
.glyphicon-play:before {
  content: "\e072";
.glyphicon-pause:before {
  content: "\e073";
}
.glyphicon-stop:before {
  content: "\e074";
.glyphicon-forward:before {
  content: "\e075";
}
.glyphicon-fast-forward:before {
  content: "\e076";
.glyphicon-step-forward:before {
  content: "\e077";
.glyphicon-eject:before {
  content: "\e078";
.glyphicon-chevron-left:before {
  content: "\e079";
.glyphicon-chevron-right:before {
  content: "\e080";
.glyphicon-plus-sign:before {
  content: "\e081";
.glyphicon-minus-sign:before {
```

```
content: "\e082";
}
.glyphicon-remove-sign:before {
  content: "\e083";
}
.glyphicon-ok-sign:before {
  content: "\e084";
.glyphicon-question-sign:before {
  content: "\e085";
.glyphicon-info-sign:before {
  content: "\e086";
.glyphicon-screenshot:before {
  content: "\e087";
}
.glyphicon-remove-circle:before {
  content: "\e088";
.glyphicon-ok-circle:before {
  content: "\e089";
.glyphicon-ban-circle:before {
  content: "\e090";
.glyphicon-arrow-left:before {
  content: "\e091";
.glyphicon-arrow-right:before {
  content: "\e092";
.glyphicon-arrow-up:before {
  content: "\e093";
.glyphicon-arrow-down:before {
  content: "\e094";
.glyphicon-share-alt:before {
  content: "\e095";
.glyphicon-resize-full:before {
  content: "\e096";
.glyphicon-resize-small:before {
  content: "\e097";
.glyphicon-exclamation-sign:before {
  content: "\e101";
.glyphicon-gift:before {
  content: "\e102";
.glyphicon-leaf:before {
  content: "\e103";
.glyphicon-fire:before {
  content: "\e104";
.glyphicon-eye-open:before {
  content: "\e105";
}
.glyphicon-eye-close:before {
  content: "\e106";
.glyphicon-warning-sign:before {
  content: "\e107";
.glyphicon-plane:before {
  content: "\e108";
.glyphicon-calendar:before {
  content: "\e109";
```

```
.glyphicon-random:before {
  content: "\e110";
}
.glyphicon-comment:before {
  content: "\ell1";
.glyphicon-magnet:before {
  content: "\e112";
.glyphicon-chevron-up:before {
  content: "\e113";
.glyphicon-chevron-down:before {
  content: "\ell4";
.glyphicon-retweet:before {
  content: "\e115";
.glyphicon-shopping-cart:before {
  content: "\el16";
.glyphicon-folder-close:before {
  content: "\e117";
.glyphicon-folder-open:before {
  content: "\e118";
.glyphicon-resize-vertical:before {
  content: "\e119";
.glyphicon-resize-horizontal:before {
  content: "\e120";
.glyphicon-hdd:before {
  content: "\e121";
}
.glyphicon-bullhorn:before {
  content: "\e122";
.glyphicon-bell:before {
  content: "\e123";
}
.glyphicon-certificate:before {
  content: "\e124";
.glyphicon-thumbs-up:before {
  content: "\e125";
.glyphicon-thumbs-down:before {
  content: "\e126";
.glyphicon-hand-right:before {
  content: "\e127";
.glyphicon-hand-left:before {
  content: "\e128";
.glyphicon-hand-up:before {
  content: "\e129";
.glyphicon-hand-down:before {
  content: "\e130";
}
.glyphicon-circle-arrow-right:before {
  content: "\e131";
.glyphicon-circle-arrow-left:before {
  content: "\e132";
.glyphicon-circle-arrow-up:before {
  content: "\e133";
.glyphicon-circle-arrow-down:before {
  content: "\e134";
```

```
.glyphicon-globe:before {
  content: "\e135";
.glyphicon-wrench:before {
  content: "\e136";
.glyphicon-tasks:before {
  content: "\e137";
}
.glyphicon-filter:before {
  content: "\e138";
.glyphicon-briefcase:before {
  content: "\e139";
.glyphicon-fullscreen:before {
  content: "\e140";
.glyphicon-dashboard:before {
  content: "\e141";
.glyphicon-paperclip:before {
  content: "\e142";
.glyphicon-heart-empty:before {
  content: "\e143";
.glyphicon-link:before {
  content: "\e144";
}
.glyphicon-phone:before {
  content: "\e145";
.glyphicon-pushpin:before {
  content: "\e146";
.glyphicon-usd:before {
  content: "\e148";
.glyphicon-gbp:before {
  content: "\e149";
.glyphicon-sort:before {
  content: "\e150";
.glyphicon-sort-by-alphabet:before {
  content: "\e151";
}
. \verb|glyphicon-sort-by-alphabet-alt:before| \{
  content: "\e152";
.glyphicon-sort-by-order:before {
  content: "\e153";
}
.glyphicon-sort-by-order-alt:before {
  content: "\e154";
.glyphicon-sort-by-attributes:before {
  content: "\e155";
.glyphicon-sort-by-attributes-alt:before {
  content: "\e156";
.glyphicon-unchecked:before {
  content: "\e157";
.glyphicon-expand:before {
  content: "\e158";
.glyphicon-collapse-down:before {
  content: "\e159";
.glyphicon-collapse-up:before {
```

```
content: "\e160";
}
.glyphicon-log-in:before {
  content: "\e161";
}
.glyphicon-flash:before {
  content: "\e162";
.glyphicon-log-out:before {
  content: "\e163";
.glyphicon-new-window:before {
  content: "\e164";
.glyphicon-record:before {
  content: "\e165";
}
.glyphicon-save:before {
  content: "\e166";
.glyphicon-open:before {
  content: "\e167";
.glyphicon-saved:before {
  content: "\e168";
.glyphicon-import:before {
  content: "\e169";
.glyphicon-export:before {
 content: "\e170";
.glyphicon-send:before {
  content: "\e171";
.glyphicon-floppy-disk:before {
  content: "\e172";
.glyphicon-floppy-saved:before {
  content: "\e173";
.glyphicon-floppy-remove:before {
  content: "\e174";
.glyphicon-floppy-save:before {
  content: "\e175";
.glyphicon-floppy-open:before {
  content: "\e176";
.glyphicon-credit-card:before {
  content: "\e177";
.glyphicon-transfer:before {
  content: "\e178";
.glyphicon-cutlery:before {
  content: "\e179";
.glyphicon-header:before {
  content: "\e180";
}
.glyphicon-compressed:before {
  content: "\e181";
.glyphicon-earphone:before {
  content: "\e182";
.glyphicon-phone-alt:before {
  content: "\e183";
.glyphicon-tower:before {
 content: "\e184";
```

```
.glyphicon-stats:before {
  content: "\e185";
}
.glyphicon-sd-video:before {
  content: "\e186";
.glyphicon-hd-video:before {
  content: "\e187";
.glyphicon-subtitles:before {
  content: "\e188";
.glyphicon-sound-stereo:before {
  content: "\e189";
.glyphicon-sound-dolby:before {
  content: "\e190";
.glyphicon-sound-5-1:before {
  content: "\e191";
.glyphicon-sound-6-1:before {
  content: "\e192";
.glyphicon-sound-7-1:before {
  content: "\e193";
.glyphicon-copyright-mark:before {
  content: "\e194";
}
.glyphicon-registration-mark:before {
  content: "\e195";
. \verb|glyphicon-cloud-download:before| \{
  content: "\e197";
}
.glyphicon-cloud-upload:before {
  content: "\e198";
.glyphicon-tree-conifer:before {
  content: "\e199";
}
.glyphicon-tree-deciduous:before {
  content: "\e200";
.glyphicon-cd:before {
  content: "\e201";
.glyphicon-save-file:before {
  content: "\e202";
.glyphicon-open-file:before {
  content: "\e203";
.glyphicon-level-up:before {
  content: "\e204";
.glyphicon-copy:before {
  content: "\e205";
.glyphicon-paste:before {
  content: "\e206";
}
.glyphicon-alert:before {
  content: "\e209";
.glyphicon-equalizer:before {
  content: "\e210";
.glyphicon-king:before {
  content: "\e211";
.glyphicon-queen:before {
  content: "\e212";
```

```
.glyphicon-pawn:before {
  content: "\e213";
.glyphicon-bishop:before {
  content: "\e214";
.glyphicon-knight:before {
  content: "\e215";
}
.glyphicon-baby-formula:before {
  content: "\e216";
.glyphicon-tent:before {
  ´content: "\26fa";
.glyphicon-blackboard:before {
  content: "\e218";
.glyphicon-bed:before {
  content: "\e219";
.glyphicon-apple:before {
  content: "\f8ff";
.glyphicon-erase:before {
  content: "\e221";
.glyphicon-hourglass:before {
  content: "\231b";
.glyphicon-lamp:before {
  content: "\e223";
.glyphicon-duplicate:before {
  content: "\e224";
.glyphicon-piggy-bank:before {
  content: "\e225";
.glyphicon-scissors:before {
  content: "\e226";
.glyphicon-bitcoin:before {
  content: "\e227";
.glyphicon-btc:before {
  content: "\e227";
}
.glyphicon-xbt:before {
  content: "\e227";
.glyphicon-yen:before {
  content: "\00a5";
}
.glyphicon-jpy:before {
  content: "\00a5";
.glyphicon-ruble:before {
  content: "\20bd";
.glyphicon-rub:before {
  content: "\20bd";
.glyphicon-scale:before {
  content: "\e230";
.glyphicon-ice-lolly:before {
  content: "\e231";
.glyphicon-ice-lolly-tasted:before {
  content: "\e232";
.glyphicon-education:before {
```

```
content: "\e233";
}
.glyphicon-option-horizontal:before {
  content: "\e234";
}
.glyphicon-option-vertical:before {
  content: "\e235";
.glyphicon-menu-hamburger:before {
  content: "\e236";
.glyphicon-modal-window:before {
  content: "\e237";
.glyphicon-oil:before {
  content: "\e238";
}
.glyphicon-grain:before {
  content: "\e239";
.glyphicon-sunglasses:before {
  content: "\e240";
.glyphicon-text-size:before {
  content: "\e241";
.glyphicon-text-color:before {
  content: "\e242";
.glyphicon-text-background:before {
  content: "\e243";
.glyphicon-object-align-top:before {
  content: "\e244";
.glyphicon-object-align-bottom:before {
  content: "\e245";
.glyphicon-object-align-horizontal:before {
  content: "\e246";
.glyphicon-object-align-left:before {
  content: "\e247";
.glyphicon-object-align-vertical:before {
  content: "\e248";
.glyphicon-object-align-right:before {
  content: "\e249";
.glyphicon-triangle-right:before {
  content: "\e250";
.glyphicon-triangle-left:before {
  content: "\e251";
.glyphicon-triangle-bottom:before {
  content: "\e252";
.glyphicon-triangle-top:before {
  content: "\e253";
}
.glyphicon-console:before {
  content: "\e254";
.glyphicon-superscript:before {
  content: "\e255";
.glyphicon-subscript:before {
  content: "\e256";
.glyphicon-menu-left:before {
  content: "\e257";
```

```
.glyphicon-menu-right:before {
  content: "\e258";
}
.glyphicon-menu-down:before {
  content: "\e259";
.glyphicon-menu-up:before {
  content: "\e260";
  {
  -webkit-box-sizing: border-box;
     -moz-box-sizing: border-box;
          box-sizing: border-box;
}
*:before,
'`or {
*:after {
  -webkit-box-sizing: border-box;
     -moz-box-sizing: border-box;
          box-sizing: border-box;
html {
  font-size: 10px;
  -webkit-tap-highlight-color: rgba(0, 0, 0, 0);
body {
  font-family: "Helvetica Neue", Helvetica, Arial, sans-serif;
  font-size: 14px;
  line-height: 1.42857143;
  color: #333;
  background-color: #fff;
input,
button,
select,
textarea {
  font-family: inherit;
  font-size: inherit;
  line-height: inherit;
a {
  color: #337ab7;
  text-decoration: none;
a:hover,
a:focus {
  color: #23527c;
  text-decoration: underline;
a:focus {
  outline: 5px auto -webkit-focus-ring-color;
  outline-offset: -2px;
figure {
  margin: 0;
img {
  vertical-align: middle;
.img-responsive,
.thumbnail > img,
.thumbnail a > img,
.carousel-inner > .item > img,
.carousel-inner > .item > a > img {
  display: block;
  max-width: 100%;
  height: auto;
.img-rounded {
  border-radius: 6px;
.img-thumbnail {
  display: inline-block;
  max-width: 100%;
  height: auto;
```

```
padding: 4px;
  line-height: 1.42857143;
  background-color: #fff;
  border: 1px solid #ddd;
  border-radius: 4px;
  -webkit-transition: all .2s ease-in-out;
       -o-transition: all .2s ease-in-out;
          transition: all .2s ease-in-out;
.img-circle {
  border-radius: 50%;
hr {
  margin-top: 20px;
  margin-bottom: 20px;
  border: 0;
  border-top: 1px solid #eee;
}
.sr-only {
  position: absolute;
  width: 1px;
  height: 1px;
  padding: 0;
  margin: -1px;
  overflow: hidden;
  clip: rect(0, 0, 0, 0);
  border: 0;
}
.sr-only-focusable:active,
.sr-only-focusable:focus {
  position: static;
  width: auto;
  height: auto;
  margin: 0;
  overflow: visible;
  clip: auto;
[role="button"] {
  cursor: pointer;
h1,
h2,
h3,
h4,
h5,
h6,
.h1,
.h2,
.h3,
.h4,
.h5,
.h6 {
 font-family: inherit;
  font-weight: 500;
  line-height: 1.1;
  color: inherit;
h1 small,
h2 small,
h3 small,
h4 small,
h5 small,
h6 small,
.h1 small,
.h2 small,
.h3 small,
.h4 small,
.h5 small,
.h6 small,
h1 .small,
h2 .small,
h3 .small,
h4 .small,
h5 .small,
```

```
h6 .small,
.h1 .smalĺ,
.ni .small,
.h2 .small,
.h3 .small,
.h4 .small,
.h5 .small,
  font-weight: normal;
  line-height: 1;
  color: #777;
}
h1,
.h1,
h2,
.h2,
h3,
.h3 {
  margin-top: 20px;
  margin-bottom: 10px;
h1 small,
.h1 small,
h2 small,
.h2 small,
h3 small,
.h3 small,
h1 .small,
.h1 .small,
h2 .small,
.h2 .small,
h3 .small,
.h3 .small {
  font-size: 65%;
ĥ4,
.h4,
h5,
.h5,
h6,
.h6 {
 margin-top: 10px;
  margin-bottom: 10px;
h4 small,
.h4 small,
h5 small,
.h5 small,
h6 small,
.h6 smalĺ,
h4 .small,
.h4 .small,
h5 .small,
.h5 .small,
h6 .small,
.h6 .small {
font-size: 75%;
ή1,
.h1 {
  font-size: 36px;
h2,
.h2 {
  font-size: 30px;
ĥЗ,
.h3 {
  font-size: 24px;
.h4 {
  font-size: 18px;
ĥ5,
.h5 {
```

```
font-size: 14px;
h6,
.h6 {
 font-size: 12px;
p {
  margin: 0 0 10px;
.lead {
  margin-bottom: 20px;
  font-size: 16px;
  font-weight: 300;
  line-height: 1.4;
@media (min-width: 768px) {
  .lead {
    font-size: 21px;
  }
}
small,
.small {
  font-size: 85%;
mark,
.mark {
  padding: .2em;
  background-color: #fcf8e3;
.text-left {
  text-align: left;
.text-right {
  text-align: right;
.text-center {
  text-align: center;
.text-justify {
  text-align: justify;
.text-nowrap {
  white-space: nowrap;
.text-lowercase {
  text-transform: lowercase;
.text-uppercase {
  text-transform: uppercase;
}
.text-capitalize {
  text-transform: capitalize;
.text-muted {
  color: #777;
}
.text-primary {
 color: #337ab7;
a.text-primary:hover,
a.text-primary:focus {
  color: #286090;
}
.text-success {
  color: #3c763d;
a.text-success:hover,
a.text-success:focus {
  color: #2b542c;
.text-info {
  color: #31708f;
a.text-info:hover,
```

```
a.text-info:focus {
  color: #245269;
.text-warning {
  color: #8a6d3b;
a.text-warning:hover,
a.text-warning:focus {
  color: #66512c;
.text-danger {
  color: #a94442;
a.text-danger:hover,
a.text-danger:focus {
  color: #843534;
.bg-primary {
  color: #fff;
  background-color: #337ab7;
a.bg-primary:hover,
a.bg-primary:focus {
  background-color: #286090;
.bg-success {
  background-color: #dff0d8;
a.bg-success:hover,
a.bg-success:focus {
  background-color: #cle2b3;
.bg-info {
  background-color: #d9edf7;
a.bg-info:hover,
a.bg-info:focus {
  background-color: #afd9ee;
.bg-warning {
  background-color: #fcf8e3;
a.bg-warning:hover,
a.bg-warning:focus {
  background-color: #f7ecb5;
.bg-danger {
  background-color: #f2dede;
a.bg-danger:hover,
a.bg-danger:focus {
  background-color: #e4b9b9;
.page-header {
  padding-bottom: 9px;
  margin: 40px 0 20px;
  border-bottom: 1px solid #eee;
}
ul,
ol {
  margin-top: 0;
  margin-bottom: 10px;
ul ul,
ol ul,
ul ol,
ol ol {
  margin-bottom: 0;
.list-unstyled {
  padding-left: 0;
  list-style: none;
.list-inline {
```

```
padding-left: 0;
  margin-left: -5px;
  list-style: none;
.list-inline > li {
  display: inline-block;
  padding-right: 5px;
  padding-left: 5px;
ďl {
  margin-top: 0;
  margin-bottom: 20px;
đt,
dd {
  line-height: 1.42857143;
dt {
  font-weight: bold;
dd {
  margin-left: 0;
@media (min-width: 768px) {
  .dl-horizontal dt {
    float: left;
    width: 160px;
    overflow: hidden;
    clear: left;
    text-align: right;
    text-overflow: ellipsis;
    white-space: nowrap;
  }
  .dl-horizontal dd {
    margin-left: 180px;
abbr[title],
abbr[data-original-title] {
  cursor: help;
  border-bottom: 1px dotted #777;
.initialism {
  font-size: 90%;
  text-transform: uppercase;
blockquote {
  padding: 10px 20px;
  margin: 0 0 20px;
  font-size: 17.5px;
  border-left: 5px solid #eee;
blockquote p:last-child,
blockquote ul:last-child,
blockquote ol:last-child {
  margin-bottom: 0;
blockquote footer,
blockquote small,
blockquote .small {
  display: block;
  font-size: 80%;
  line-height: 1.42857143;
  color: #777;
blockquote footer:before,
blockquote small:before,
blockquote .small:before {
  content: '\2014 \00A0';
.blockquote-reverse,
blockquote.pull-right {
  padding-right: 15px;
  padding-left: 0;
```

```
text-align: right;
  border-right: 5px solid #eee;
  border-left: 0;
}
.blockquote-reverse footer:before,
blockquote.pull-right footer:before,
.blockquote-reverse small:before,
blockquote.pull-right small:before,
.blockquote-reverse .small:before,
blockquote.pull-right .small:before {
  content: '';
.blockquote-reverse footer:after,
blockquote.pull-right footer:after,
.blockquote-reverse small:after,
blockquote.pull-right small:after,
.blockquote-reverse .small:after,
blockquote.pull-right .small:after {
  content: '\00A0 \2014';
address {
  margin-bottom: 20px;
  font-style: normal;
  line-height: 1.42857143;
}
code,
kbd,
pre,
samp {
  font-family: Menlo, Monaco, Consolas, "Courier New", monospace;
code {
  padding: 2px 4px;
  font-size: 90%;
  color: #c7254e;
  background-color: #f9f2f4;
  border-radius: 4px;
kbd {
  padding: 2px 4px;
  font-size: 90%;
  color: #fff;
  background-color: #333;
  border-radius: 3px;
  -webkit-box-shadow: inset 0 -1px 0 rgba(0, 0, 0, .25);
          box-shadow: inset 0 -1px 0 rgba(0, 0, 0, .25);
kbd kbd {
  padding: 0;
  font-size: 100%;
  font-weight: bold;
  -webkit-box-shadow: none;
          box-shadow: none;
pre {
  display: block;
  padding: 9.5px;
  margin: 0 0 10px;
  font-size: 13px;
  line-height: 1.42857143;
  color: #333;
  word-break: break-all;
  word-wrap: break-word;
  background-color: #f5f5f5;
  border: 1px solid #ccc;
  border-radius: 4px;
pre code {
  padding: 0;
  font-size: inherit;
  color: inherit;
  white-space: pre-wrap;
  background-color: transparent;
```

```
border-radius: 0;
}
.pre-scrollable {
  max-height: 340px;
  overflow-y: scroll;
.container {
  padding-right: 15px;
  padding-left: 15px;
  margin-right: auto;
  margin-left: auto;
@media (min-width: 768px) {
   .container {
    width: 750px;
  }
@media (min-width: 992px) {
  .container {
    width: 970px;
  }
@media (min-width: 1200px) {
   .container {
    width: 1170px;
  }
}
.container-fluid {
  padding-right: 15px;
  padding-left: 15px;
  margin-right: auto;
  margin-left: auto;
.row {
  margin-right: -15px;
  margin-left: -15px;
.col-xs-1, .col-sm-1, .col-md-1, .col-lg-1, .col-xs-2, .col-sm-2, .col-md-2, .col-lg-2, .col-xs-
3, .col-sm-3, .col-md-3, .col-lg-3, .col-xs-4, .col-sm-4, .col-md-4, .col-lg-4, .col-xs-5, .col-sm-5, .col-md-5, .col-lg-5, .col-xs-6, .col-sm-6, .col-md-6, .col-lg-6, .col-xs-7, .col-md-
7, .col-lg-7, .col-xs-8, .col-sm-8, .col-md-8, .col-lg-8, .col-xs-9, .col-sm-9, .col-md-9, .col-lg-9, .col-xs-10, .col-sm-10, .col-md-10, .col-lg-10, .col-xs-11, .col-sm-11, .col-md-11, .col-lg-11, .col-xs-12, .col-sm-12, .col-md-12, .col-lg-12 {
  position: relative;
  min-height: 1px;
  padding-right: 15px;
  padding-left: 15px;
.col-xs-1, .col-xs-2, .col-xs-3, .col-xs-4, .col-xs-5, .col-xs-6, .col-xs-7, .col-xs-8, .col-xs-
9, .col-xs-10, .col-xs-11, .col-xs-12 {
  float: left;
}
.col-xs-12 {
  width: 100%;
.col-xs-11 {
  width: 91.66666667%;
}
.col-xs-10 {
  width: 83.3333333%;
.col-xs-9 {
  width: 75%;
}
.col-xs-8 {
  width: 66.6666667%;
.col-xs-7 {
  width: 58.3333333%;
.col-xs-6 {
  width: 50%;
.col-xs-5 {
```

```
width: 41.66666667%;
}
.col-xs-4 {
  width: 33.3333333%;
.col-xs-3 {
  width: 25%;
.col-xs-2 {
  width: 16.66666667%;
.col-xs-1 {
  width: 8.33333333;
.col-xs-pull-12 {
  right: 100%;
}
.col-xs-pull-11 {
 right: 91.66666667%;
.col-xs-pull-10 {
 right: 83.33333333%;
.col-xs-pull-9 {
 right: 75%;
.col-xs-pull-8 {
 right: 66.6666667%;
.col-xs-pull-7 {
 right: 58.33333333%;
.col-xs-pull-6 {
  right: 50%;
.col-xs-pull-5 {
 right: 41.66666667%;
.col-xs-pull-4 {
 right: 33.33333333%;
.col-xs-pull-3 {
 right: 25%;
.col-xs-pull-2 {
 right: 16.66666667%;
.col-xs-pull-1 {
 right: 8.33333333%;
.col-xs-pull-0 {
 right: auto;
.col-xs-push-12 {
  left: 100%;
.col-xs-push-11 {
  left: 91.66666667%;
.col-xs-push-10 {
  left: 83.33333333%;
}
.col-xs-push-9 {
 left: 75%;
.col-xs-push-8 {
  left: 66.6666667%;
.col-xs-push-7 {
 left: 58.33333333%;
.col-xs-push-6 {
  left: 50%;
```

```
.col-xs-push-5 {
  left: 41.66666667%;
}
.col-xs-push-4 {
  left: 33.33333333%;
.col-xs-push-3 {
  left: 25%;
.col-xs-push-2 {
    left: 16.66666667%;
.col-xs-push-1 {
  left: 8.33333333%;
.col-xs-push-0 {
 left: auto;
.col-xs-offset-12 {
 margin-left: 100%;
.col-xs-offset-11 {
 margin-left: 91.66666667%;
.col-xs-offset-10 {
  margin-left: 83.3333333%;
.col-xs-offset-9 {
  margin-left: 75%;
.col-xs-offset-8 {
 margin-left: 66.6666667%;
.col-xs-offset-7 {
 margin-left: 58.33333333%;
}
.col-xs-offset-6 {
 margin-left: 50%;
.col-xs-offset-5 {
 margin-left: 41.66666667%;
}
.col-xs-offset-4 {
 margin-left: 33.33333333;
.col-xs-offset-3 {
 margin-left: 25%;
.col-xs-offset-2 {
 margin-left: 16.6666667%;
.col-xs-offset-1 {
  margin-left: 8.33333333%;
.col-xs-offset-0 {
 margin-left: 0;
@media (min-width: 768px) {
.col-sm-1, .col-sm-2, .col-sm-3, .col-sm-4, .col-sm-5, .col-sm-6, .col-sm-7, .col-sm-8, .col-sm-9, .col-sm-10, .col-sm-11, .col-sm-12 {
    float: left;
  }
  .col-sm-12 {
   width: 100%;
  .col-sm-11 {
   width: 91.66666667%;
  .col-sm-10 {
   width: 83.33333333%;
  .col-sm-9 {
    width: 75%;
```

```
.col-sm-8 {
 width: 66.6666667%;
}
.col-sm-7 {
 width: 58.33333333%;
.col-sm-6 {
 width: 50%;
.col-sm-5 {
 width: 41.66666667%;
}
.col-sm-4 {
 width: 33.33333333%;
.col-sm-3 {
 width: 25%;
.col-sm-2 {
 width: 16.66666667%;
}
.col-sm-1 {
 width: 8.33333333%;
.col-sm-pull-12 {
 right: 100%;
.col-sm-pull-11 {
 right: 91.66666667%;
.col-sm-pull-10 {
 right: 83.33333333%;
.col-sm-pull-9 {
 right: 75%;
.col-sm-pull-8 {
 right: 66.66666667%;
.col-sm-pull-7 {
 right: 58.33333333%;
.col-sm-pull-6 {
 right: 50%;
}
.col-sm-pull-5 {
 right: 41.66666667%;
.col-sm-pull-4 {
 right: 33.33333333%;
.col-sm-pull-3 {
 right: 25%;
}
.col-sm-pull-2 {
 right: 16.66666667%;
.col-sm-pull-1 {
 right: 8.33333333%;
.col-sm-pull-0 {
 right: auto;
.col-sm-push-12 {
 left: 100%;
.col-sm-push-11 {
 left: 91.66666667%;
}
.col-sm-push-10 {
 left: 83.33333333%;
```

```
.col-sm-push-9 {
   left: 75%;
  .col-sm-push-8 {
   left: 66.66666667%;
  .col-sm-push-7 {
   left: 58.33333333;
  .col-sm-push-6 {
   left: 50%;
  }
  .col-sm-push-5 {
   left: 41.66666667%;
  .col-sm-push-4 {
   left: 33.33333333%;
  .col-sm-push-3 {
   left: 25%;
  }
  .col-sm-push-2 {
   left: 16.66666667%;
  .col-sm-push-1 {
    left: 8.33333333%;
  .col-sm-push-0 {
   left: auto;
  .col-sm-offset-12 {
   margin-left: 100%;
  .col-sm-offset-11 {
   margin-left: 91.66666667%;
  .col-sm-offset-10 {
   margin-left: 83.33333333%;
  .col-sm-offset-9 {
   margin-left: 75%;
  .col-sm-offset-8 {
   margin-left: 66.6666667%;
  }
  .col-sm-offset-7 {
   margin-left: 58.33333333%;
  .col-sm-offset-6 {
   margin-left: 50%;
  .col-sm-offset-5 {
   margin-left: 41.6666667%;
  }
  .col-sm-offset-4 {
   margin-left: 33.33333333%;
  .col-sm-offset-3 {
   margin-left: 25%;
  .col-sm-offset-2 {
   margin-left: 16.6666667%;
  .col-sm-offset-1 {
   margin-left: 8.33333333%;
  .col-sm-offset-0 {
   margin-left: 0;
  }
@media (min-width: 992px) {
```

```
.col-md-1, .col-md-2, .col-md-3, .col-md-4, .col-md-5, .col-md-6, .col-md-7, .col-md-8, .col-md-9,
.col-md-10, .col-md-11, .col-md-12 \{
   float: left;
 }
 .col-md-12 {
  width: 100%;
 .col-md-11 {
  width: 91.66666667%;
 .col-md-10 {
  width: 83.33333333%;
 .col-md-9 {
  width: 75%;
 .col-md-8 {
  width: 66.6666667%;
 .col-md-7 {
  width: 58.33333333%;
 .col-md-6 {
  width: 50%;
 .col-md-5 {
  width: 41.66666667%;
 }
 .col-md-4 {
  width: 33.33333333%;
 .col-md-3 {
  width: 25%;
 .col-md-2 {
  width: 16.66666667%;
 }
 .col-md-1 {
  width: 8.33333333%;
 .col-md-pull-12 {
   right: 100%;
 .col-md-pull-11 {
  right: 91.66666667%;
 .col-md-pull-10 {
   right: 83.33333333%;
 .col-md-pull-9 {
  right: 75%;
 .col-md-pull-8 {
  right: 66.66666667%;
 .col-md-pull-7 {
  right: 58.33333333%;
 .col-md-pull-6 {
  right: 50%;
 }
 .col-md-pull-5 {
  right: 41.66666667%;
 .col-md-pull-4 {
  right: 33.33333333%;
 .col-md-pull-3 {
  right: 25%;
 }
 .col-md-pull-2 {
```

right: 16.66666667%;

```
}
.col-md-pull-1 {
 right: 8.33333333%;
}
.col-md-pull-0 {
 right: auto;
.col-md-push-12 {
 left: 100%;
.col-md-push-11 {
 left: 91.66666667%;
}
.col-md-push-10 {
 left: 83.33333333%;
.col-md-push-9 {
 left: 75%;
.col-md-push-8 {
 left: 66.6666667%;
.col-md-push-7 {
 left: 58.33333333%;
.col-md-push-6 {
 left: 50%;
}
.col-md-push-5 {
 left: 41.66666667%;
.col-md-push-4 {
 left: 33.33333333;
.col-md-push-3 {
 left: 25%;
}
.col-md-push-2 {
 left: 16.66666667%;
.col-md-push-1 {
  left: 8.33333333%;
.col-md-push-0 {
 left: auto;
.col-md-offset-12 {
 margin-left: 100%;
.col-md-offset-11 {
 margin-left: 91.66666667%;
.col-md-offset-10 {
 margin-left: 83.33333333%;
.col-md-offset-9 {
 margin-left: 75%;
.col-md-offset-8 {
 margin-left: 66.6666667%;
}
.col-md-offset-7 {
 margin-left: 58.33333333%;
.col-md-offset-6 {
 margin-left: 50%;
.col-md-offset-5 {
 margin-left: 41.66666667%;
}
.col-md-offset-4 {
 margin-left: 33.3333333%;
```

```
}
  .col-md-offset-3 {
   margin-left: 25%;
 }
 .col-md-offset-2 {
   margin-left: 16.6666667%;
  .col-md-offset-1 {
   margin-left: 8.33333333%;
 .col-md-offset-0 {
   margin-left: 0;
 }
@media (min-width: 1200px) {
.col-lg-1, .col-lg-2, .col-lg-3, .col-lg-4, .col-lg-5, .col-lg-6, .col-lg-7, .col-lg-8, .col-lg-9, .col-lg-10, .col-lg-11, .col-lg-12 {
    float: left;
 }
 .col-lg-12 {
   width: 100%;
  .col-lg-11 {
   width: 91.66666667%;
 .col-lg-10 {
   width: 83.33333333%;
 }
  .col-lg-9 {
   width: 75%;
  .col-lg-8 {
   width: 66.6666667%;
  .col-lg-7 {
   width: 58.33333333%;
 .col-lg-6 {
   width: 50%;
  .col-lg-5 {
   width: 41.66666667%;
 }
  .col-lg-4 {
   width: 33.33333333%;
 .col-lg-3 {
   width: 25%;
  .col-lg-2 {
   width: 16.66666667%;
 }
  .col-lg-1 {
   width: 8.33333333%;
  .col-lg-pull-12 {
   right: 100%;
 .col-lg-pull-11 {
   right: 91.66666667%;
  .col-lg-pull-10 {
   right: 83.33333333%;
 }
  .col-lg-pull-9 {
   right: 75%;
  .col-lg-pull-8 {
   right: 66.66666667%;
 }
 .col-lg-pull-7 {
   right: 58.33333333%;
```

```
}
.col-lg-pull-6 {
 right: 50%;
}
.col-lg-pull-5 {
 right: 41.66666667%;
.col-lg-pull-4 {
 right: 33.33333333%;
.col-lg-pull-3 {
 right: 25%;
}
.col-lg-pull-2 {
 right: 16.66666667%;
.col-lg-pull-1 {
 right: 8.33333333%;
.col-lg-pull-0 {
 right: auto;
.col-lg-push-12 {
  left: 100%;
.col-lg-push-11 {
 left: 91.66666667%;
}
.col-lg-push-10 {
    left: 83.33333333%;
.col-lg-push-9 {
 left: 75%;
.col-lg-push-8 {
 left: 66.6666667%;
}
.col-lg-push-7 {
 left: 58.33333333%;
.col-lg-push-6 {
  left: 50%;
.col-lg-push-5 {
 left: 41.66666667%;
.col-lg-push-4 {
 left: 33.33333333%;
.col-lg-push-3 {
  left: 25%;
.col-lg-push-2 {
 left: 16.66666667%;
}
.col-lg-push-1 {
  left: 8.33333333%;
.col-lg-push-0 {
  left: auto;
}
.col-lg-offset-12 {
 margin-left: 100%;
.col-lg-offset-11 {
 margin-left: 91.66666667%;
.col-lg-offset-10 {
 margin-left: 83.33333333%;
}
.col-lg-offset-9 {
 margin-left: 75%;
```

```
.col-lg-offset-8 {
   margin-left: 66.6666667%;
 }
  .col-lg-offset-7 {
   margin-left: 58.33333333%;
  .col-lg-offset-6 {
   margin-left: 50%;
  .col-lg-offset-5 {
   margin-left: 41.6666667%;
 }
  .col-lg-offset-4 {
   margin-left: 33.3333333%;
  .col-lg-offset-3 {
   margin-left: 25%;
  .col-lg-offset-2 {
   margin-left: 16.6666667%;
  .col-lg-offset-1 {
   margin-left: 8.33333333%;
  .col-lg-offset-0 {
   margin-left: 0;
 }
table {
 background-color: transparent;
caption {
 padding-top: 8px;
 padding-bottom: 8px;
 color: #777;
 text-align: left;
th {
 text-align: left;
.table {
    width: 100%;
 max-width: 100%;
 margin-bottom: 20px;
.table > thead > tr > th,
.table > tbody > tr > th,
.table > tfoot > tr > th,
.table > thead > tr > td,
.table > tbody > tr > td,
.table > tfoot > tr > td {
 padding: 8px;
 line-height: 1.42857143;
 vertical-align: top;
 border-top: 1px solid #ddd;
.table > thead > tr > th {
 vertical-align: bottom;
 border-bottom: 2px solid #ddd;
.table > caption + thead > tr:first-child > th,
.table > colgroup + thead > tr:first-child > th,
.table > thead:first-child > tr:first-child > th,
.table > caption + thead > tr:first-child > td,
.table > colgroup + thead > tr:first-child > td
.table > thead:first-child > tr:first-child > td {
 border-top: 0;
.table > tbody + tbody {
 border-top: 2px solid #ddd;
.table .table {
```

```
background-color: #fff;
}
.table-condensed > thead > tr > th,
.table-condensed > tbody > tr > th,
.table-condensed > tfoot > tr > th,
.table-condensed > thead > tr > td,
.table-condensed > tbody > tr > td,
.table-condensed > tfoot > tr > td {
  padding: 5px;
}
.table-bordered {
  border: 1px solid #ddd;
.table-bordered > thead > tr > th,
.table-bordered > tbody > tr > th,
.table-bordered > tfoot > tr > th,
.table-bordered > thead > tr > td,
.table-bordered > tbody > tr > td,
.table-bordered > tfoot > tr > td {
  border: 1px solid #ddd;
.table-bordered > thead > tr > th,
.table-bordered > thead > tr > td {
  border-bottom-width: 2px;
.table-striped > tbody > tr:nth-of-type(odd) {
  background-color: #f9f9f9;
}
.table-hover > tbody > tr:hover {
  background-color: #f5f5f5;
table col[class*="col-"] {
  position: static;
  display: table-column;
  float: none;
table td[class*="col-"],
table th[class*="col-"] {
  position: static;
  display: table-cell;
  float: none;
}
.table > thead > tr > td.active,
.table > tbody > tr > td.active,
.table > tfoot > tr > td.active,
.table > thead > tr > th.active,
.table > tbody > tr > th.active,
.table > tfoot > tr > th.active,
.table > thead > tr.active > td,
.table > tbody > tr.active > td,
.table > tfoot > tr.active > td,
.table > thead > tr.active > th,
.table > tbody > tr.active > th,
.table > tfoot > tr.active > th {
  background-color: #f5f5f5;
.table-hover > tbody > tr > td.active:hover,
.table-hover > tbody > tr > th.active:hover,
.table-hover > tbody > tr.active:hover > td,
.table-hover > tbody > tr:hover > .active,
.table-hover > tbody > tr.active:hover > th {
  background-color: #e8e8e8;
.table > thead > tr > td.success,
.table > tbody > tr > td.success,
.table > tfoot > tr > td.success,
.table > thead > tr > th.success,
.table > tbody > tr > th.success,
.table > tfoot > tr > th.success,
.table > thead > tr.success > td,
.table > tbody > tr.success > td,
.table > tfoot > tr.success > td,
.table > thead > tr.success > th,
.table > tbody > tr.success > th,
.table > tfoot > tr.success > th {
```

```
background-color: #dff0d8;
.table-hover > tbody > tr > td.success:hover,
.table-hover > tbody > tr > th.success:hover,
.table-hover > tbody > tr.success:hover > td,
.table-hover > tbody > tr:hover > .success,
.table-hover > tbody > tr.success:hover > th {
 background-color: #d0e9c6;
.table > thead > tr > td.info,
.table > tbody > tr > td.info,
.table > tfoot > tr > td.info,
.table > thead > tr > th.info,
.table > tbody > tr > th.info,
.table > tfoot > tr > th.info,
.table > thead > tr.info > td,
.table > tbody > tr.info > td,
.table > tfoot > tr.info > td,
.table > thead > tr.info > th,
.table > tbody > tr.info > th,
.table > tfoot > tr.info > th {
 background-color: #d9edf7;
.table-hover > tbody > tr > td.info:hover,
.table-hover > tbody > tr > th.info:hover,
.table-hover > tbody > tr.info:hover > td,
.table-hover > tbody > tr:hover > .info,
.table-hover > tbody > tr.info:hover > th {
 background-color: #c4e3f3;
.table > thead > tr > td.warning,
.table > tbody > tr > td.warning,
.table > tfoot > tr > td.warning,
.table > thead > tr > th.warning,
.table > tbody > tr > th.warning,
.table > tfoot > tr > th.warning,
.table > thead > tr.warning > td,
.table > tbody > tr.warning > td,
.table > tfoot > tr.warning > td,
.table > thead > tr.warning > th,
.table > tbody > tr.warning > th,
.table > tfoot > tr.warning > th {
 background-color: #fcf8e3;
.table-hover > tbody > tr > td.warning:hover,
.table-hover > tbody > tr > th.warning:hover,
.table-hover > tbody > tr.warning:hover > td,
.table-hover > tbody > tr:hover > .warning,
.table-hover > tbody > tr.warning:hover > th {
 background-color: #faf2cc;
.table > thead > tr > td.danger,
.table > tbody > tr > td.danger,
.table > tfoot > tr > td.danger,
.table > thead > tr > th.danger,
.table > tbody > tr > th.danger.
.table > tfoot > tr > th.danger,
.table > thead > tr.danger > td,
.table > tbody > tr.danger > td,
.table > tfoot > tr.danger > td,
.table > thead > tr.danger > th,
.table > tbody > tr.danger > th,
.table > tfoot > tr.danger > th {
 background-color: #f2dede;
.table-hover > tbody > tr > td.danger:hover,
.table-hover > tbody > tr > th.danger:hover,
.table-hover > tbody > tr.danger:hover > td,
.table-hover > tbody > tr:hover > .danger,
.table-hover > tbody > tr.danger:hover > th {
 background-color: #ebcccc;
.table-responsive {
 min-heiaht: .01%:
 overflow-x: auto;
```

```
@media screen and (max-width: 767px) {
  .table-responsive {
    width: 100%;
    margin-bottom: 15px;
    overflow-y: hidden;
    -ms-overflow-style: -ms-autohiding-scrollbar;
    border: 1px solid #ddd;
  .table-responsive > .table {
    margin-bottom: 0;
 }
  .table-responsive > .table > thead > tr > th,
  .table-responsive > .table > tbody > tr > th,
  .table-responsive > .table > tfoot > tr > th,
  .table-responsive > .table > thead > tr > td,
  .table-responsive > .table > tbody > tr > td,
  .table-responsive > .table > tfoot > tr > td {
    white-space: nowrap;
 }
  .table-responsive > .table-bordered {
    border: 0:
  .table-responsive > .table-bordered > thead > tr > th:first-child,
  .table-responsive > .table-bordered > tbody > tr > th:first-child,
  .table-responsive > .table-bordered > tfoot > tr > th:first-child,
  .table-responsive > .table-bordered > thead > tr > td:first-child,
  .table-responsive > .table-bordered > tbody > tr > td:first-child,
.table-responsive > .table-bordered > tfoot > tr > td:first-child {
   border-left: 0;
  .table-responsive > .table-bordered > thead > tr > th:last-child,
  .table-responsive > .table-bordered > tbody > tr > th:last-child,
  .table-responsive > .table-bordered > tfoot > tr > th:last-child,
  .table-responsive > .table-bordered > thead > tr > td:last-child,
  .table-responsive > .table-bordered > tbody > tr > td:last-child,
  .table-responsive > .table-bordered > tfoot > tr > td:last-child {
    border-right: 0;
  .table-responsive > .table-bordered > tbody > tr:last-child > th,
  .table-responsive > .table-bordered > tfoot > tr:last-child > th,
  .table-responsive > .table-bordered > tbody > tr:last-child > td,
  .table-responsive > .table-bordered > tfoot > tr:last-child > td {
    border-bottom: 0;
 }
fieldset {
 min-width: 0;
 padding: 0;
 margin: 0;
 border: 0;
legend {
 display: block;
 width: 100%;
 padding: 0;
 margin-bottom: 20px;
  font-size: 21px;
  line-height: inherit;
  color: #333;
 border: 0;
 border-bottom: 1px solid #e5e5e5;
label {
 display: inline-block;
 max-width: 100%;
 margin-bottom: 5px;
 font-weight: bold;
input[type="search"] {
  -webkit-box-sizing: border-box;
     -moz-box-sizing: border-box;
```

```
box-sizing: border-box;
input[type="radio"],
input[type="checkbox"] {
 margin: 4px 0 0;
  margin-top: 1px \9;
  line-height: normal;
input[type="file"] {
  display: block;
input[type="range"] {
  display: block;
  width: 100%;
select[multiple],
select[size] {
  height: auto;
input[type="file"]:focus,
input[type="radio"]:focus,
input[type="checkbox"]:focus {
  outline: 5px auto -webkit-focus-ring-color;
  outline-offset: -2px;
output {
  display: block;
  padding-top: 7px;
  font-size: 14px;
  line-height: 1.42857143;
  color: #555;
.form-control {
  display: block;
  width: 100%;
  height: 34px;
  padding: 6px 12px;
  font-size: 14px;
  line-height: 1.42857143;
  color: #555;
  background-color: #fff;
  background-image: none;
  border: 1px solid #ccc;
  border-radius: 4px;
  -webkit-box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075);
          box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075);
  -webkit-transition: border-color ease-in-out .15s, -webkit-box-shadow ease-in-out .15s;
       -o-transition: border-color ease-in-out .15s, box-shadow ease-in-out .15s;
          transition: border-color ease-in-out .15s, box-shadow ease-in-out .15s;
.form-control:focus {
  border-color: #66afe9;
  outline: 0;
  -webkit-box-shadow: inset 0 1px 1px rgba(0,0,0,0,075), 0 0 8px rgba(102, 175, 233, .6);
          box-shadow: inset 0 1px 1px rgba(0,0,0,.075), 0 0 8px rgba(102, 175, 233, .6);
.form-control::-moz-placeholder {
  color: #999;
  opacity: 1;
.form-control:-ms-input-placeholder {
 color: #999;
.form-control::-webkit-input-placeholder {
  color: #999;
.form-control::-ms-expand {
  background-color: transparent;
  border: 0;
}
.form-control[disabled],
.form-control[readonly],
fieldset[disabled] .form-control {
```

```
background-color: #eee;
  opacity: 1;
.form-control[disabled],
fieldset[disabled] .form-control {
  cursor: not-allowed;
textarea.form-control {
  height: auto;
input[type="search"] {
  -webkit-appearance: none;
@media screen and (-webkit-min-device-pixel-ratio: 0) {
  input[type="date"].form-control,
  input[type="time"].form-control,
  input[type="datetime-local"].form-control,
  input[type="month"].form-control {
    line-height: 34px;
  input[type="date"].input-sm,
  input[type="time"].input-sm,
  input[type="datetime-local"].input-sm,
  input[type="month"].input-sm,
  .input-group-sm input[type="date"],
  .input-group-sm input[type="time"],
  .input-group-sm input[type="datetime-local"],
  .input-group-sm input[type="month"] {
    line-height: 30px;
  input[type="date"].input-lg,
  input[type="time"].input-lg,
  input[type="datetime-local"].input-lg,
  input[type="month"].input-lg,
  .input-group-lg input[type="date"],
  .input-group-lg input[type="time"],
  .input-group-lg input[type="datetime-local"],
  .input-group-lg input[type="month"] {
    line-height: 46px;
  }
}
.form-group {
  margin-bottom: 15px;
.radio,
.checkbox {
  position: relative;
  display: block;
  margin-top: 10px;
 margin-bottom: 10px;
.radio label,
.checkbox label {
  min-height: 20px;
  padding-left: 20px;
  margin-bottom: 0;
  font-weight: normal;
  cursor: pointer;
.radio input[type="radio"],
.radio-inline input[type="radio"],
.checkbox input[type="checkbox"],
.checkbox-inline input[type="checkbox"] {
  position: absolute;
  margin-top: 4px \9;
  margin-left: -20px;
.radio + .radio,
.checkbox + .checkbox {
 margin-top: -5px;
.radio-inline,
.checkbox-inline {
```

```
position: relative;
  display: inline-block;
  padding-left: 20px;
  margin-bottom: 0;
  font-weight: normal;
  vertical-align: middle;
  cursor: pointer;
.radio-inline + .radio-inline,
.checkbox-inline + .checkbox-inline {
 margin-top: 0;
  margin-left: 10px;
input[type="radio"][disabled];
input[type="checkbox"][disabled],
input[type="radio"].disabled,
input[type="checkbox"].disabled,
fieldset[disabled] input[type="radio"],
fieldset[disabled] input[type="checkbox"] {
  cursor: not-allowed;
.radio-inline.disabled,
.checkbox-inline.disabled,
fieldset[disabled] .radio-inline,
fieldset[disabled] .checkbox-inline {
  cursor: not-allowed;
.radio.disabled label,
.checkbox.disabled label,
fieldset[disabled] .radio label,
fieldset[disabled] .checkbox label {
  cursor: not-allowed;
.form-control-static {
  min-height: 34px;
  padding-top: 7px;
  padding-bottom: 7px;
  margin-bottom: 0;
.form-control-static.input-lg,
.form-control-static.input-sm {
  padding-right: 0;
  padding-left: 0;
.input-sm {
  height: 30px;
  padding: 5px 10px;
  font-size: 12px;
  line-height: 1.5;
  border-radius: 3px;
select.input-sm {
  height: 30px;
  line-height: 30px;
textarea.input-sm,
select[multiple].input-sm {
  height: auto;
.form-group-sm .form-control \{
  height: 30px;
  padding: 5px 10px;
  font-size: 12px;
  line-height: 1.5;
  border-radius: 3px;
.form-group-sm select.form-control {
  height: 30px;
  line-height: 30px;
.form-group-sm textarea.form-control,
.form-group-sm select[multiple].form-control {
  height: auto;
```

```
.form-group-sm .form-control-static {
  height: 30px;
  min-height: 32px;
  padding: 6px 10px;
  font-size: 12px;
  line-height: 1.5;
.input-lg {
  height: 46px;
  padding: 10px 16px;
  font-size: 18px;
  line-height: 1.3333333;
  border-radius: 6px;
select.input-lg {
  height: 46px;
  line-height: 46px;
textarea.input-lg,
select[multiple].input-lg {
  height: auto;
.form-group-lg .form-control {
  height: 46px;
  padding: 10px 16px;
  font-size: 18px;
  line-height: 1.3333333;
  border-radius: 6px;
.form-group-lg select.form-control {
  height: 46px;
  line-height: 46px;
.form-group-lg textarea.form-control,
.form-group-lg select[multiple].form-control {
  height: auto;
.form-group-lg .form-control-static {
 height: 46px;
  min-height: 38px;
  padding: 11px 16px;
  font-size: 18px;
  line-height: 1.3333333;
.has-feedback {
  position: relative;
.has-feedback .form-control {
 padding-right: 42.5px;
.form-control-feedback {
  position: absolute;
  top: 0;
  right: 0;
  z-index: 2;
  display: block;
  width: 34px;
  height: 34px;
  line-height: 34px;
  text-align: center;
  pointer-events: none;
.input-lg + .form-control-feedback,
.input-group-lg + .form-control-feedback,
.form-group-lg .form-control + .form-control-feedback {
  width: 46px;
  height: 46px;
  line-height: 46px;
.input-sm + .form-control-feedback,
.input-group-sm + .form-control-feedback,
.form-group-sm .form-control + .form-control-feedback {
  width: 30px;
```

```
height: 30px;
  line-height: 30px;
.has-success .help-block,
.has-success .control-label,
.has-success .radio,
.has-success .checkbox
.has-success .radio-inline,
.has-success .checkbox-inline,
.has-success.radio label,
.has-success.checkbox label,
.has-success.radio-inline label,
.has-success.checkbox-inline label {
 color: #3c763d;
}
.has-success .form-control {
 border-color: #3c763d;
  -webkit-box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075);
          box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075);
.has-success .form-control:focus {
 border-color: #2b542c;
  -webkit-box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075), 0 0 6px #67b168;
          box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075), 0 0 6px #67b168;
.has-success .input-group-addon {
  color: #3c763d;
 background-color: #dff0d8;
 border-color: #3c763d;
.has-success .form-control-feedback {
 color: #3c763d;
}
.has-warning .help-block,
.has-warning .control-label,
.has-warning .radio,
.has-warning .checkbox
.has-warning .radio-inline,
.has-warning .checkbox-inline,
.has-warning.radio label,
.has-warning.checkbox label
.has-warning.radio-inline label,
.has-warning.checkbox-inline label {
 color: #8a6d3b;
.has-warning .form-control {
 border-color: #8a6d3b;
  -webkit-box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075);
          box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075);
.has-warning .form-control:focus {
 border-color: #66512c;
  -webkit-box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075), 0 0 6px #c0a16b;
          box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075), 0 0 6px #c0a16b;
.has-warning .input-group-addon {
 color: #8a6d3b;
 background-color: #fcf8e3;
 border-color: #8a6d3b;
.has-warning .form-control-feedback {
 color: #8a6d3b;
}
.has-error .help-block,
.has-error .control-label,
.has-error .radio,
.has-error .checkbox,
.has-error .radio-inline,
.has-error .checkbox-inline,
.has-error.radio label,
.has-error.checkbox label,
.has-error.radio-inline label,
.has-error.checkbox-inline label {
 color: #a94442;
```

```
.has-error .form-control {
 border-color: #a94442;
  -webkit-box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075);
         box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075);
.has-error .form-control:focus {
 border-color: #843534;
  -webkit-box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075), 0 0 6px #ce8483;
         box-shadow: inset 0 1px 1px rgba(0, 0, 0, .075), 0 0 6px #ce8483;
.has-error .input-group-addon {
 color: #a94442;
 background-color: #f2dede;
 border-color: #a94442;
.has-error .form-control-feedback {
 color: #a94442;
}
.has-feedback label ~ .form-control-feedback {
 top: 25px;
.has-feedback label.sr-only ~ .form-control-feedback {
 top: 0;
.help-block {
 display: block;
 margin-top: 5px;
 margin-bottom: 10px;
 color: #737373;
@media (min-width: 768px) {
  .form-inline .form-group {
   display: inline-block;
   margin-bottom: 0;
   vertical-align: middle;
  .form-inline .form-control {
   display: inline-block;
   width: auto;
   vertical-align: middle;
  .form-inline .form-control-static {
   display: inline-block;
  .form-inline .input-group {
   display: inline-table;
   vertical-align: middle;
  .form-inline .input-group .input-group-addon,
  .form-inline .input-group .input-group-btn,
  .form-inline .input-group .form-control {
   width: auto;
 }
  .form-inline .input-group > .form-control {
   width: 100%;
  .form-inline .control-label {
   margin-bottom: 0;
   vertical-align: middle;
  .form-inline .radio,
  .form-inline .checkbox {
   display: inline-block;
   margin-top: 0;
   margin-bottom: 0;
   vertical-align: middle;
  .form-inline .radio label,
  .form-inline .checkbox label {
   padding-left: 0;
  .form-inline .radio input[type="radio"],
```

```
.form-inline .checkbox input[type="checkbox"] {
    position: relative;
    margin-left: 0;
  }
  .form-inline .has-feedback .form-control-feedback {
    top: 0;
  }
}
.form-horizontal .radio,
.form-horizontal .checkbox,
.form-horizontal .radio-inline,
.form-horizontal .checkbox-inline {
  padding-top: 7px;
  margin-top: 0;
  margin-bottom: 0;
.form-horizontal .radio,
.form-horizontal .checkbox {
  min-height: 27px;
.form-horizontal .form-group {
  margin-right: -15px;
  margin-left: -15px;
@media (min-width: 768px) {
   .form-horizontal .control-label {
    padding-top: 7px;
    margin-bottom: 0;
    text-align: right;
  }
.form-horizontal .has-feedback .form-control-feedback {
  right: 15px;
@media (min-width: 768px) {
  . for m-horizontal \ . for m-group-lg \ . control-label \ \{
    padding-top: 11px;
    font-size: 18px;
  }
@media (min-width: 768px) {
  .form-horizontal .form-group-sm .control-label {
    padding-top: 6px;
    font-size: 12px;
  }
}
.btn {
  display: inline-block;
  padding: 6px 12px;
  margin-bottom: 0;
  font-size: 14px;
  font-weight: normal;
  line-height: 1.42857143;
  text-align: center;
  white-space: nowrap;
  vertical-align: middle;
  -ms-touch-action: manipulation;
      touch-action: manipulation;
  cursor: pointer;
  -webkit-user-select: none;
     -moz-user-select: none;
      -ms-user-select: none;
          user-select: none;
  background-image: none;
  border: 1px solid transparent;
  border-radius: 4px;
.btn:focus,
.btn:active:focus,
.btn.active:focus,
.btn.focus,
.btn:active.focus,
.btn.active.focus {
```

```
outline: 5px auto -webkit-focus-ring-color;
  outline-offset: -2px;
}
.btn:hover,
.btn:focus,
.btn.focus {
  color: #333;
  text-decoration: none;
.btn:active,
.btn.active {
  background-image: none;
  outline: 0;
  -webkit-box-shadow: inset 0 3px 5px rgba(0, 0, 0, .125);
          box-shadow: inset 0 3px 5px rgba(0, 0, 0, .125);
.btn.disabled,
.btn[disabled],
fieldset[disabled] .btn {
  cursor: not-allowed;
  filter: alpha(opacity=65);
  -webkit-box-shadow: none;
          box-shadow: none;
  opacity: .65;
a.btn.disabled,
fieldset[disabled] a.btn {
  pointer-events: none;
.btn-default {
  color: #333;
  background-color: #fff;
  border-color: #ccc;
.btn-default:focus,
.btn-default.focus {
  color: #333;
  background-color: #e6e6e6;
  border-color: #8c8c8c;
.btn-default:hover {
  color: #333;
  background-color: #e6e6e6;
  border-color: #adadad;
.btn-default:active,
.btn-default.active,
.open > .dropdown-toggle.btn-default {
  color: #333;
  background-color: #e6e6e6;
  border-color: #adadad;
.btn-default:active:hover,
.btn-default.active:hover,
.open > .dropdown-toggle.btn-default:hover,
.btn-default:active:focus,
.btn-default.active:focus,
.open > .dropdown-toggle.btn-default:focus,
.btn-default:active.focus,
.btn-default.active.focus,
.open > .dropdown-toggle.btn-default.focus {
  color: #333;
  background-color: #d4d4d4;
  border-color: #8c8c8c;
}
.btn-default:active,
.btn-default.active,
.open > .dropdown-toggle.btn-default {
  background-image: none;
}
.btn-default.disabled:hover,
.btn-default[disabled]:hover,
fieldset[disabled] .btn-default:hover,
.btn-default.disabled:focus,
```

```
.btn-default[disabled]:focus,
fieldset[disabled] .btn-default:focus,
.btn-default.disabled.focus,
.btn-default[disabled].focus,
fieldset[disabled] .btn-default.focus {
  background-color: #fff;
  border-color: #ccc;
.btn-default .badge {
  color: #fff;
  background-color: #333;
}
.btn-primary {
  color: #fff;
  background-color: #337ab7;
  border-color: #2e6da4;
}
.btn-primary:focus,
.btn-primary.focus {
  color: #fff;
  background-color: #286090;
  border-color: #122b40;
.btn-primary:hover {
  color: #fff;
  background-color: #286090;
  border-color: #204d74;
.btn-primary:active,
.btn-primary.active,
.open > .dropdown-toggle.btn-primary {
  color: #fff;
  background-color: #286090;
  border-color: #204d74;
.btn-primary:active:hover,
.btn-primary.active:hover,
.open > .dropdown-toggle.btn-primary:hover,
.btn-primary:active:focus,
.btn-primary.active:focus,
.open > .dropdown-toggle.btn-primary:focus,
.btn-primary:active.focus,
.btn-primary.active.focus,
.open > .dropdown-toggle.btn-primary.focus {
  color: #fff;
  background-color: #204d74;
  border-color: #122b40;
.btn-primary:active,
.btn-primary.active,
.open > .dropdown-toggle.btn-primary {
  background-image: none;
.btn-primary.disabled:hover,
.btn-primary[disabled]:hover,
fieldset[disabled] .btn-primary:hover,
.btn-primary.disabled:focus,
.btn-primary[disabled]:focus,
fieldset[disabled] .btn-primary:focus,
.btn-primary.disabled.focus,
.btn-primary[disabled].focus,
fieldset[disabled] .btn-primary.focus {
  background-color: #337ab7;
  border-color: #2e6da4;
.btn-primary .badge {
  color: #337ab7;
  background-color: #fff;
.btn-success {
  color: #fff;
  background-color: #5cb85c;
  border-color: #4cae4c;
}
```

```
.btn-success:focus,
.btn-success.focus {
  color: #fff;
  background-color: #449d44;
  border-color: #255625;
.btn-success:hover {
  color: #fff;
  background-color: #449d44;
  border-color: #398439;
.btn-success:active,
.btn-success.active,
.open > .dropdown-toggle.btn-success {
  color: #fff;
  background-color: #449d44;
  border-color: #398439;
}
.btn-success:active:hover,
.btn-success.active:hover,
.open > .dropdown-toggle.btn-success:hover,
.btn-success:active:focus,
.btn-success.active:focus,
.open > .dropdown-toggle.btn-success:focus,
.btn-success:active.focus,
.btn-success.active.focus,
.open > .dropdown-toggle.btn-success.focus {
  color: #fff;
  background-color: #398439;
  border-color: #255625;
}
.btn-success:active,
.btn-success.active,
.open > .dropdown-toggle.btn-success {
  background-image: none;
.btn-success.disabled:hover,
.btn-success[disabled]:hover,
fieldset[disabled] .btn-success:hover,
.btn-success.disabled:focus,
.btn-success[disabled]:focus,
fieldset[disabled] .btn-success:focus,
.btn-success.disabled.focus,
.btn-success[disabled].focus,
fieldset[disabled] .btn-success.focus {
  background-color: #5cb85c;
  border-color: #4cae4c;
}
.btn-success .badge {
  color: #5cb85c;
  background-color: #fff;
.btn-info {
  color: #fff;
  background-color: #5bc0de;
  border-color: #46b8da;
}
.btn-info:focus,
.btn-info.focus {
  color: #fff:
  background-color: #31b0d5;
  border-color: #1b6d85;
.btn-info:hover {
  color: #fff;
  background-color: #31b0d5;
  border-color: #269abc;
.btn-info:active,
.btn-info.active,
.open > .dropdown-toggle.btn-info {
  color: #fff;
  background-color: #31b0d5;
  border-color: #269abc;
```

```
.btn-info:active:hover,
.btn-info.active:hover,
.open > .dropdown-toggle.btn-info:hover,
.btn-info:active:focus,
.btn-info.active:focus,
.open > .dropdown-toggle.btn-info:focus,
.btn-info:active.focus,
.btn-info.active.focus,
.open > .dropdown-toggle.btn-info.focus {
  color: #fff;
  background-color: #269abc;
  border-color: #1b6d85;
.btn-info:active,
.btn-info.active,
.open > .dropdown-toggle.btn-info {
  background-image: none;
.btn-info.disabled:hover,
.btn-info[disabled]:hover,
fieldset[disabled] .btn-info:hover,
.btn-info.disabled:focus,
.btn-info[disabled]:focus,
fieldset[disabled] .btn-info:focus,
.btn-info.disabled.focus,
.btn-info[disabled].focus,
fieldset[disabled] .btn-info.focus {
  background-color: #5bc0de;
  border-color: #46b8da;
}
.btn-info .badge {
  color: #5bc0de;
  background-color: #fff;
.btn-warning {
  color: #fff;
  background-color: #f0ad4e;
  border-color: #eea236;
.btn-warning:focus,
.btn-warning.focus {
  color: #fff;
  background-color: #ec971f;
  border-color: #985f0d;
.btn-warning:hover {
  color: #fff;
  background-color: #ec971f;
  border-color: #d58512;
.btn-warning:active,
.btn-warning.active,
.open > .dropdown-toggle.btn-warning {
  color: #fff;
  background-color: #ec971f;
  border-color: #d58512;
.btn-warning:active:hover,
.btn-warning.active:hover,
.open > .dropdown-toggle.btn-warning:hover,
.btn-warning:active:focus,
.btn-warning.active:focus,
.open > .dropdown-toggle.btn-warning:focus,
.btn-warning:active.focus,
.btn-warning.active.focus,
.open > .dropdown-toggle.btn-warning.focus {
  color: #fff;
  background-color: #d58512;
  border-color: #985f0d;
.btn-warning:active,
.btn-warning.active,
.open > .dropdown-toggle.btn-warning {
  background-image: none;
```

```
.btn-warning.disabled:hover,
.btn-warning[disabled]:hover,
fieldset[disabled] .btn-warning:hover,
.btn-warning.disabled:focus,
.btn-warning[disabled]:focus;
fieldset[disabled] .btn-warning:focus,
.btn-warning.disabled.focus,
.btn-warning[disabled].focus,
fieldset[disabled] .btn-warning.focus {
  background-color: #f0ad4e;
  border-color: #eea236;
.btn-warning .badge {
  color: #f0ad4e;
  background-color: #fff;
.btn-danger {
  color: #fff;
  background-color: #d9534f;
  border-color: #d43f3a;
.btn-danger:focus,
.btn-danger.focus {
  color: #fff;
  background-color: #c9302c;
  border-color: #761c19;
.btn-danger:hover {
  color: #fff;
  background-color: #c9302c;
  border-color: #ac2925;
}
.btn-danger:active,
.btn-danger.active,
.open > .dropdown-toggle.btn-danger {
  color: #fff;
  background-color: #c9302c;
  border-color: #ac2925;
.btn-danger:active:hover,
.btn-danger.active:hover,
.open > .dropdown-toggle.btn-danger:hover,
.btn-danger:active:focus,
.btn-danger.active:focus,
.open > .dropdown-toggle.btn-danger:focus,
.btn-danger:active.focus,
.btn-danger.active.focus,
.open > .dropdown-toggle.btn-danger.focus {
  color: #fff;
  background-color: #ac2925;
  border-color: #761c19;
.btn-danger:active,
.btn-danger.active,
.open > .dropdown-toggle.btn-danger {
  background-image: none;
.btn-danger.disabled:hover,
.btn-danger[disabled]:hover,
fieldset[disabled] .btn-danger:hover,
.btn-danger.disabled:focus,
.btn-danger[disabled]:focus,
fieldset[disabled] .btn-danger:focus,
.btn-danger.disabled.focus,
.btn-danger[disabled].focus,
fieldset[disabled] .btn-danger.focus {
  background-color: #d9534f;
  border-color: #d43f3a;
.btn-danger .badge {
  color: #d9534f;
  background-color: #fff;
.btn-link {
```

```
font-weight: normal;
  color: #337ab7;
  border-radius: 0;
}
.btn-link,
.btn-link:active,
.btn-link.active,
.btn-link[disabled],
fieldset[disabled] .btn-link {
  background-color: transparent;
  -webkit-box-shadow: none;
          box-shadow: none;
}
.btn-link,
.btn-link:hover,
.btn-link:focus,
.btn-link:active {
  border-color: transparent;
.btn-link:hover,
.btn-link:focus {
  color: #23527c;
  text-decoration: underline;
  background-color: transparent;
.btn-link[disabled]:hover,
fieldset[disabled] .btn-link:hover,
.btn-link[disabled]:focus,
fieldset[disabled] .btn-link:focus {
  color: #777;
  text-decoration: none;
}
.btn-lg,
.btn-group-lg > .btn {
  padding: 10px 16px;
  font-size: 18px;
  line-height: 1.3333333;
  border-radius: 6px;
}
.btn-sm,
.btn-group-sm > .btn {
  padding: 5px 10px;
  font-size: 12px;
  line-height: 1.5;
  border-radius: 3px;
.btn-xs,
.btn-group-xs > .btn {
  padding: 1px 5px;
  font-size: 12px;
  line-height: 1.5;
  border-radius: 3px;
.btn-block {
   display: block;
  width: 100%;
.btn-block + .btn-block {
  margin-top: 5px;
input[type="submit"].btn-block,
input[type="reset"].btn-block,
input[type="button"].btn-block {
  width: 100%;
.fade {
  opacity: 0;
  -webkit-transition: opacity .15s linear;
       -o-transition: opacity .15s linear;
           transition: opacity .15s linear;
.fade.in {
  opacity: 1;
```

```
.collapse {
 display: none;
}
.collapse.in {
 display: block;
tr.collapse.in {
 display: table-row;
tbody.collapse.in {
 display: table-row-group;
.collapsing {
 position: relative;
 heiaht: 0:
 overflow: hidden;
  -webkit-transition-timing-function: ease;
       -o-transition-timing-function: ease;
         transition-timing-function: ease;
  -webkit-transition-duration: .35s;
       -o-transition-duration: .35s;
          transition-duration: .35s;
  -webkit-transition-property: height, visibility;
       -o-transition-property: height, visibility;
          transition-property: height, visibility;
.caret {
 display: inline-block;
 width: 0;
 height: 0;
 margin-left: 2px;
 vertical-align: middle;
 border-top: 4px dashed;
 border-top: 4px solid \9;
 border-right: 4px solid transparent;
 border-left: 4px solid transparent;
.dropup,
.dropdown {
 position: relative;
.dropdown-toggle:focus {
 outline: 0;
.dropdown-menu {
 position: absolute;
  top: 100%;
 left: 0;
  z-index: 1000;
 display: none;
  float: left;
 min-width: 160px;
 padding: 5px 0;
 margin: 2px 0 0;
  font-size: 14px;
  text-align: left;
  list-style: none;
 background-color: #fff;
  -webkit-background-clip: padding-box;
          background-clip: padding-box;
 border: 1px solid #ccc;
 border: 1px solid rgba(0, 0, 0, .15);
 border-radius: 4px;
  -webkit-box-shadow: 0 6px 12px rgba(0, 0, 0, .175);
          box-shadow: 0 6px 12px rgba(0, 0, 0, .175);
.dropdown-menu.pull-right {
 right: 0;
  left: auto;
.dropdown-menu .divider {
 height: 1px;
 margin: 9px 0;
```

```
overflow: hidden;
 background-color: #e5e5e5;
.dropdown-menu > li > a {
 display: block;
 padding: 3px 20px;
 clear: both;
  font-weight: normal;
  line-height: 1.42857143;
 color: #333;
 white-space: nowrap;
.dropdown-menu > li > a:hover,
.dropdown-menu > li > a:focus {
 color: #262626;
 text-decoration: none;
 background-color: #f5f5f5;
.dropdown-menu > .active > a,
.dropdown-menu > .active > a:hover,
.dropdown-menu > .active > a:focus {
 color: #fff;
 text-decoration: none;
 background-color: #337ab7;
 outline: 0;
.dropdown-menu > .disabled > a,
.dropdown-menu > .disabled > a:hover,
.dropdown-menu > .disabled > a:focus {
 color: #777;
.dropdown-menu > .disabled > a:hover,
.dropdown-menu > .disabled > a:focus {
  text-decoration: none;
 cursor: not-allowed;
 background-color: transparent;
 background-image: none;
  filter: progid:DXImageTransform.Microsoft.gradient(enabled = false);
.open > .dropdown-menu {
 display: block;
.open > a {
 outline: 0;
.dropdown-menu-right {
 right: 0;
  left: auto;
.dropdown-menu-left {
 right: auto;
  left: 0;
.dropdown-header {
 display: block;
 padding: 3px 20px;
 font-size: 12px;
  line-height: 1.42857143;
 color: #777;
 white-space: nowrap;
.dropdown-backdrop {
 position: fixed;
 top: 0;
 right: 0;
 bottom: 0;
 left: 0;
 z-index: 990;
.pull-right > .dropdown-menu {
 right: 0;
  left: auto;
```

```
.dropup .caret,
.navbar-fixed-bottom .dropdown .caret {
  content: "";
  border-top: 0;
  border-bottom: 4px dashed;
  border-bottom: 4px solid \9;
.dropup .dropdown-menu,
.navbar-fixed-bottom .dropdown .dropdown-menu {
  top: auto;
  bottom: 100%;
  margin-bottom: 2px;
@media (min-width: 768px) {
  .navbar-right .dropdown-menu {
    right: 0;
    left: auto;
  }
  .navbar-right .dropdown-menu-left {
    right: auto;
    left: 0;
  }
.btn-group,
.btn-group-vertical {
  position: relative;
  display: inline-block;
  vertical-align: middle;
.btn-group > .btn,
.btn-group-vertical > .btn {
  position: relative;
  float: left;
.btn-group > .btn:hover,
.btn-group-vertical > .btn:hover,
.btn-group > .btn:focus,
.btn-group-vertical > .btn:focus,
.btn-group > .btn:active,
.btn-group-vertical > .btn:active,
.btn-group > .btn.active,
.btn-group-vertical > .btn.active {
  z-index: 2;
}
.btn-group .btn + .btn,
.btn-group .btn + .btn-group,
.btn-group .btn-group + .btn,
.btn-group .btn-group + .btn-group {
 margin-left: -1px;
}
.btn-toolbar {
  margin-left: -5px;
.btn-toolbar .btn,
.btn-toolbar .btn-group,
.btn-toolbar .input-group {
  float: left;
.btn-toolbar > .btn,
.btn-toolbar > .btn-group,
.btn-toolbar > .input-group {
  margin-left: 5px;
}
.btn-group > .btn:not(:first-child):not(:last-child):not(.dropdown-toggle) {
  border-radius: 0;
.btn-group > .btn:first-child {
  margin-left: 0;
.btn-group > .btn:first-child:not(:last-child):not(.dropdown-toggle) {
  border-top-right-radius: 0;
  border-bottom-right-radius: 0;
.btn-group > .btn:last-child:not(:first-child),
```

```
.btn-group > .dropdown-toggle:not(:first-child) {
  border-top-left-radius: 0;
  border-bottom-left-radius: 0;
.btn-group > .btn-group {
  float: left;
.btn-group > .btn-group:not(:first-child):not(:last-child) > .btn {
  border-radius: 0;
}
.btn-group > .btn-group:first-child:not(:last-child) > .btn:last-child,
.btn-group > .btn-group:first-child:not(:last-child) > .dropdown-toggle {
  border-top-right-radius: 0;
  border-bottom-right-radius: 0;
.btn-group > .btn-group:last-child:not(:first-child) > .btn:first-child {
  border-top-left-radius: 0;
  border-bottom-left-radius: 0;
}
.btn-group .dropdown-toggle:active,
.btn-group.open .dropdown-toggle {
  outline: 0;
.btn-group > .btn + .dropdown-toggle {
  padding-right: 8px;
  padding-left: 8px;
.btn-group > .btn-lg + .dropdown-toggle {
  padding-right: 12px;
  padding-left: 12px;
.btn-group.open .dropdown-toggle {
  -webkit-box-shadow: inset 0 3px 5px rgba(0, 0, 0, .125);
          box-shadow: inset 0 3px 5px rgba(0, 0, 0, .125);
.btn-group.open .dropdown-toggle.btn-link {
  -webkit-box-shadow: none;
          box-shadow: none;
.btn .caret {
  margin-left: 0;
.btn-lg .caret {
  border-width: 5px 5px 0;
  border-bottom-width: 0;
.dropup .btn-lg .caret {
  border-width: 0 5px 5px;
.btn-group-vertical > .btn,
.btn-group-vertical > .btn-group,
.btn-group-vertical > .btn-group > .btn {
  display: block;
  float: none;
  width: 100%:
  max-width: 100%;
.btn-group-vertical > .btn-group > .btn {
  float: none;
.btn-group-vertical > .btn + .btn,
.btn-group-vertical > .btn + .btn-group,
.btn-group-vertical > .btn-group + .btn,
.btn-group-vertical > .btn-group + .btn-group {
 margin-top: -1px;
  margin-left: 0;
.btn-group-vertical > .btn:not(:first-child):not(:last-child) {
  border-radius: 0;
.btn-group-vertical > .btn:first-child:not(:last-child) {
  border-top-left-radius: 4px;
  border-top-right-radius: 4px;
  border-bottom-right-radius: 0;
```

```
border-bottom-left-radius: 0;
.btn-group-vertical > .btn:last-child:not(:first-child) {
 border-top-left-radius: 0;
 border-top-right-radius: 0;
 border-bottom-right-radius: 4px;
 border-bottom-left-radius: 4px;
.btn-group-vertical > .btn-group:not(:first-child):not(:last-child) > .btn {
 border-radius: 0;
.btn-group-vertical > .btn-group:first-child:not(:last-child) > .btn:last-child,
.btn-group-vertical > .btn-group:first-child:not(:last-child) > .dropdown-toggle {
 border-bottom-right-radius: 0;
 border-bottom-left-radius: 0;
.btn-group-vertical > .btn-group:last-child:not(:first-child) > .btn:first-child {
 border-top-left-radius: 0;
 border-top-right-radius: 0;
.btn-group-justified {
 display: table;
 width: 100%;
 table-layout: fixed;
 border-collapse: separate;
.btn-group-justified > .btn,
.btn-group-justified > .btn-group {
  display: table-cell;
 float: none;
 width: 1%;
.btn-group-justified > .btn-group .btn {
 width: 100%;
.btn-group-justified > .btn-group .dropdown-menu {
 left: auto;
[data-toggle="buttons"] > .btn input[type="radio"],
[data-toggle="buttons"] > .btn-group > .btn input[type="radio"],
[data-toggle="buttons"] > .btn input[type="checkbox"],
[data-toggle="buttons"] > .btn-group > .btn input[type="checkbox"] {
 position: absolute;
 clip: rect(0, 0, 0, 0);
 pointer-events: none;
.input-group {
 position: relative;
 display: table;
 border-collapse: separate;
.input-group[class*="col-"] {
 float: none;
 padding-right: 0;
 padding-left: 0;
.input-group .form-control {
 position: relative;
 z-index: 2;
 float: left;
 width: 100%;
 margin-bottom: 0;
.input-group .form-control:focus {
 z-index: 3;
.input-group-lg > .form-control,
.input-group-lg > .input-group-addon,
.input-group-lg > .input-group-btn > .btn {
 height: 46px;
 padding: 10px 16px;
  font-size: 18px;
 line-height: 1.3333333;
 border-radius: 6px;
```

```
select.input-group-lg > .form-control,
select.input-group-lg > .input-group-addon,
select.input-group-lg > .input-group-btn > .btn {
 height: 46px;
  line-height: 46px;
textarea.input-group-lg > .form-control,
textarea.input-group-lg > .input-group-addon,
textarea.input-group-lg > .input-group-btn > .btn,
select[multiple].input-group-lg > .form-control,
select[multiple].input-group-lg > .input-group-addon,
select[multiple].input-group-lg > .input-group-btn > .btn {
 height: auto;
.input-group-sm > .form-control,
.input-group-sm > .input-group-addon,
.input-group-sm > .input-group-btn > .btn {
 height: 30px;
 padding: 5px 10px;
  font-size: 12px;
  line-height: 1.5;
 border-radius: 3px;
select.input-group-sm > .form-control,
select.input-group-sm > .input-group-addon,
select.input-group-sm > .input-group-btn > .btn {
 height: 30px;
  line-height: 30px;
textarea.input-group-sm > .form-control,
textarea.input-group-sm > .input-group-addon,
textarea.input-group-sm > .input-group-btn > .btn,
select[multiple].input-group-sm > .form-control,
select[multiple].input-group-sm > .input-group-addon,
select[multiple].input-group-sm > .input-group-btn > .btn {
 height: auto;
}
.input-group-addon,
.input-group-btn,
.input-group .form-control {
 display: table-cell;
.input-group-addon:not(:first-child):not(:last-child),
.input-group-btn:not(:first-child):not(:last-child),
.input-group .form-control:not(:first-child):not(:last-child) {
 border-radius: 0;
.input-group-addon,
.input-group-btn {
 width: 1%:
 white-space: nowrap;
 vertical-align: middle;
.input-group-addon {
 padding: 6px 12px;
  font-size: 14px;
  font-weight: normal;
  line-height: 1;
 color: #555:
  text-align: center;
 background-color: #eee;
 border: 1px solid #ccc;
 border-radius: 4px;
.input-group-addon.input-sm {
 padding: 5px 10px;
  font-size: 12px;
 border-radius: 3px;
.input-group-addon.input-lg {
 padding: 10px 16px;
  font-size: 18px;
 border-radius: 6px;
```

```
.input-group-addon input[type="radio"],
.input-group-addon input[type="checkbox"] {
 margin-top: 0;
}
.input-group .form-control:first-child,
.input-group-addon:first-child,
.input-group-btn:first-child > .btn,
.input-group-btn:first-child > .btn-group > .btn,
.input-group-btn:first-child > .dropdown-toggle,
.input-group-btn:last-child > .btn:not(:last-child):not(.dropdown-toggle),
.input-group-btn:last-child > .btn-group:not(:last-child) > .btn {
  border-top-right-radius: 0;
  border-bottom-right-radius: 0;
.input-group-addon:first-child {
  border-right: 0;
.input-group .form-control:last-child,
.input-group-addon:last-child,
.input-group-btn:last-child > .btn,
.input-group-btn:last-child > .btn-group > .btn,
.input-group-btn:last-child > .dropdown-toggle,
.input-group-btn:first-child > .btn:not(:first-child),
.input-group-btn:first-child > .btn-group:not(:first-child) > .btn {
  border-top-left-radius: 0;
  border-bottom-left-radius: 0;
.input-group-addon:last-child {
  border-left: 0;
.input-group-btn {
  position: relative;
  font-size: 0;
  white-space: nowrap;
.input-group-btn > .btn {
  position: relative;
.input-group-btn > .btn + .btn {
  margin-left: -1px;
.input-group-btn > .btn:hover,
.input-group-btn > .btn:focus,
.input-group-btn > .btn:active {
  z-index: 2;
.input-group-btn:first-child > .btn,
.input-group-btn:first-child > .btn-group {
  margin-right: -1px;
.input-group-btn:last-child > .btn,
.input-group-btn:last-child > .btn-group {
  z-index: 2;
  margin-left: -1px;
}
.nav {
  padding-left: 0;
  margin-bottom: 0;
  list-style: none;
}
.nav > li {
 position: relative;
  display: block;
.nav > li > a {
  position: relative;
  display: block;
  padding: 10px 15px;
.nav > li > a:hover,
.nav > li > a:focus {
  text-decoration: none;
  background-color: #eee;
```

```
.nav > li.disabled > a {
  color: #777;
.nav > li.disabled > a:hover,
.nav > li.disabled > a:focus {
  color: #777;
 text-decoration: none;
  cursor: not-allowed;
  background-color: transparent;
.nav .open > a,
.nav .open > a:hover,
.nav .open > a:focus {
 background-color: #eee;
  border-color: #337ab7;
.nav .nav-divider {
 height: 1px;
  margin: 9px 0;
  overflow: hidden;
  background-color: #e5e5e5;
.nav > li > a > img {
 max-width: none;
.nav-tabs {
  border-bottom: 1px solid #ddd;
.nav-tabs > li {
  float: left;
  margin-bottom: -1px;
.nav-tabs > li > a {
  margin-right: 2px;
  line-height: 1.42857143;
  border: 1px solid transparent;
  border-radius: 4px 4px 0 0;
.nav-tabs > li > a:hover {
  border-color: #eee #eee #ddd;
.nav-tabs > li.active > a,
.nav-tabs > li.active > a:hover,
.nav-tabs > li.active > a:focus {
  color: #555;
  cursor: default;
  background-color: #fff;
 border: 1px solid #ddd;
  border-bottom-color: transparent;
}
.nav-tabs.nav-justified {
  width: 100%;
  border-bottom: 0;
.nav-tabs.nav-justified > li {
  float: none;
}
.nav-tabs.nav-justified > li > a {
 margin-bottom: 5px;
  text-align: center;
.nav-tabs.nav-justified > .dropdown .dropdown-menu {
  top: auto;
  left: auto;
@media (min-width: 768px) {
  .nav-tabs.nav-justified > li {
    display: table-cell;
    width: 1%;
  }
  .nav-tabs.nav-justified > li > a {
   margin-bottom: 0;
```

```
.nav-tabs.nav-justified > li > a {
  margin-right: 0;
  border-radius: 4px;
}
.nav-tabs.nav-justified > .active > a,
.nav-tabs.nav-justified > .active > a:hover,
.nav-tabs.nav-justified > .active > a:focus {
  border: 1px solid #ddd;
(min-width: 768px) {
  .nav-tabs.nav-justified > li > a {
    border-bottom: 1px solid #ddd;
    border-radius: 4px 4px 0 0;
  .nav-tabs.nav-justified > .active > a,
  .nav-tabs.nav-justified > .active > a:hover,
  .nav-tabs.nav-justified > .active > a:focus {
   border-bottom-color: #fff;
  }
}
.nav-pills > li {
  float: left;
}
.nav-pills > li > a {
  border-radius: 4px;
.nav-pills > li + li {
  margin-left: 2px;
.nav-pills > li.active > a,
.nav-pills > li.active > a:hover,
.nav-pills > li.active > a:focus {
  color: #fff;
  background-color: #337ab7;
.nav-stacked > li {
  float: none;
}
.nav-stacked > li + li {
 margin-top: 2px;
 margin-left: 0;
.nav-justified {
  width: 100%;
.nav-justified > li {
  float: none;
.nav-justified > li > a {
 margin-bottom: 5px;
  text-align: center;
.nav-justified > .dropdown .dropdown-menu {
  top: auto;
  left: auto;
@media (min-width: 768px) {
  .nav-justified > li {
    display: table-cell;
   width: 1%;
  .nav-justified > li > a {
    margin-bottom: 0;
  }
}
.nav-tabs-justified {
  border-bottom: 0;
.nav-tabs-justified > li > a {
  margin-right: 0;
  border-radius: 4px;
.nav-tabs-justified > .active > a,
```

```
.nav-tabs-justified > .active > a:hover,
.nav-tabs-justified > .active > a:focus {
  border: 1px solid #ddd;
@media (min-width: 768px) {
  .nav-tabs-justified > li > a {
    border-bottom: 1px solid #ddd;
    border-radius: 4px 4px 0 0;
  }
  .nav-tabs-justified > .active > a,
  .nav-tabs-justified > .active > a:hover,
  .nav-tabs-justified > .active > a:focus {
    border-bottom-color: #fff;
  }
}
.tab-content > .tab-pane {
  display: none;
.tab-content > .active {
  display: block;
.nav-tabs .dropdown-menu {
  margin-top: -1px;
  border-top-left-radius: 0;
  border-top-right-radius: 0;
}
.navbar {
  position: relative;
  min-height: 50px;
 margin-bottom: 20px;
  border: 1px solid transparent;
@media (min-width: 768px) {
  .navbar {
    border-radius: 4px;
  }
@media (min-width: 768px) {
  .navbar-header {
   float: left;
}
.navbar-collapse {
  padding-right: 15px;
  padding-left: 15px;
  overflow-x: visible;
  -webkit-overflow-scrolling: touch;
  border-top: 1px solid transparent;
  -webkit-box-shadow: inset 0 1px 0 rgba(255, 255, 255, .1);
          box-shadow: inset 0 1px 0 rgba(255, 255, 255, .1);
.navbar-collapse.in {
  overflow-y: auto;
@media (min-width: 768px) {
  .navbar-collapse {
    width: auto;
    border-top: 0;
    -webkit-box-shadow: none;
            box-shadow: none;
  }
  .navbar-collapse.collapse {
    display: block !important;
    height: auto !important;
    padding-bottom: 0;
    overflow: visible !important;
  .navbar-collapse.in {
    overflow-y: visible;
  .navbar-fixed-top .navbar-collapse,
  .navbar-static-top .navbar-collapse,
  .navbar-fixed-bottom .navbar-collapse {
```

```
padding-right: 0;
    padding-left: 0;
 }
}
.navbar-fixed-top .navbar-collapse,
.navbar-fixed-bottom .navbar-collapse {
  max-height: 340px;
@media (max-device-width: 480px) and (orientation: landscape) {
  .navbar-fixed-top .navbar-collapse,
  .navbar-fixed-bottom .navbar-collapse {
   max-height: 200px;
  }
}
.container > .navbar-header,
.container-fluid > .navbar-header,
.container > .navbar-collapse,
.container-fluid > .navbar-collapse {
 margin-right: -15px;
  margin-left: -15px;
@media (min-width: 768px) {
  .container > .navbar-header,
  .container-fluid > .navbar-header,
  .container > .navbar-collapse,
  .container-fluid > .navbar-collapse {
    margin-right: 0;
    margin-left: 0;
}
.navbar-static-top {
  z-index: 1000;
  border-width: 0 0 1px;
@media (min-width: 768px) {
  .navbar-static-top {
    border-radius: 0;
  }
}
.navbar-fixed-top,
.navbar-fixed-bottom {
  position: fixed;
  right: 0;
  left: 0;
  z-index: 1030;
@media (min-width: 768px) {
  .navbar-fixed-top,
  .navbar-fixed-bottom {
    border-radius: 0;
  }
}
.navbar-fixed-top {
  top: 0;
  border-width: 0 0 1px;
.navbar-fixed-bottom {
  bottom: 0;
  margin-bottom: 0;
  border-width: 1px 0 0;
}
.navbar-brand {
  float: left;
  height: 50px;
  padding: 15px 15px;
  font-size: 18px;
  line-height: 20px;
.navbar-brand:hover,
.navbar-brand:focus {
  text-decoration: none;
.navbar-brand > img {
```

```
display: block;
@media (min-width: 768px) {
  .navbar > .container .navbar-brand,
.navbar > .container-fluid .navbar-brand {
   margin-left: -15px;
  }
.navbar-toggle {
  position: relative;
  float: right;
  padding: 9px 10px;
  margin-top: 8px;
  margin-right: 15px;
  margin-bottom: 8px;
  background-color: transparent;
  background-image: none;
  border: 1px solid transparent;
  border-radius: 4px;
.navbar-toggle:focus {
  outline: 0;
.navbar-toggle .icon-bar {
  display: block;
  width: 22px;
  height: 2px;
  border-radius: 1px;
}
.navbar-toggle .icon-bar + .icon-bar {
 margin-top: 4px;
@media (min-width: 768px) {
  .navbar-toggle {
    display: none;
  }
}
.navbar-nav {
  margin: 7.5px -15px;
.navbar-nav > li > a {
  padding-top: 10px;
  padding-bottom: 10px;
  line-height: 20px;
@media (max-width: 767px) {
  .navbar-nav .open .dropdown-menu {
    position: static;
    float: none;
    width: auto;
    margin-top: 0;
    background-color: transparent;
    border: 0;
    -webkit-box-shadow: none;
            box-shadow: none;
  }
  .navbar-nav .open .dropdown-menu > li > a,
  .navbar-nav .open .dropdown-menu .dropdown-header {
    padding: 5px 15px 5px 25px;
  .navbar-nav .open .dropdown-menu > li > a {
    line-height: 20px;
  .navbar-nav .open .dropdown-menu > li > a:hover,
  .navbar-nav .open .dropdown-menu > li > a:focus {
    background-image: none;
  }
@media (min-width: 768px) {
  .navbar-nav {
    float: left;
    margin: 0;
  }
```

```
.navbar-nav > li {
    float: left;
  .navbar-nav > li > a {
   padding-top: 15px;
    padding-bottom: 15px;
}
.navbar-form {
  padding: 10px 15px;
  margin-top: 8px;
  margin-right: -15px;
  margin-bottom: 8px;
  margin-left: -15px;
  border-top: 1px solid transparent;
  border-bottom: 1px solid transparent;
  -webkit-box-shadow: inset 0 1px 0 rgba(255, 255, .1), 0 1px 0 rgba(255, 255, .1);
          box-shadow: inset 0 1px 0 rgba(255, 255, 255, .1), 0 1px 0 rgba(255, 255, 255, .1);
@media (min-width: 768px) {
  .navbar-form .form-group {
    display: inline-block;
    margin-bottom: 0;
    vertical-align: middle;
  .navbar-form .form-control {
    display: inline-block;
    width: auto;
    vertical-align: middle;
  .navbar-form .form-control-static {
    display: inline-block;
  .navbar-form .input-group {
    display: inline-table;
    vertical-align: middle;
  .navbar-form .input-group .input-group-addon,
  .navbar-form .input-group .input-group-btn,
  .navbar-form .input-group .form-control {
   width: auto;
  .navbar-form .input-group > .form-control {
   width: 100%;
  .navbar-form .control-label {
    margin-bottom: 0;
    vertical-align: middle;
  .navbar-form .radio,
  .navbar-form .checkbox {
    display: inline-block;
    margin-top: 0;
   margin-bottom: 0;
    vertical-align: middle;
  .navbar-form .radio label,
  .navbar-form .checkbox label {
    padding-left: 0;
  .navbar-form .radio input[type="radio"],
  .navbar-form .checkbox input[type="checkbox"] {
    position: relative;
   margin-left: 0;
  .navbar-form .has-feedback .form-control-feedback {
    top: 0;
  }
@media (max-width: 767px) {
  .navbar-form .form-group {
   margin-bottom: 5px;
```

```
}
  .navbar-form .form-group:last-child {
    margin-bottom: 0;
  }
@media (min-width: 768px) {
  .navbar-form {
    width: auto;
    padding-top: 0;
    padding-bottom: 0;
    margin-right: 0;
    margin-left: 0;
    border: 0;
    -webkit-box-shadow: none;
            box-shadow: none;
  }
}
.navbar-nav > li > .dropdown-menu {
 margin-top: 0;
  border-top-left-radius: 0;
  border-top-right-radius: 0;
.navbar-fixed-bottom .navbar-nav > li > .dropdown-menu {
  margin-bottom: 0;
  border-top-left-radius: 4px;
  border-top-right-radius: 4px;
  border-bottom-right-radius: 0;
  border-bottom-left-radius: 0;
}
.navbar-btn {
  margin-top: 8px;
  margin-bottom: 8px;
.navbar-btn.btn-sm {
 margin-top: 10px;
  margin-bottom: 10px;
.navbar-btn.btn-xs {
  margin-top: 14px;
  margin-bottom: 14px;
.navbar-text {
  margin-top: 15px;
  margin-bottom: 15px;
@media (min-width: 768px) {
  .navbar-text {
    float: left;
    margin-right: 15px;
    margin-left: 15px;
  }
@media (min-width: 768px) {
  .navbar-left {
   float: left !important;
  }
  .navbar-right {
    float: right !important;
    margin-right: -15px;
  .navbar-right ~ .navbar-right {
   margin-right: 0;
  }
}
.navbar-default {
  background-color: #f8f8f8;
  border-color: #e7e7e7;
.navbar-default .navbar-brand {
  color: #777;
}
.navbar-default .navbar-brand:hover,
.navbar-default .navbar-brand:focus {
```

```
color: #5e5e5e;
  background-color: transparent;
.navbar-default .navbar-text {
  color: #777;
.navbar-default .navbar-nav > li > a {
  color: #777;
.navbar-default .navbar-nav > li > a:hover,
.navbar-default .navbar-nav > li > a:focus {
  color: #333;
  background-color: transparent;
.navbar-default .navbar-nav > .active > a,
.navbar-default .navbar-nav > .active > a:hover,
.navbar-default .navbar-nav > .active > a:focus {
  color: #555:
  background-color: #e7e7e7;
.navbar-default .navbar-nav > .disabled > a,
.navbar-default .navbar-nav > .disabled > a:hover,
.navbar-default .navbar-nav > .disabled > a:focus {
  color: #ccc;
  background-color: transparent;
.navbar-default .navbar-toggle {
  border-color: #ddd;
.navbar-default .navbar-toggle:hover,
.navbar-default .navbar-toggle:focus {
  background-color: #ddd;
.navbar-default .navbar-toggle .icon-bar {
  background-color: #888;
}
.navbar-default .navbar-collapse,
.navbar-default .navbar-form {
  border-color: #e7e7e7;
.navbar-default .navbar-nav > .open > a,
.navbar-default .navbar-nav > .open > a:hover,
.navbar-default .navbar-nav > .open > a:focus {
  color: #555;
  background-color: #e7e7e7;
@media (max-width: 767px) {
  .navbar-default .navbar-nav .open .dropdown-menu > li > a {
    color: #777;
  .navbar-default .navbar-nav .open .dropdown-menu > li > a:hover,
  .navbar-default .navbar-nav .open .dropdown-menu > li > a:focus {
    color: #333:
    background-color: transparent;
  .navbar-default .navbar-nav .open .dropdown-menu > .active > a,
  .navbar-default .navbar-nav .open .dropdown-menu > .active > a:hover,
  .navbar-default .navbar-nav .open .dropdown-menu > .active > a:focus {
    color: #555:
    background-color: #e7e7e7;
  }
  .navbar-default .navbar-nav .open .dropdown-menu > .disabled > a,
  .navbar-default .navbar-nav .open .dropdown-menu > .disabled > a:hover,
  .navbar-default .navbar-nav .open .dropdown-menu > .disabled > a:focus {
    color: #ccc;
    background-color: transparent;
  }
}
.navbar-default .navbar-link {
  color: #777;
.navbar-default .navbar-link:hover {
  color: #333;
```

```
.navbar-default .btn-link {
  color: #777;
}
.navbar-default .btn-link:hover,
.navbar-default .btn-link:focus {
  color: #333;
.navbar-default .btn-link[disabled]:hover,
fieldset[disabled] .navbar-default .btn-link:hover,
.navbar-default .btn-link[disabled]:focus,
fieldset[disabled] .navbar-default .btn-link:focus {
  color: #ccc;
.navbar-inverse {
  background-color: #222;
  border-color: #080808;
.navbar-inverse .navbar-brand {
  color: #9d9d9d;
.navbar-inverse .navbar-brand:hover,
.navbar-inverse .navbar-brand:focus {
  color: #fff;
  background-color: transparent;
.navbar-inverse .navbar-text {
  color: #9d9d9d;
.navbar-inverse .navbar-nav > li > a {
  color: #9d9d9d;
.navbar-inverse .navbar-nav > li > a:hover,
.navbar-inverse .navbar-nav > li > a:focus {
  color: #fff:
  background-color: transparent;
.navbar-inverse .navbar-nav > .active > a,
.navbar-inverse .navbar-nav > .active > a:hover,
.navbar-inverse .navbar-nav > .active > a:focus {
  color: #fff;
  background-color: #080808;
.navbar-inverse .navbar-nav > .disabled > a,
.navbar-inverse .navbar-nav > .disabled > a:hover,
.navbar-inverse .navbar-nav > .disabled > a:focus {
  color: #444;
  background-color: transparent;
.navbar-inverse .navbar-toggle {
  border-color: #333;
.navbar-inverse .navbar-toggle:hover,
.navbar-inverse .navbar-toggle:focus {
  background-color: #333;
}
.navbar-inverse .navbar-toggle .icon-bar {
  background-color: #fff;
.navbar-inverse .navbar-collapse,
.navbar-inverse .navbar-form {
 border-color: #101010;
.navbar-inverse .navbar-nav > .open > a,
.navbar-inverse .navbar-nav > .open > a:hover,
.navbar-inverse .navbar-nav > .open > a:focus {
  color: #fff;
  background-color: #080808;
@media (max-width: 767px) {
  .navbar-inverse .navbar-nav .open .dropdown-menu > .dropdown-header {
    border-color: #080808;
  .navbar-inverse .navbar-nav .open .dropdown-menu .divider {
    background-color: #080808;
```

```
.navbar-inverse .navbar-nav .open .dropdown-menu > li > a {
    color: #9d9d9d;
  }
  .navbar-inverse .navbar-nav .open .dropdown-menu > li > a:hover,
  .navbar-inverse .navbar-nav .open .dropdown-menu > li > a:focus {
    color: #fff;
    background-color: transparent;
  .navbar-inverse .navbar-nav .open .dropdown-menu > .active > a,
  .navbar-inverse .navbar-nav .open .dropdown-menu > .active > a:hover,
  .navbar-inverse .navbar-nav .open .dropdown-menu > .active > a:focus {
    color: #fff;
    background-color: #080808;
  .navbar-inverse .navbar-nav .open .dropdown-menu > .disabled > a,
  .navbar-inverse .navbar-nav .open .dropdown-menu > .disabled > a:hover,
.navbar-inverse .navbar-nav .open .dropdown-menu > .disabled > a:focus {
    color: #444;
    background-color: transparent;
  }
}
.navbar-inverse .navbar-link {
  color: #9d9d9d;
.navbar-inverse .navbar-link:hover {
  color: #fff;
.navbar-inverse .btn-link {
  color: #9d9d9d;
.navbar-inverse .btn-link:hover,
.navbar-inverse .btn-link:focus {
  color: #fff;
}
.navbar-inverse .btn-link[disabled]:hover,
fieldset[disabled] .navbar-inverse .btn-link:hover,
.navbar-inverse .btn-link[disabled]:focus,
fieldset[disabled] .navbar-inverse .btn-link:focus {
  color: #444;
.breadcrumb {
  padding: 8px 15px;
  margin-bottom: 20px;
  list-style: none;
  background-color: #f5f5f5;
  border-radius: 4px;
.breadcrumb > li {
  display: inline-block;
.breadcrumb > li + li:before {
  padding: 0 5px;
  color: #ccc;
  content: "/\00a0";
.breadcrumb > .active {
  color: #777;
.pagination {
  display: inline-block;
  padding-left: 0;
  margin: 20px 0;
  border-radius: 4px;
.pagination > li {
  display: inline;
.pagination > li > a,
.pagination > li > span {
  position: relative;
  float: left;
  padding: 6px 12px;
```

```
margin-left: -1px;
  line-height: 1.42857143;
  color: #337ab7;
  text-decoration: none;
  background-color: #fff;
  border: 1px solid #ddd;
.pagination > li:first-child > a,
.pagination > li:first-child > span {
  margin-left: 0;
  border-top-left-radius: 4px;
  border-bottom-left-radius: 4px;
}
.pagination > li:last-child > a,
.pagination > li:last-child > span {
  border-top-right-radius: 4px;
  border-bottom-right-radius: 4px;
}
.pagination > li > a:hover,
.pagination > li > span:hover,
.pagination > li > a:focus,
.pagination > li > span:focus {
  z-index: 2;
  color: #23527c;
  background-color: #eee;
  border-color: #ddd;
.pagination > .active > a,
.pagination > .active > span,
.pagination > .active > a:hover,
.pagination > .active > span:hover,
.pagination > .active > a:focus,
.pagination > .active > span:focus {
  z-index: 3;
  color: #fff;
  cursor: default;
  background-color: #337ab7;
  border-color: #337ab7;
.pagination > .disabled > span,
.pagination > .disabled > span:hover,
.pagination > .disabled > span:focus,
.pagination > .disabled > a,
.pagination > .disabled > a:hover,
.pagination > .disabled > a:focus {
  color: #777;
  cursor: not-allowed;
  background-color: #fff;
  border-color: #ddd;
.pagination-lg > li > a,
.pagination-lg > li > span {
  padding: 10px 16px;
  font-size: 18px;
  line-height: 1.3333333;
.pagination-lg > li:first-child > a,
.pagination-lg > li:first-child > span {
  border-top-left-radius: 6px;
  border-bottom-left-radius: 6px;
.pagination-lg > li:last-child > a,
.pagination-lg > li:last-child > span {
  border-top-right-radius: 6px;
  border-bottom-right-radius: 6px;
}
.pagination-sm > li > a,
.pagination-sm > li > span {
  padding: 5px 10px;
  font-size: 12px;
  line-height: 1.5;
.pagination-sm > li:first-child > a,
.pagination-sm > li:first-child > span {
```

```
border-top-left-radius: 3px;
  border-bottom-left-radius: 3px;
.pagination-sm > li:last-child > a,
.pagination-sm > li:last-child > span {
  border-top-right-radius: 3px;
  border-bottom-right-radius: 3px;
.pager {
  padding-left: 0;
  margin: 20px 0;
  text-align: center;
  list-style: none;
.pager li {
  display: inline;
}
.pager li > a,
.pager li > span {
  display: inline-block;
  padding: 5px 14px;
  background-color: #fff;
  border: 1px solid #ddd;
  border-radius: 15px;
.pager li > a:hover,
.pager li > a:focus {
  text-decoration: none;
  background-color: #eee;
.pager .next > a,
.pager .next > span {
 float: right;
.pager .previous > a,
.pager .previous > span {
  float: left;
.pager .disabled > a,
.pager .disabled > a:hover,
.pager .disabled > a:focus,
.pager .disabled > span {
  color: #777;
  cursor: not-allowed;
  background-color: #fff;
}
.label {
  display: inline;
  padding: .2em .6em .3em;
  font-size: 75%;
  font-weight: bold;
  line-height: 1;
  color: #fff;
  text-align: center;
  white-space: nowrap;
  vertical-align: baseline;
  border-radius: .25em;
a.label:hover,
a.label:focus {
  color: #fff;
  text-decoration: none;
  cursor: pointer;
.label:empty {
  display: none;
.btn .label {
  position: relative;
  top: -1px;
.label-default {
  background-color: #777;
```

```
.label-default[href]:hover,
.label-default[href]:focus {
  background-color: #5e5e5e;
.label-primary {
  background-color: #337ab7;
.label-primary[href]:hover,
.label-primary[href]:focus {
  background-color: #286090;
.label-success {
  background-color: #5cb85c;
.label-success[href]:hover,
.label-success[href]:focus {
  background-color: #449d44;
.label-info {
  background-color: #5bc0de;
.label-info[href]:hover,
.label-info[href]:focus {
  background-color: #31b0d5;
.label-warning {
  background-color: #f0ad4e;
.label-warning[href]:hover,
.label-warning[href]:focus {
  background-color: #ec971f;
.label-danger {
  background-color: #d9534f;
.label-danger[href]:hover,
.label-danger[href]:focus {
  background-color: #c9302c;
.badge {
  display: inline-block;
  min-width: 10px;
  padding: 3px 7px;
  font-size: 12px;
  font-weight: bold;
  line-height: 1;
  color: #fff;
  text-align: center;
  white-space: nowrap;
  vertical-align: middle;
  background-color: #777;
  border-radius: 10px;
.badge:empty {
  display: none;
.btn .badge {
  position: relative;
  top: -1px;
}
.btn-xs .badge,
.btn-group-xs > .btn .badge {
  top: 0;
  padding: 1px 5px;
a.badge:hover,
a.badge:focus {
  color: #fff;
  text-decoration: none;
  cursor: pointer;
.list-group-item.active > .badge,
.nav-pills > .active > a > .badge {
  color: #337ab7;
```

```
background-color: #fff;
.list-group-item > .badge {
  float: right;
.list-group-item > .badge + .badge {
  margin-right: 5px;
.nav-pills > li > a > .badge {
  margin-left: 3px;
.jumbotron {
  padding-top: 30px;
  padding-bottom: 30px;
  margin-bottom: 30px;
  color: inherit;
  background-color: #eee;
.jumbotron h1,
.jumbotron .h1
  color: inherit;
.jumbotron p {
  margin-bottom: 15px;
  font-size: 21px;
  font-weight: 200;
}
.jumbotron > hr {
  border-top-color: #d5d5d5;
.container .jumbotron,
.container-fluid .jumbotron {
  padding-right: 15px;
  padding-left: 15px;
  border-radius: 6px;
.jumbotron .container {
  max-width: 100%;
@media screen and (min-width: 768px) {
  .jumbotron {
    padding-top: 48px;
    padding-bottom: 48px;
  }
  .container .jumbotron,
.container-fluid .jumbotron {
    padding-right: 60px;
    padding-left: 60px;
  .jumbotron h1,
  .jumbotron .h1 {
    font-size: 63px;
  }
}
.thumbnail {
  display: block;
  padding: 4px;
  margin-bottom: 20px;
  line-height: 1.42857143;
  background-color: #fff;
  border: 1px solid #ddd;
  border-radius: 4px;
  -webkit-transition: border .2s ease-in-out;
       -o-transition: border .2s ease-in-out;
    transition: border .2s ease-in-out;
.thumbnail > img,
.thumbnail a > img {
  margin-right: auto;
  margin-left: auto;
a.thumbnail:hover,
a.thumbnail:focus,
```

```
a.thumbnail.active {
  border-color: #337ab7;
.thumbnail .caption {
  padding: 9px;
  color: #333;
}
.alert {
  padding: 15px;
  margin-bottom: 20px;
  border: 1px solid transparent;
  border-radius: 4px;
.alert h4 {
  margin-top: 0;
  color: inherit;
.alert .alert-link {
  font-weight: bold;
.alert > p,
.alert > ul {
  margin-bottom: 0;
.alert > p + p {
 margin-top: 5px;
}
.alert-dismissable,
.alert-dismissible {
  padding-right: 35px;
.alert-dismissable .close,
.alert-dismissible .close {
  position: relative;
 top: -2px;
  right: -21px;
  color: inherit;
.alert-success {
  color: #3c763d;
  background-color: #dff0d8;
  border-color: #d6e9c6;
.alert-success hr {
 border-top-color: #c9e2b3;
}
.alert-success .alert-link {
  color: #2b542c;
.alert-info {
  color: #31708f;
 background-color: #d9edf7;
  border-color: #bce8f1;
.alert-info hr {
  border-top-color: #a6elec;
.alert-info .alert-link {
 color: #245269;
.alert-warning {
  color: #8a6d3b;
  background-color: #fcf8e3;
  border-color: #faebcc;
.alert-warning hr {
  border-top-color: #f7e1b5;
.alert-warning .alert-link {
  color: #66512c;
.alert-danger {
  color: #a94442;
  background-color: #f2dede;
```

```
border-color: #ebccd1;
}
.alert-danger hr {
  border-top-color: #e4b9c0;
}
.alert-danger .alert-link {
  color: #843534;
@-webkit-keyframes progress-bar-stripes {
  from {
   background-position: 40px 0;
  }
  to {
    background-position: 0 0;
@-o-keyframes progress-bar-stripes {
  from {
   background-position: 40px 0;
  to {
    background-position: 0 0;
@keyframes progress-bar-stripes {
  from {
   background-position: 40px 0;
  to {
    background-position: 0 0;
  }
}
.progress {
  height: 20px;
  margin-bottom: 20px;
  overflow: hidden;
  background-color: #f5f5f5;
  border-radius: 4px;
  -webkit-box-shadow: inset 0 1px 2px rgba(0, 0, 0, .1);
          box-shadow: inset 0 1px 2px rgba(0, 0, 0, .1);
.progress-bar {
  float: left;
  width: 0;
  height: 100%;
  font-size: 12px;
  line-height: 20px;
  color: #fff;
  text-align: center;
  background-color: #337ab7;
  -webkit-box-shadow: inset 0 - 1px 0 rgba(0, 0, 0, .15);
          box-shadow: inset 0 -1px 0 rgba(0, 0, 0, .15);
  -webkit-transition: width .6s ease;
       -o-transition: width .6s ease;
          transition: width .6s ease;
.progress-striped .progress-bar,
.progress-bar-striped {
  background-image: -webkit-linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
                         -o-linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
  background-image:
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent);
                            linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
  background-image:
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent):
  -webkit-background-size: 40px 40px;
          background-size: 40px 40px;
.progress.active .progress-bar,
.progress-bar.active {
  -webkit-animation: progress-bar-stripes 2s linear infinite;
```

```
-o-animation: progress-bar-stripes 2s linear infinite;
          animation: progress-bar-stripes 2s linear infinite;
.progress-bar-success {
  background-color: #5cb85c;
.progress-striped .progress-bar-success {
  background-image: -webkit-linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent);
                        -o-linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent);
                           linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
  background-image:
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent);
.progress-bar-info {
  background-color: #5bc0de;
.progress-striped .progress-bar-info {
  background-image: -webkit-linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent);
                        -o-linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
  background-image:
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
                           linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
  background-image:
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent);
}
.progress-bar-warning {
  background-color: #f0ad4e;
.progress-striped .progress-bar-warning {
  background-image: -webkit-linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent);
                        -o-linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
  background-image:
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
                           linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
  background-image:
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent);
.progress-bar-danger {
  background-color: #d9534f;
.progress-striped .progress-bar-danger {
 background-image: -webkit-linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent);
  background-image:
                        -o-linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent):
                           linear-gradient(45deg, rgba(255, 255, 255, .15) 25%, transparent 25%,
  background-image:
transparent 50%, rgba(255, 255, 255, .15) 50%, rgba(255, 255, .15) 75%, transparent 75%,
transparent);
}
.media {
 margin-top: 15px;
.media:first-child {
 margin-top: 0;
.media.
.media-body {
  overflow: hidden;
  zoom: 1;
.media-body {
  width: 10000px;
.media-object {
  display: block;
```

```
.media-object.img-thumbnail {
  max-width: none;
.media-right,
.media > .pull-right {
  padding-left: 10px;
.media-left,
.media > .pull-left {
  padding-right: 10px;
.media-left,
.media-right,
.media-body {
  display: table-cell;
  vertical-align: top;
}
.media-middle {
  vertical-align: middle;
.media-bottom {
  vertical-align: bottom;
}
.media-heading {
  margin-top: 0;
  margin-bottom: 5px;
.media-list {
  padding-left: 0;
  list-style: none;
.list-group {
  padding-left: 0;
  margin-bottom: 20px;
.list-group-item {
  position: relative;
  display: block;
  padding: 10px 15px;
  margin-bottom: -1px;
  background-color: #fff;
  border: 1px solid #ddd;
.list-group-item:first-child {
  border-top-left-radius: 4px;
  border-top-right-radius: 4px;
.list-group-item:last-child {
  margin-bottom: 0;
  border-bottom-right-radius: 4px;
  border-bottom-left-radius: 4px;
a.list-group-item,
button.list-group-item {
  color: #555;
a.list-group-item .list-group-item-heading,
button.list-group-item .list-group-item-heading {
  color: #333;
a.list-group-item:hover,
button.list-group-item:hover,
a.list-group-item:focus,
button.list-group-item:focus {
  color: #555;
  text-decoration: none;
  background-color: #f5f5f5;
button.list-group-item {
  width: 100%;
  text-align: left;
}
.list-group-item.disabled,
```

```
.list-group-item.disabled:hover,
.list-group-item.disabled:focus {
  color: #777;
  cursor: not-allowed;
  background-color: #eee;
.list-group-item.disabled .list-group-item-heading,
.list-group-item.disabled:hover .list-group-item-heading,
.list-group-item.disabled:focus .list-group-item-heading {
  color: inherit;
.list-group-item.disabled .list-group-item-text,
.list-group-item.disabled:hover .list-group-item-text,
.list-group-item.disabled:focus .list-group-item-text {
  color: #777;
.list-group-item.active,
.list-group-item.active:hover,
.list-group-item.active:focus {
  z-index: 2;
  color: #fff:
  background-color: #337ab7;
  border-color: #337ab7;
.list-group-item.active .list-group-item-heading,
.list-group-item.active:hover .list-group-item-heading,
.list-group-item.active:focus .list-group-item-heading,
.list-group-item.active .list-group-item-heading > small,
.list-group-item.active:hover .list-group-item-heading > small,
.list-group-item.active:focus .list-group-item-heading > small,
.list-group-item.active .list-group-item-heading > .small,
.list-group-item.active:hover .list-group-item-heading > .small,
.list-group-item.active:focus .list-group-item-heading > .small {
  color: inherit;
.list-group-item.active .list-group-item-text,
.list-group-item.active:hover .list-group-item-text,
.list-group-item.active:focus .list-group-item-text {
  color: #c7ddef;
.list-group-item-success {
  color: #3c763d;
  background-color: #dff0d8;
a.list-group-item-success,
button.list-group-item-success {
  color: #3c763d;
a.list-group-item-success .list-group-item-heading,
button.list-group-item-success .list-group-item-heading {
  color: inherit;
a.list-group-item-success:hover,
button.list-group-item-success:hover,
a.list-group-item-success:focus,
button.list-group-item-success:focus {
  color: #3c763d;
  background-color: #d0e9c6;
a.list-group-item-success.active,
button.list-group-item-success.active,
a.list-group-item-success.active:hover,
button.list-group-item-success.active:hover,
a.list-group-item-success.active:focus,
button.list-group-item-success.active:focus {
  color: #fff;
  background-color: #3c763d;
  border-color: #3c763d;
.list-group-item-info {
  color: #31708f;
  background-color: #d9edf7;
a.list-group-item-info,
button.list-group-item-info {
```

```
color: #31708f;
a.list-group-item-info .list-group-item-heading,
button.list-group-item-info .list-group-item-heading {
  color: inherit;
a.list-group-item-info:hover,
button.list-group-item-info:hover,
a.list-group-item-info:focus,
button.list-group-item-info:focus {
  color: #31708f:
  background-color: #c4e3f3;
a.list-group-item-info.active,
button.list-group-item-info.active,
a.list-group-item-info.active:hover,
button.list-group-item-info.active:hover,
a.list-group-item-info.active:focus,
button.list-group-item-info.active:focus {
  color: #fff;
  background-color: #31708f;
  border-color: #31708f;
}
.list-group-item-warning {
  color: #8a6d3b;
  background-color: #fcf8e3;
a.list-group-item-warning,
button.list-group-item-warning {
  color: #8a6d3b;
a.list-group-item-warning .list-group-item-heading,
button.list-group-item-warning .list-group-item-heading {
  color: inherit;
a.list-group-item-warning:hover
button.list-group-item-warning:hover,
a.list-group-item-warning:focus,
button.list-group-item-warning:focus {
  color: #8a6d3b;
  background-color: #faf2cc;
a.list-group-item-warning.active,
button.list-group-item-warning.active,
a.list-group-item-warning.active:hover,
button.list-group-item-warning.active:hover,
a.list-group-item-warning.active:focus,
button.list-group-item-warning.active:focus {
  color: #fff;
  background-color: #8a6d3b;
  border-color: #8a6d3b;
.list-group-item-danger {
  color: #a94442;
  background-color: #f2dede;
a.list-group-item-danger,
button.list-group-item-danger {
  color: #a94442;
a.list-group-item-danger .list-group-item-heading,
button.list-group-item-danger .list-group-item-heading {
  color: inherit;
a.list-group-item-danger:hover,
button.list-group-item-danger:hover,
a.list-group-item-danger:focus,
button.list-group-item-danger:focus {
  color: #a94442;
  background-color: #ebcccc;
a.list-group-item-danger.active,
button.list-group-item-danger.active,
a.list-group-item-danger.active:hover
button.list-group-item-danger.active:hover,
```

```
a.list-group-item-danger.active:focus,
button.list-group-item-danger.active:focus {
  color: #fff;
  background-color: #a94442;
  border-color: #a94442;
.list-group-item-heading {
  margin-top: 0;
  margin-bottom: 5px;
.list-group-item-text {
  margin-bottom: 0;
  line-height: 1.3;
}
.panel {
  margin-bottom: 20px;
  background-color: #fff;
  border: 1px solid transparent;
  border-radius: 4px;
  -webkit-box-shadow: 0 1px 1px rgba(0, 0, 0, .05);
          box-shadow: 0 1px 1px rgba(0, 0, 0, .05);
.panel-body {
  padding: 15px;
.panel-heading {
  padding: 10px 15px;
  border-bottom: 1px solid transparent;
  border-top-left-radius: 3px;
  border-top-right-radius: 3px;
.panel-heading > .dropdown .dropdown-toggle {
  color: inherit;
.panel-title {
  margin-top: 0;
  margin-bottom: 0;
  font-size: 16px;
  color: inherit;
}
.panel-title > a,
.panel-title > small,
.panel-title > .small,
.panel-title > small > a,
.panel-title > .small > a {
  color: inherit;
.panel-footer {
  padding: 10px 15px;
  background-color: #f5f5f5;
  border-top: 1px solid #ddd;
  border-bottom-right-radius: 3px;
  border-bottom-left-radius: 3px;
.panel > .list-group,
.panel > .panel-collapse > .list-group {
  margin-bottom: 0;
.panel > .list-group .list-group-item,
.panel > .panel-collapse > .list-group .list-group-item {
  border-width: 1px 0;
  border-radius: 0;
.panel > .list-group:first-child .list-group-item:first-child,
.panel > .panel-collapse > .list-group:first-child .list-group-item:first-child {
  border-top: 0;
  border-top-left-radius: 3px;
  border-top-right-radius: 3px;
.panel > .list-group:last-child .list-group-item:last-child,
.panel > .panel -collapse > .list-group:last-child .list-group-item:last-child {
  border-bottom: 0;
  border-bottom-right-radius: 3px;
  border-bottom-left-radius: 3px;
```

```
.panel > .panel-heading + .panel-collapse > .list-group .list-group-item:first-child {
 border-top-left-radius: 0;
 border-top-right-radius: 0;
}
.panel-heading + .list-group .list-group-item:first-child {
 border-top-width: 0;
.list-group + .panel-footer {
 border-top-width: 0;
.panel > .table,
.panel > .table-responsive > .table,
.panel > .panel-collapse > .table {
 margin-bottom: 0;
.panel > .table caption,
.panel > .table-responsive > .table caption,
.panel > .panel-collapse > .table caption {
 padding-right: 15px;
 padding-left: 15px;
.panel > .table:first-child,
.panel > .table-responsive:first-child > .table:first-child {
 border-top-left-radius: 3px;
 border-top-right-radius: 3px;
.panel > .table:first-child > thead:first-child > tr:first-child,
.panel > .table-responsive:first-child > .table:first-child > thead:first-child > tr:first-child,
.panel > .table:first-child > tbody:first-child > tr:first-child,
.panel > .table-responsive:first-child > .table:first-child > tbody:first-child > tr:first-child {
 border-top-left-radius: 3px;
 border-top-right-radius: 3px;
.panel > .table:first-child > thead:first-child > tr:first-child td:first-child,
.panel > .table-responsive:first-child > .table:first-child > thead:first-child > tr:first-child
td:first-child.
.panel > .table:first-child > tbody:first-child > tr:first-child td:first-child,
.panel > .table-responsive:first-child > .table:first-child > tbody:first-child > tr:first-child
td:first-child.
.panel > .table:first-child > thead:first-child > tr:first-child th:first-child,
.panel > .table-responsive:first-child > .table:first-child > thead:first-child > tr:first-child
th:first-child.
.panel > .table:first-child > tbody:first-child > tr:first-child th:first-child,
.panel > .table-responsive:first-child > .table:first-child > tbody:first-child > tr:first-child
th:first-child {
 border-top-left-radius: 3px;
.panel > .table:first-child > thead:first-child > tr:first-child td:last-child,
.panel > .table-responsive:first-child > .table:first-child > thead:first-child > tr:first-child
td:last-child,
.panel > .table:first-child > tbody:first-child > tr:first-child td:last-child,
.panel > .table-responsive:first-child > .table:first-child > tbody:first-child > tr:first-child
td:last-child.
.panel > .table:first-child > thead:first-child > tr:first-child th:last-child,
.panel > .table-responsive:first-child > .table:first-child > thead:first-child > tr:first-child
th:last-child.
.panel > .table:first-child > tbody:first-child > tr:first-child th:last-child,
.panel > .table-responsive:first-child > .table:first-child > tbody:first-child > tr:first-child
th:last-child {
 border-top-right-radius: 3px;
.panel > .table:last-child,
.panel > .table-responsive:last-child > .table:last-child {
 border-bottom-right-radius: 3px;
 border-bottom-left-radius: 3px;
.panel > .table:last-child > tbody:last-child > tr:last-child,
.panel > .table-responsive:last-child > .table:last-child > tbody:last-child > tr:last-child,
.panel > .table:last-child > tfoot:last-child > tr:last-child,
.panel > .table-responsive:last-child > .table:last-child > tfoot:last-child > tr:last-child >
 border-bottom-right-radius: 3px;
 border-bottom-left-radius: 3px;
.panel > .table:last-child > tbody:last-child > tr:last-child td:first-child,
```

```
.panel > .table-responsive:last-child > .table:last-child > tbody:last-child > tr:last-child
td:first-child,
.panel > .table:last-child > tfoot:last-child > tr:last-child td:first-child,
.panel > .table-responsive:last-child > .table:last-child > tfoot:last-child > tr:last-child
td:first-child,
.panel > .table:last-child > tbody:last-child > tr:last-child th:first-child,
.panel > .table-responsive:last-child > .table:last-child > tbody:last-child > tr:last-child
th:first-child,
.panel > .table:last-child > tfoot:last-child > tr:last-child th:first-child,
.panel > .table-responsive:last-child > .table:last-child > tfoot:last-child > tr:last-child
th:first-child {
 border-bottom-left-radius: 3px;
.panel > .table:last-child > tbody:last-child > tr:last-child td:last-child,
.panel > .table-responsive:last-child > .table:last-child > tbody:last-child > tr:last-child
td:last-child,
.panel > .table:last-child > tfoot:last-child > tr:last-child td:last-child,
.panel > .table-responsive:last-child > .table:last-child > tfoot:last-child > tr:last-child
td:last-child,
.panel > .table:last-child > tbody:last-child > tr:last-child th:last-child,
.panel > .table-responsive:last-child > .table:last-child > tbody:last-child > tr:last-child
th:last-child,
.panel > .table:last-child > tfoot:last-child > tr:last-child th:last-child,
.panel > .table-responsive:last-child > .table:last-child > tfoot:last-child > tr:last-child
th:last-child {
 border-bottom-right-radius: 3px;
}
.panel > .panel-body + .table,
.panel > .panel-body + .table-responsive,
.panel > .table + .panel-body,
.panel > .table-responsive + .panel-body {
 border-top: 1px solid #ddd;
}
.panel > .table > tbody:first-child > tr:first-child th,
.panel > .table > tbody:first-child > tr:first-child td {
 border-top: 0;
.panel > .table-bordered,
.panel > .table-responsive > .table-bordered {
 border: 0;
.panel > .table-bordered > thead > tr > th:first-child,
.panel > .table-responsive > .table-bordered > thead > tr > th:first-child,
.panel > .table-bordered > tbody > tr > th:first-child,
.panel > .table-responsive > .table-bordered > tbody > tr > th:first-child,
.panel > .table-bordered > tfoot > tr > th:first-child,
.panel > .table-responsive > .table-bordered > tfoot > tr > th:first-child,
.panel > .table-bordered > thead > tr > td:first-child,
.panel > .table-responsive > .table-bordered > thead > tr > td:first-child,
.panel > .table-bordered > tbody > tr > td:first-child,
.panel > .table-responsive > .table-bordered > tbody > tr > td:first-child,
.panel > .table-bordered > tfoot > tr > td:first-child,
.panel > .table-responsive > .table-bordered > tfoot > tr > td:first-child {
 border-left: 0;
.panel > .table-bordered > thead > tr > th:last-child,
.panel > .table-responsive > .table-bordered > thead > tr > th:last-child,
.panel > .table-bordered > tbody > tr > th:last-child,
.panel > .table-responsive > .table-bordered > tbody > tr > th:last-child,
.panel > .table-bordered > tfoot > tr > th:last-child,
.panel > .table-responsive > .table-bordered > tfoot > tr > th:last-child,
.panel > .table-bordered > thead > tr > td:last-child,
.panel > .table-responsive > .table-bordered > thead > tr > td:last-child,
.panel > .table-bordered > tbody > tr > td:last-child,
.panel > .table-responsive > .table-bordered > tbody > tr > td:last-child,
.panel > .table-bordered > tfoot > tr > td:last-child,
.panel > .table-responsive > .table-bordered > tfoot > tr > td:last-child {
 border-right: 0;
}
.panel > .table-bordered > thead > tr:first-child > td,
.panel > .table-responsive > .table-bordered > thead > tr:first-child > td,
.panel > .table-bordered > tbody > tr:first-child > td,
.panel > .table-responsive > .table-bordered > tbody > tr:first-child > td,
.panel > .table-bordered > thead > tr:first-child > th,
.panel > .table-responsive > .table-bordered > thead > tr:first-child > th,
.panel > .table-bordered > tbody > tr:first-child > th,
```

```
.panel > .table-responsive > .table-bordered > tbody > tr:first-child > th {
 border-bottom: 0;
}
.panel > .table-bordered > tbody > tr:last-child > td,
.panel > .table-responsive > .table-bordered > tbody > tr:last-child > td,
.panel > .table-bordered > tfoot > tr:last-child > td,
.panel > .table-responsive > .table-bordered > tfoot > tr:last-child > td,
.panel > .table-bordered > tbody > tr:last-child > th,
.panel > .table-responsive > .table-bordered > tbody > tr:last-child > th,
.panel > .table-bordered > tfoot > tr:last-child > th,
.panel > .table-responsive > .table-bordered > tfoot > tr:last-child > th {
 border-bottom: 0;
.panel > .table-responsive {
 margin-bottom: 0;
 border: 0;
.panel-group {
 margin-bottom: 20px;
.panel-group .panel {
 margin-bottom: 0;
 border-radius: 4px;
.panel-group .panel + .panel {
 margin-top: 5px;
.panel-group .panel-heading {
 border-bottom: 0;
.panel-group .panel-heading + .panel-collapse > .panel-body,
.panel-group .panel-heading + .panel-collapse > .list-group {
 border-top: 1px solid #ddd;
.panel-group .panel-footer {
 border-top: 0;
.panel-group .panel-footer + .panel-collapse .panel-body {
 border-bottom: 1px solid #ddd;
.panel-default {
 border-color: #ddd;
.panel-default > .panel-heading {
 color: #333:
 background-color: #f5f5f5;
 border-color: #ddd;
.panel-default > .panel-heading + .panel-collapse > .panel-body {
 border-top-color: #ddd;
.panel-default > .panel-heading .badge {
 color: #f5f5f5;
 background-color: #333;
.panel-default > .panel-footer + .panel-collapse > .panel-body {
 border-bottom-color: #ddd;
.panel-primary {
 border-color: #337ab7;
.panel-primary > .panel-heading {
 color: #fff;
 background-color: #337ab7;
 border-color: #337ab7;
.panel-primary > .panel-heading + .panel-collapse > .panel-body {
 border-top-color: #337ab7;
.panel-primary > .panel-heading .badge {
 color: #337ab7;
 background-color: #fff;
.panel-primary > .panel-footer + .panel-collapse > .panel-body {
```

```
border-bottom-color: #337ab7;
}
.panel-success {
  border-color: #d6e9c6;
}
.panel-success > .panel-heading {
  color: #3c763d;
  background-color: #dff0d8;
  border-color: #d6e9c6;
}
.panel-success > .panel-heading + .panel-collapse > .panel-body {
  border-top-color: #d6e9c6;
.panel-success > .panel-heading .badge {
  color: #dff0d8;
  background-color: #3c763d;
.panel-success > .panel-footer + .panel-collapse > .panel-body {
 border-bottom-color: #d6e9c6;
.panel-info {
  border-color: #bce8f1;
.panel-info > .panel-heading {
  color: #31708f;
  background-color: #d9edf7;
  border-color: #bce8f1;
.panel-info > .panel-heading + .panel-collapse > .panel-body {
  border-top-color: #bce8f1;
.panel-info > .panel-heading .badge {
  color: #d9edf7;
  background-color: #31708f;
.panel-info > .panel-footer + .panel-collapse > .panel-body {
 border-bottom-color: #bce8f1;
.panel-warning {
 border-color: #faebcc;
.panel-warning > .panel-heading {
  color: #8a6d3b;
  background-color: #fcf8e3;
  border-color: #faebcc;
.panel-warning > .panel-heading + .panel-collapse > .panel-body {
  border-top-color: #faebcc;
.panel-warning > .panel-heading .badge {
  color: #fcf8e3;
  background-color: #8a6d3b;
.panel-warning > .panel-footer + .panel-collapse > .panel-body {
  border-bottom-color: #faebcc;
.panel-danger {
  border-color: #ebccd1;
.panel-danger > .panel-heading {
  color: #a94442;
  background-color: #f2dede;
  border-color: #ebccd1;
}
.panel-danger > .panel-heading + .panel-collapse > .panel-body {
  border-top-color: #ebccd1;
.panel-danger > .panel-heading .badge {
  color: #f2dede;
  background-color: #a94442;
.panel-danger > .panel-footer + .panel-collapse > .panel-body {
  border-bottom-color: #ebccd1;
```

```
.embed-responsive {
  position: relative;
  display: block;
  height: 0;
  padding: 0;
  overflow: hidden;
.embed-responsive .embed-responsive-item,
.embed-responsive iframe,
.embed-responsive embed,
.embed-responsive object,
.embed-responsive video {
  position: absolute;
  top: 0;
  bottom: 0;
  left: 0;
  width: 100%;
  height: 100%;
  border: 0;
.embed-responsive-16by9 {
  padding-bottom: 56.25%;
.embed-responsive-4by3 {
 padding-bottom: 75%;
}
.well {
 min-height: 20px;
  padding: 19px;
  margin-bottom: 20px;
  background-color: #f5f5f5;
  border: 1px solid #e3e3e3;
  border-radius: 4px;
  -webkit-box-shadow: inset 0 1px 1px rgba(0, 0, 0, .05);
          box-shadow: inset 0 1px 1px rgba(0, 0, 0, .05);
.well blockquote {
  border-color: #ddd;
  border-color: rgba(0, 0, 0, .15);
.well-lg {
  padding: 24px;
  border-radius: 6px;
.well-sm {
  padding: 9px;
  border-radius: 3px;
}
.close {
  float: right;
  font-size: 21px;
  font-weight: bold;
  line-height: 1;
  color: #000;
  text-shadow: 0 1px 0 #fff;
  filter: alpha(opacity=20);
  opacity: .2;
.close:hover,
.close:focus {
  color: #000;
  text-decoration: none;
  cursor: pointer;
  filter: alpha(opacity=50);
  opacity: .5;
button.close {
  -webkit-appearance: none;
  padding: 0;
  cursor: pointer;
  background: transparent;
  border: 0;
}
```

```
.modal-open {
 overflow: hidden;
}
.modal {
 position: fixed;
 top: 0;
 right: 0;
 bottom: 0;
 left: 0;
  z-index: 1050;
 display: none;
 overflow: hidden;
  -webkit-overflow-scrolling: touch;
 outline: 0;
.modal.fade .modal-dialog {
  -webkit-transition: -webkit-transform .3s ease-out;
       -o-transition:
                           -o-transform .3s ease-out;
          transition:
                              transform .3s ease-out;
  -webkit-transform: translate(0, -25%);
      -ms-transform: translate(0, -25%);
       -o-transform: translate(0, -25%);
          transform: translate(0, -25%);
.modal.in .modal-dialog {
  -webkit-transform: translate(0, 0);
      -ms-transform: translate(0, 0);
       -o-transform: translate(0, 0);
          transform: translate(0, 0);
}
.modal-open .modal {
 overflow-x: hidden;
 overflow-y: auto;
.modal-dialog {
 position: relative;
 width: auto;
 margin: 10px;
.modal-content {
 position: relative;
 background-color: #fff;
  -webkit-background-clip: padding-box;
          background-clip: padding-box;
 border: 1px solid #999;
 border: 1px solid rgba(0, 0, 0, .2);
 border-radius: 6px;
 outline: 0;
  -webkit-box-shadow: 0 3px 9px rgba(0, 0, 0, .5);
         box-shadow: 0 3px 9px rgba(0, 0, 0, .5);
.modal-backdrop {
 position: fixed;
 top: 0;
 right: 0;
 bottom: 0;
 left: 0;
 z-index: 1040;
 background-color: #000;
.modal-backdrop.fade {
  filter: alpha(opacity=0);
 opacity: 0;
.modal-backdrop.in {
 filter: alpha(opacity=50);
 opacity: .5;
.modal-header {
 padding: 15px;
 border-bottom: 1px solid #e5e5e5;
.modal-header .close {
```

```
margin-top: -2px;
}
.modal-title {
  margin: 0;
  line-height: 1.42857143;
.modal-body {
 position: relative;
  padding: 15px;
.modal-footer {
  padding: 15px;
  text-align: right;
  border-top: 1px solid #e5e5e5;
.modal-footer .btn + .btn {
  margin-bottom: 0;
  margin-left: 5px;
.modal-footer .btn-group .btn + .btn {
 margin-left: -1px;
.modal-footer .btn-block + .btn-block {
 margin-left: 0;
.modal-scrollbar-measure {
  position: absolute;
  top: -9999px;
 width: 50px;
  height: 50px;
  overflow: scroll;
@media (min-width: 768px) {
  .modal-dialog {
    width: 600px;
    margin: 30px auto;
  .modal-content {
    -webkit-box-shadow: 0 5px 15px rgba(0, 0, 0, .5);
box-shadow: 0 5px 15px rgba(0, 0, 0, .5);
  }
  .modal-sm {
    width: 300px;
  }
@media (min-width: 992px) {
  .modal-lg {
   width: 900px;
  }
}
.tooltip {
 position: absolute;
  z-index: 1070;
  display: block;
  font-family: "Helvetica Neue", Helvetica, Arial, sans-serif;
  font-size: 12px;
  font-style: normal;
  font-weight: normal;
  line-height: 1.42857143;
  text-align: left;
  text-align: start;
  text-decoration: none;
  text-shadow: none;
  text-transform: none;
  letter-spacing: normal;
  word-break: normal;
  word-spacing: normal;
  word-wrap: normal;
  white-space: normal;
  filter: alpha(opacity=0);
  opacity: 0;
  line-break: auto;
```

```
.tooltip.in {
  filter: alpha(opacity=90);
  opacity: .9;
.tooltip.top {
  padding: 5px 0;
 margin-top: -3px;
.tooltip.right {
  padding: 0 5px;
  margin-left: 3px;
}
.tooltip.bottom {
  padding: 5px 0;
  margin-top: 3px;
.tooltip.left {
  padding: 0 5px;
  margin-left: -3px;
.tooltip-inner {
  max-width: 200px;
  padding: 3px 8px;
  color: #fff;
  text-align: center;
  background-color: #000;
  border-radius: 4px;
.tooltip-arrow {
  position: absolute;
  width: 0;
  height: 0;
  border-color: transparent;
  border-style: solid;
}
.tooltip.top .tooltip-arrow {
  bottom: 0;
  left: 50%;
  margin-left: -5px;
  border-width: 5px 5px 0;
  border-top-color: #000;
.tooltip.top-left .tooltip-arrow {
    right: 5px;
  bottom: 0;
  margin-bottom: -5px;
  border-width: 5px 5px 0;
  border-top-color: #000;
.tooltip.top-right .tooltip-arrow {
  bottom: 0;
  left: 5px;
  margin-bottom: -5px;
  border-width: 5px 5px 0;
  border-top-color: #000;
.tooltip.right .tooltip-arrow {
  top: 50%;
  left: 0;
  margin-top: -5px;
  border-width: 5px 5px 5px 0;
  border-right-color: #000;
}
.tooltip.left .tooltip-arrow {
  top: 50%;
  right: 0;
  margin-top: -5px;
  border-width: 5px 0 5px 5px;
  border-left-color: #000;
.tooltip.bottom .tooltip-arrow {
  top: 0;
  left: 50%;
```

```
margin-left: -5px;
  border-width: 0 5px 5px;
  border-bottom-color: #000;
}
.tooltip.bottom-left .tooltip-arrow {
  top: 0;
  right: 5px;
  margin-top: -5px;
  border-width: 0 5px 5px;
  border-bottom-color: #000;
.tooltip.bottom-right .tooltip-arrow {
 top: 0;
  left: 5px;
  margin-top: -5px;
  border-width: 0 5px 5px;
  border-bottom-color: #000;
.popover {
  position: absolute;
  top: 0;
  left: 0;
  z-index: 1060;
  display: none;
  max-width: 276px;
  padding: 1px;
  font-family: "Helvetica Neue", Helvetica, Arial, sans-serif;
  font-size: 14px;
  font-style: normal;
  font-weight: normal;
  line-height: 1.42857143;
text-align: left;
  text-align: start;
  text-decoration: none;
  text-shadow: none;
  text-transform: none;
  letter-spacing: normal;
  word-break: normal;
  word-spacing: normal;
  word-wrap: normal;
  white-space: normal;
  background-color: #fff;
  -webkit-background-clip: padding-box;
          background-clip: padding-box;
  border: 1px solid #ccc;
  border: 1px solid rgba(0, 0, 0, .2);
  border-radius: 6px;
  -webkit-box-shadow: 0 5px 10px rgba(0, 0, 0, .2);
          box-shadow: 0 5px 10px rgba(0, 0, 0, .2);
  line-break: auto;
}
.popover.top {
 margin-top: -10px;
.popover.right {
 margin-left: 10px;
}
.popover.bottom {
 margin-top: 10px;
.popover.left {
  margin-left: -10px;
.popover-title {
  padding: 8px 14px;
  margin: 0;
  font-size: 14px;
  background-color: #f7f7f7;
  border-bottom: 1px solid #ebebeb;
  border-radius: 5px 5px 0 0;
}
.popover-content {
  padding: 9px 14px;
```

```
.popover > .arrow,
.popover > .arrow:after {
  position: absolute;
  display: block;
  width: 0;
  height: 0;
  border-color: transparent;
  border-style: solid;
}
.popover > .arrow {
  border-width: 11px;
.popover > .arrow:after {
  content: "";
  border-width: 10px;
.popover.top > .arrow {
  bottom: -11px;
  left: 50%;
  margin-left: -11px;
  border-top-color: #999;
  border-top-color: rgba(0, 0, 0, .25);
  border-bottom-width: 0;
}
.popover.top > .arrow:after {
  bottom: 1px;
  margin-left: -10px;
content: " ";
  border-top-color: #fff;
  border-bottom-width: 0;
}
.popover.right > .arrow {
  top: 50%;
  left: -11px;
  margin-top: -11px;
  border-right-color: #999;
  border-right-color: rgba(0, 0, 0, .25);
  border-left-width: 0;
.popover.right > .arrow:after {
  bottom: -10px;
  left: 1px;
content: " ";
  border-right-color: #fff;
  border-left-width: 0;
}
.popover.bottom > .arrow {
  top: -11px;
  left: 50%;
  margin-left: -11px;
  border-top-width: 0;
  border-bottom-color: #999;
  border-bottom-color: rgba(0, 0, 0, .25);
.popover.bottom > .arrow:after {
  top: 1px;
  margin-left: -10px;
content: " ";
  border-top-width: 0;
  border-bottom-color: #fff;
}
.popover.left > .arrow {
  top: 50%;
  right: -11px;
  margin-top: -11px;
  border-right-width: 0;
  border-left-color: #999;
  border-left-color: rgba(0, 0, 0, .25);
.popover.left > .arrow:after {
  right: 1px;
  bottom: -10px;
```

```
content: " ";
  border-right-width: 0;
  border-left-color: #fff;
}
.carousel {
 position: relative;
.carousel-inner {
 position: relative;
  width: 100%;
  overflow: hidden;
.carousel-inner > .item {
  position: relative;
  display: none;
  -webkit-transition: .6s ease-in-out left;
       -o-transition: .6s ease-in-out left;
          transition: .6s ease-in-out left;
.carousel-inner > .item > img,
.carousel-inner > .item > a > img {
  line-height: 1;
@media all and (transform-3d), (-webkit-transform-3d) {
  .carousel-inner > .item {
    -webkit-transition: -webkit-transform .6s ease-in-out;
                             -o-transform .6s ease-in-out;
         -o-transition:
            transition:
                               transform .6s ease-in-out;
    -webkit-backface-visibility: hidden;
            backface-visibility: hidden;
    -webkit-perspective: 1000px;
            perspective: 1000px;
  }
  .carousel-inner > .item.next,
  .carousel-inner > .item.active.right {
    left: 0;
    -webkit-transform: translate3d(100%, 0, 0);
            transform: translate3d(100%, 0, 0);
  .carousel-inner > .item.prev,
  .carousel-inner > .item.active.left {
    left: 0:
    -webkit-transform: translate3d(-100%, 0, 0);
            transform: translate3d(-100%, 0, 0);
  .carousel-inner > .item.next.left,
  .carousel-inner > .item.prev.right,
  .carousel-inner > .item.active {
    left: 0;
    -webkit-transform: translate3d(0, 0, 0);
            transform: translate3d(0, 0, 0);
  }
}
.carousel-inner > .active,
.carousel-inner > .next,
.carousel-inner > .prev {
 display: block;
.carousel-inner > .active {
  left: 0;
.carousel-inner > .next,
.carousel-inner > .prev {
 position: absolute;
  top: 0;
  width: 100%;
.carousel-inner > .next {
  left: 100%;
.carousel-inner > .prev {
  left: -100%;
```

```
.carousel-inner > .next.left,
.carousel-inner > .prev.right {
  left: 0;
.carousel-inner > .active.left {
  left: -100%;
.carousel-inner > .active.right {
  left: 100%;
}
.carousel-control {
  position: absolute;
  top: 0;
  bottom: 0;
  left: 0;
  width: 15%;
  font-size: 20px;
  color: #fff;
  text-align: center;
  text-shadow: 0 1px 2px rgba(0, 0, 0, .6);
  background-color: rgba(0, 0, 0, 0);
  filter: alpha(opacity=50);
  opacity: .5;
.carousel-control.left {
  background-image: -webkit-linear-gradient(left, rgba(0, 0, 0, .5) 0%, rgba(0, 0, 0, .0001) 100%);
                           -o-linear-gradient(left, rgba(0, 0, 0, .5) 0%, rgba(0, 0, 0, .0001) 100%);
  background-image:
  background-image: -webkit-gradient(linear, left top, right top, from(rgba(0, 0, 0, .5)),
to(rgba(0, 0, 0, .0001)));
                              linear-gradient(to right, rgba(0, 0, 0, .5) 0%, rgba(0, 0, 0, .0001)
  background-image:
100%):
  filter: progid:DXImageTransform.Microsoft.gradient(startColorstr='#80000000',
endColorstr='#00000000', GradientType=1);
  background-repeat: repeat-x;
.carousel-control.right {
  right: 0;
  left: auto;
  background\text{-}image: \text{-}webkit\text{-}linear\text{-}gradient(\textbf{left}, \text{ } rgba(0, \text{ } 0, \text{ } 0, \text{ } .0001) \text{ } 0\%, \text{ } rgba(0, \text{ } 0, \text{ } .5) \text{ } 100\%);
  background-image:
                           -o-linear-gradient(left, rgba(0, 0, 0, .0001) 0%, rgba(0, 0, 0, .5) 100%);
  background-image: -webkit-gradient(linear, left top, right top, from(rgba(0, 0, 0, .0001)),
to(rgba(0, 0, 0, .5)));
  background-image:
                              linear-gradient(to right, rgba(0, 0, 0, .0001) 0%, rgba(0, 0, 0, .5)
100%);
  filter: progid:DXImageTransform.Microsoft.gradient(startColorstr='#00000000',
endColorstr='#80000000', GradientType=1);
  background-repeat: repeat-x;
.carousel-control:hover,
.carousel-control:focus {
  color: #fff;
  text-decoration: none;
  filter: alpha(opacity=90);
  outline: 0;
  opacity: .9;
}
.carousel-control .icon-prev,
.carousel-control .icon-next,
.carousel-control .glyphicon-chevron-left,
.carousel-control .glyphicon-chevron-right {
  position: absolute;
  top: 50%;
  z-index: 5;
  display: inline-block;
  margin-top: -10px;
.carousel-control .icon-prev,
.carousel-control .glyphicon-chevron-left {
  left: 50%;
  margin-left: -10px;
.carousel-control .icon-next,
. carousel-control \ . glyphicon-chevron-right \ \{
```

```
right: 50%;
  margin-right: -10px;
.carousel-control .icon-prev,
.carousel-control .icon-next {
  width: 20px;
  height: 20px;
  font-family: serif;
  line-height: 1;
}
.carousel-control .icon-prev:before {
  content: '\2039';
.carousel-control .icon-next:before {
  content: '\203a';
.carousel-indicators {
  position: absolute;
  bottom: 10px;
  left: 50%;
  z-index: 15;
  width: 60%;
  padding-left: 0;
  margin-left: -30%;
  text-align: center;
  list-style: none;
}
.carousel-indicators li {
  display: inline-block;
  width: 10px;
  height: 10px;
  margin: 1px;
  text-indent: -999px;
  cursor: pointer;
  background-color: #000 \9;
  background-color: rgba(0, 0, 0, 0);
  border: 1px solid #fff;
  border-radius: 10px;
.carousel-indicators .active {
  width: 12px;
  height: 12px;
  margin: 0;
  background-color: #fff;
.carousel-caption {
  position: absolute;
  right: 15%;
  bottom: 20px;
  left: 15%;
  z-index: 10;
  padding-top: 20px;
  padding-bottom: 20px;
  color: #fff;
  text-align: center;
  text-shadow: 0 1px 2px rgba(0, 0, 0, .6);
}
.carousel-caption .btn {
  text-shadow: none;
@media screen and (min-width: 768px) {
  .carousel-control .glyphicon-chevron-left,
  .carousel-control .glyphicon-chevron-right,
  .carousel-control .icon-prev,
  .carousel-control .icon-next {
    width: 30px;
    height: 30px;
    margin-top: -10px;
    font-size: 30px;
  }
  .carousel-control .glyphicon-chevron-left,
  .carousel-control .icon-prev {
    margin-left: -10px;
```

```
}
  .carousel-control .glyphicon-chevron-right,
  .carousel-control .icon-next {
   margin-right: -10px;
  }
  .carousel-caption {
    right: 20%;
    left: 20%;
    padding-bottom: 30px;
  .carousel-indicators {
    bottom: 20px;
  }
}
.clearfix:before,
.clearfix:after,
.dl-horizontal dd:before,
.dl-horizontal dd:after,
.container:before,
.container:after,
.container-fluid:before,
.container-fluid:after,
.row:before,
.row:after,
.form-horizontal .form-group:before,
.form-horizontal .form-group:after,
.btn-toolbar:before,
.btn-toolbar:after,
.btn-group-vertical > .btn-group:before,
.btn-group-vertical > .btn-group:after,
.nav:before,
.nav:after,
.navbar:before,
.navbar:after,
.navbar-header:before,
.navbar-header:after,
.navbar-collapse:before,
.navbar-collapse:after,
.pager:before,
.pager:after,
.panel-body:before,
.panel-body:after,
.modal-header:before,
.modal-header:after,
.modal-footer:before,
.modal-footer:after {
  display: table;
  content: " ";
.clearfix:after,
.dl-horizontal dd:after,
.container:after,
.container-fluid:after,
.row:after,
.form-horizontal .form-group:after,
.btn-toolbar:after,
.btn-group-vertical > .btn-group:after,
.nav:after,
.navbar:after,
.navbar-header:after,
.navbar-collapse:after,
.pager:after,
.panel-body:after,
.modal-header:after,
.modal-footer:after {
  clear: both;
.center-block {
  display: block;
  margin-right: auto;
 margin-left: auto;
.pull-right {
  float: right !important;
```

```
.pull-left {
 float: left !important;
.hide {
 display: none !important;
.show {
  display: block !important;
.invisible {
 visibility: hidden;
.text-hide {
  font: 0/0 a;
 color: transparent;
  text-shadow: none;
  background-color: transparent;
  border: 0;
}
.hidden {
  display: none !important;
.affix {
 position: fixed;
@-ms-viewport {
  width: device-width;
.visible-xs,
.visible-sm,
.visible-md,
.visible-lg {
 display: none !important;
.visible-xs-block,
.visible-xs-inline,
.visible-xs-inline-block,
.visible-sm-block,
.visible-sm-inline,
.visible-sm-inline-block,
.visible-md-block,
.visible-md-inline,
.visible-md-inline-block,
.visible-lg-block,
.visible-lg-inline,
.visible-lg-inline-block {
  display: none !important;
Qmedia (max-width: 767px) {
  .visible-xs {
    display: block !important;
  table.visible-xs {
   display: table !important;
  tr.visible-xs {
    display: table-row !important;
  th.visible-xs,
  td.visible-xs {
    display: table-cell !important;
@media (max-width: 767px) {
  .visible-xs-block {
    display: block !important;
  }
@media (max-width: 767px) {
  .visible-xs-inline {
   display: inline !important;
  }
Qmedia (max-width: 767px) {
```


```
.visible-xs-inline-block {
    display: inline-block !important;
  }
@media (min-width: 768px) and (max-width: 991px) {
  .visible-sm {
   display: block !important;
  table.visible-sm {
    display: table !important;
  tr.visible-sm {
    display: table-row !important;
  th.visible-sm,
  td.visible-sm {
   display: table-cell !important;
@media (min-width: 768px) and (max-width: 991px) {
  .visible-sm-block {
   display: block !important;
  }
@media (min-width: 768px) and (max-width: 991px) {
  .visible-sm-inline {
   display: inline !important;
  }
@media (min-width: 768px) and (max-width: 991px) {
  .visible-sm-inline-block {
   display: inline-block !important;
  }
@media (min-width: 992px) and (max-width: 1199px) {
  .visible-md {
   display: block !important;
  table.visible-md {
    display: table !important;
  tr.visible-md {
   display: table-row !important;
  th.visible-md,
  td.visible-md {
   display: table-cell !important;
@media (min-width: 992px) and (max-width: 1199px) {
  .visible-md-block {
   display: block !important;
  }
@media (min-width: 992px) and (max-width: 1199px) {
  .visible-md-inline {
   display: inline !important;
@media (min-width: 992px) and (max-width: 1199px) {
  .visible-md-inline-block {
    display: inline-block !important;
  }
@media (min-width: 1200px) {
  .visible-lg {
   display: block !important;
  table.visible-lg {
    display: table !important;
  tr.visible-lg {
    display: table-row !important;
```

```
th.visible-lg,
  td.visible-lg {
    display: table-cell !important;
  }
@media (min-width: 1200px) {
  .visible-lg-block {
   display: block !important;
  }
@media (min-width: 1200px) {
  .visible-lg-inline {
   display: inline !important;
  }
@media (min-width: 1200px) {
  .visible-lg-inline-block {
   display: inline-block !important;
  }
@media (max-width: 767px) {
  .hidden-xs {
   display: none !important;
  }
@media (min-width: 768px) and (max-width: 991px) {
  .hidden-sm {
   display: none !important;
  }
@media (min-width: 992px) and (max-width: 1199px) {
  .hidden-md {
   display: none !important;
@media (min-width: 1200px) {
  .hidden-lg {
   display: none !important;
  }
.visible-print {
  display: none !important;
@media print {
  .visible-print {
   display: block !important;
  table.visible-print {
    display: table !important;
  tr.visible-print {
    display: table-row !important;
  }
  th.visible-print,
  td.visible-print {
   display: table-cell !important;
  }
.visible-print-block {
 display: none !important;
@media print {
  .visible-print-block {
   display: block !important;
.visible-print-inline {
  display: none !important;
@media print {
  .visible-print-inline {
    display: inline !important;
```

```
}
}
.visible-print-inline-block {
    display: none !important;
}
@media print {
    .visible-print-inline-block {
        display: inline-block !important;
    }
}
@media print {
    .hidden-print {
        display: none !important;
    }
}
/*# sourceMappingURL=bootstrap.css.map */
```

## 5 BAZA PODATAKA

## 5.1 Šema baze podataka



Slika 17: Šema baze podataka

#### 5.2 Struktura baze podataka

- *Cars* U ovoj tabeli cuvamo sve oglase koje korisnici objave. Na osnovu kolone "status" znamo da li je oglas aktivan ili ne ( 1 ili 0 ), kao I kolonu "counter" po kojoj mozemo videti koji je oglas najposeceniji.
- *Categories* U ovoj tabeli cuvamo sve kategorije automobila I njihove logotipe ( BMW, Audi, Mercedes... )
- *Migrations* U ovoj tabeli cuvamo sve migracije koje smo izvrsili nad bazom podataka.
- Roles U ovoj tabeli cuvamo uloge korisnika, u ovom slucaju to su "admin" I "member".
- *Users* U ovoj tabeli cuvamo sve korisnike koji postoje u sistemu, kao I njihove podatke.
- *Users\_roles* Ovo je vezivna tabela izmedju tabela "users" I "roles" I u njoj cuvamo informacije o tome koji korisnik koju ulogu u sistemu ima ( admin ili member ).

# 6 ZAKLJUČAK

U diplomskom radu opisana je realizacija *web* aplikacije "*Oglašavanje polovnih automobila*" u kome je omogućena potpuna manipuliacijama nad oglasima i korisnicima koji pristupaju sistemu i podacima koji se koriste unutar aplikacije. Aplikacija je u potpunosti fleksibila i sav sadržaj koji se nalazi, je dinamičan i može se editovati. Naravno, samo admin može imati potpunu manipulaciju nad podacima u sistemu.

## 7 LITERATURA

- 1. T. Otwell, Laravel: From Apprentice To Artisan Last updated, 2013.
- 2. P.DuBois MySQL (5th Edition) (Developer's Library) -Addison-Wesley Professional, 2013
- 3. D. Goodman, M.Morris JavaScript Bible, 7th Edition Jhon Willey & Soon, 2010.
- 4. J. Duckett, HTML and CSS: Design and Build Websites 1st Edition Willy, 2014.
- 5. J. Lockhart, Modern PHP: New Features and Good Practices 2015.