Mean & Std.

-S. D feature Mecan 170 15.21 Heght 69 13.04 30 7,71

Standardized Hamy

$$Z = \begin{bmatrix} -1.26 & -1.28 & +1.26 \\ -0.69 & -0.61 & -0.69 \\ 0 & -0.22 & 0 \\ 0.69 & 0.92 & 0.69 \\ 1.96 & 1.80 & 1.26 \end{bmatrix}$$

Compute Coravance Mahre

$$S = Z^{\dagger}Z$$

Computed cisting humpy

$$S = \begin{bmatrix} 1.60 & 0.99 & 0.99 \\ 0.99 & 1.00 & 0.99 \\ 0.99 & 0.99 & 1.00 \end{bmatrix}$$

All features one highly correlated (200.99), they share almost the same pattern,

Find Eigen Values & Eigen Vectors

Eigen Values =) How much variance each principal component explains. Eggen Vactorian N=2.98, A2=0.02 & A=0.00

Eigen Vectors of Direction of each new principal Component. The First Principal Conference (1-01) is as combination

Component

Elgen Vector (direction) Hargers reigh & And

[0.58, 0.58 ,058]

pc2

.pe3

[-0.40, -0.40, 0.82]

Explaned Variance Raio = 11 = [0-995, 0-007, 0.000]

retrell assessed

PCI Explains 99.3 1. of retal remove

=) Art 3 Variables more regarded win one ALLER COMMENTS STORY direction.

Transform Dara 1.

PCA = Zx eyon Vactors ( Common Trans bounds PPIO PTIO Per= 0-58 x Height + 0.58 x Weight + 0.53 x Agez Height Z height Z Age Z Pel porson -2.38 A -0.63 -0.68 . B -0.61 20.23 0 -0.13 C 6.62 D 0.63 E 1.26 | 100 | 1.26 | 100 | 1.30 | 1.26 | 1.26 | 1.30 | 1.26 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.30 | 1.

Interpretations reported and the mission of second and The First Principal Component (PCI) to a Combination Consum.) must might Heigers meight & Age Los agreed

of a bound here of an and and

851

[ xx0 820 82-1] It capterns 99x. ab vouvance, we can represent all aree features, with fast one variatio.