



performance_analysis

March 16, 2026

1 SaddlePointLinearSolver project - performance analysis


1.1 Total error by mesh size and mesh type






<Figure size 432x288 with 0 Axes>

1.2 Number of iterations by mesh size and mesh type





Number of iterations vs. Matrix Size for Each Mesh Type in "3D" Type List



<Figure size 432x288 with 0 Axes>


1.3 Total Time by mesh size and mesh type (Sequential / 1 proc)






<Figure size 432x288 with 0 Axes>

1.4 Memory consumption by mesh size and mesh type




Memory Consumption vs. Matrix Size for Each Mesh Type in "3D" Type List




<Figure size 432x288 with 0 Axes>

1.5 Condition number by mesh size and mesh type

Condition Number vs. Matrix Size for Each Mesh Type in "2D" Type List




Condition Number vs. Matrix Size for Each Mesh Type in "3D" Type List




<Figure size 432x288 with 0 Axes>

1.6 Residual / Error ratio by mesh size and mesh type

Residual / Error ratio vs. Matrix Size for Each Mesh Type in "2D" Type List



Residual / Error ratio vs. Matrix Size for Each Mesh Type in "3D" Type List



<Figure size 432x288 with 0 Axes>

1.7 Total Time by Matrix Size and Number of Processors for Each Mesh Type

