freak Launchkey 49 MK3 overlay · no SD card: the flash patch · 3 voices, Braids

cut along the solid lines · dashed lines: cut apart if the spacing does not match

KNOBS black = SOUND page (Device Select) blue = FX page (Device Lock)

SPICE GLIDE	TIMBRE DLY TIME	COLOR DLY FDBK	CUTOFF DLY MIX	RESO REV AMT	ENV AMT REV TIME	LFO RATE REV DIFF	LFO AMT REV LP

PADS, TOP ROW: presets

0	1	2	3	4	5	6	7
init	vowel pad	FM bass	glass mallets	chord stabs	granular weather	pitched rain	chaotic drone

PADS, BOTTOM ROW: performance, while held (pressure = amount)

SWEEP cutoff +	DIVE pitch −	VIBRATO	OCTAVE up	THROW delay	SWELL reverb	TIMBRE push	COLOR push

FADERS amp envelope mod envelope

A	D	S	R	A	D	S	R	VOL

FADER BUTTONS (press: toggle or next)

FILTER LP/BP/HP	LFO target	LFO wave	MOD →timbre	GLIDE	KEY track	VELO →cutoff	DELAY	NEXT preset

TAGS, one per button

◀ SHAPE track ◀	SHAPE ▶ track ▶	SOUND Device Select	FX Device Lock	BEND ±2 st pitch wheel	+LFO mod wheel
DICE Capture MIDI	free Quantise	TAP LFO Click	RESET Undo		SOUND left of pads, upper
free Play	free Stop	free Record	CYCLE Loop		FX left of pads, lower

free round, upper
free round, lower

100 mm. Print at *actual size* (100 %, no “fit to page”), then check this bar with a ruler.

Where each piece goes

Knobs: in the strip of panel under the 8 knobs (above the pads), one cell under each knob.

Pads: *presets* above the top row, *performance* under the bottom row, one cell per column.

Faders: the short strip above the 9 faders; the buttons strip under the 9 fader buttons.

Tags: next to their button (the name printed on the Launchkey is in small type on each tag).

The spacing is an estimate: lay a strip in place before gluing. If the cells drift off their controls, cut along the dashed lines and place each cell, or measure knob 1 → knob 8, pad column 1 → 8 and fader 1 → 9 (centre to centre) and set `\kp`, `\pp`, `\fp` in `docs/overlays.tex` to a seventh (an eighth for the faders) of them.

Removable tape or repositionable glue keeps the panel clean, and the overlays swap with the card.

grains

Launchkey 49 MK3 overlay · SD card in: the card patch · mono granular

cut along the solid lines · dashed lines: cut apart if the spacing does not match

KNOBS black = SOUND (Device Select) green = GRAIN (round button, upper) blue = FX (Device Lock)

SPICE DENSITY GLIDE	POSITION SCAN DLY TIME	SIZE SPRAY DLY FDBK	CUTOFF SCATTER DLY MIX	RESO STEREO REV AMT	ENV AMT SHAPE REV TIME	LFO RATE REVERSE REV DIFF	LFO AMT OCTAVE REV LP

PADS, TOP ROW: presets

0	1	2	3	4	5	6	7
init cloud	time stretch	frozen choir	glass hits	reverse swarm	particle rain	octave shimmer	scrub drone

PADS, BOTTOM ROW: performance, while held (pressure = amount)

FREEZE	REVERSE	SCRUB pressure = pos.	DENSITY ×4	SPRAY +0.3 s	OCTAVE up	THROW delay	SWELL reverb

FADERS amp envelope mod envelope

A	D	S	R	A	D	S	R	VOL

FADER BUTTONS (press: toggle or next)

FILTER LP/BP/HP	LFO target	LFO wave	MOD →position	GLIDE	KEY track	VELO →cutoff	DELAY	NEXT preset

TAGS, one per button

◀ SOURCE track ◀	SOURCE ▶ track ▶	SOUND Device Select	FX Device Lock	BEND ±2 st pitch wheel	+LFO mod wheel
DICE Capture MIDI	FREEZE Quantise	TAP LFO Click	RESET Undo		SOUND left of pads, upper
SCAN Play	CLOUD Stop	HIT Record	CYCLE Loop		FX left of pads, lower

	GRAIN page round, upper
	HOLD round, lower

Where each piece goes

Knobs: in the strip of panel under the 8 knobs (above the pads), one cell under each knob.

Pads: *presets* above the top row, *performance* under the bottom row, one cell per column.

Faders: the short strip above the 9 faders; the buttons strip under the 9 fader buttons.

Tags: next to their button (the name printed on the Launchkey is in small type on each tag).

The spacing is an estimate: lay a strip in place before gluing. If the cells drift off their controls, cut along the dashed lines and place each cell, or measure knob 1 → knob 8, pad column 1 → 8 and fader 1 → 9 (centre to centre) and set `\kp`, `\pp`, `\fp` in `docs/overlays.tex` to a seventh (an eighth for the faders) of them.

Removable tape or repositionable glue keeps the panel clean, and the overlays swap with the card.



100 mm. Print at *actual size* (100 %, no “fit to page”), then check this bar with a ruler.

groove

Launchkey 49 MK3 overlay · its own SD card · looper: sampled drums + 4-voice chords

cut along the solid lines · dashed lines: cut apart if the spacing does not match

KNOBS black = SYNTH page (Device Select) blue = GROOVE page (Device Lock)

WAVE **TEMPO**	**PWM** **SWING**	**DETUNE** **DRUNK**	**CUTOFF** **DLY TIME**	**RESO** **DLY FDBK**	**ENV AMT** **DLY LEVEL**	**ATTACK** **REV LEVEL**	**RELEASE** **REV TIME**

PADS, TOP ROW: drums 9–16 (small: the style, with STYLE held)

808 KICK boom bap	**707 SNARE** boom bap dusty	**SNAP** boom bap shuffle	**808 RIM** boom bap jazzy	**909 HAT** **broken beat**	**CONGA** broken clap	**TOM** broken 3-3-2	**RIDE** broken swing

PADS, BOTTOM ROW: drums 1–8 (press hard: 16th rolls)

KICK funk	**SNARE** funk break	**GHOST** electro funk	**CLAP** funk shuffle	**HAT** neo soul	**OPEN HAT** neo soul slow	**RIM** neo soul drag	**SHAKER** neo soul triplet

FADERS drum groups chords effect sends

KICK	**SNARE**	**HATS**	**PERC**	**CHORDS**	**D.SEND**	**C.SEND**	**DECAY**	**VOL**

FADER BUTTONS (press: toggle or next)

mute kick	**mute** snare	**mute** hats	**mute** perc	**mute** chords	**SUB**	**VELO** →cutoff	**CHORUS** 0/I/II/I+II	**NEXT** preset

TAGS, one per button

◀ PRESET track ◀	**PRESET ▶** track ▶	**SYNTH** Device Select	**GROOVE** Device Lock	**BEND ±2 st** pitch wheel	**VIBRATO** mod wheel			
CAPTURE Capture MIDI	**QUANTISE** Quantise	**CLICK** Click	**UNDO/redo** Undo		**SYNTH** left of pads, upper	**STYLE (hold)** round, upper		
PLAY Play	**STOP** Stop	**RECORD** Record			**GROOVE** left of pads, lower	**ERASE (hold)** round, lower		

Where each piece goes

Knobs: in the strip of panel under the 8 knobs (above the pads), one cell under each knob.

Pads: *presets* above the top row, *performance* under the bottom row, one cell per column.

Faders: the short strip above the 9 faders; the buttons strip under the 9 fader buttons.

Tags: next to their button (the name printed on the Launchkey is in small type on each tag).

The spacing is an estimate: lay a strip in place before gluing. If the cells drift off their controls, cut along the dashed lines and place each cell, or measure knob 1 → knob 8, pad column 1 → 8 and fader 1 → 9 (centre to centre) and set `\kp`, `\pp`, `\fp` in `docs/overlays.tex` to a seventh (an eighth for the faders) of them.

Removable tape or repositionable glue keeps the panel clean, and the overlays swap with the card.



100 mm. Print at *actual size* (100 %, no “fit to page”), then check this bar with a ruler.

soliton

Launchkey 49 MK3 overlay · 3 voices, each a field under a nonlinear PDE

cut along the solid lines · dashed lines: cut apart if the spacing does not match

KNOBS black = SOUND (Device Select) green = FIELD (round button, upper) blue = FX (Device Lock)

SPICE **RATE** **GLIDE**	**TIMBRE** **AMOUNT** **DLY TIME**	**COLOR** **VEL→AMT** **DLY FDBK**	**CUTOFF** **SEED** **DLY MIX**	**RESO** **MOD→RATE** **REV AMT**	**ENV AMT** **DAMP** **REV TIME**	**LFO RATE** – **REV DIFF**	**LFO AMT** – **REV LP**

PADS, TOP ROW: presets

0	1	2	3	4	5	6	7
init	**shock pluck**	**driven saw**	**soliton train**	**bump fission**	**turbulence**	**cells**	**rogue breather**

PADS, BOTTOM ROW: performance, while held (pressure = amount)

FREEZE time stops	**REWIND** time back	**FAST** time ×8	**KICK** a bump	**SWEEP** +4 oct	**VIBRATO**	**THROW** delay	**SWELL** reverb

FADERS amp envelope mod envelope

A	**D**	**S**	**R**	**A**	**D**	**S**	**R**	**VOL**

FADER BUTTONS (press: toggle or next)

FILTER LP/BP/HP	**LFO** target	**LFO** wave	**MOD** →timbre	**GLIDE**	**KEY** track	**VELO** →cutoff	**DELAY**	**NEXT** preset

TAGS, one per button

◀ ENGINE track ◀	**ENGINE ▶** track ▶	**SOUND** Device Select	**FX** Device Lock	**BEND ±2 st** pitch wheel	**+LFO** mod wheel		
DICE Capture MIDI	**FREEZE** Quantise	**TAP LFO** Click	**RESET** Undo		**SOUND** left of pads, upper	**FIELD page** round, upper	
			CYCLE Loop		**FX** left of pads, lower		

Where each piece goes

Knobs: in the strip of panel under the 8 knobs (above the pads), one cell under each knob.

Pads: *presets* above the top row, *performance* under the bottom row, one cell per column.

Faders: the short strip above the 9 faders; the buttons strip under the 9 fader buttons.

Tags: next to their button (the name printed on the Launchkey is in small type on each tag).

The spacing is an estimate: lay a strip in place before gluing. If the cells drift off their controls, cut along the dashed lines and place each cell, or measure knob 1 → knob 8, pad column 1 → 8 and fader 1 → 9 (centre to centre) and set `\kp`, `\pp`, `\fp` in `docs/overlays.tex` to a seventh (an eighth for the faders) of them.

Removable tape or repositionable glue keeps the panel clean, and the overlays swap with the card.



100 mm. Print at *actual size* (100 %, no “fit to page”), then check this bar with a ruler.

aeolian

Launchkey 49 MK3 overlay · a wind harp: eight strings, the wind plays them

cut along the solid lines · dashed lines: cut apart if the spacing does not match

KNOBS black = SOUND (Device Select) blue = FX (Device Lock)

WIND **GLIDE**	**GUSTS** **DLY TIME**	**GUST TIME** **DLY FDBK**	**COUPLING** **DLY MIX**	**RING** **REV AMT**	**BRIGHT** **REV TIME**	**AIR** **REV DIFF**	**BODY** **REV LP**

PADS, TOP ROW: presets

0	1	2	3	4	5	6	7
breeze	**still air**	**gale**	**weather**	**fifths tower**	**glass strings**	**low cables**	**chord field**

PADS, BOTTOM ROW: wind and hands, while held (pressure = amount)

GUST wind ×2.5	**CALM** wind to 0	**STORM** gusts up	**PLUCK** all strings	**MUTE** hand on strings	**SLACK** down 2 st	**THROW** delay	**SWELL** reverb

FADERS string diameters, 0.25 – 3 mm (up = thicker = lower shedding)

string 1	**string 2**	**string 3**	**string 4**	**string 5**	**string 6**	**string 7**	**string 8**	**VOL**

FADER BUTTONS (press: toggle or next)

on/off string 1	**on/off** string 2	**on/off** string 3	**on/off** string 4	**on/off** string 5	**on/off** string 6	**on/off** string 7	**on/off** string 8	**NEXT** preset

TAGS, one per button

◀ TUNING track ◀	**TUNING ▶** track ▶	**SOUND** Device Select	**FX** Device Lock	**TENSION ±2** pitch wheel	**WIND ×2** mod wheel
DICE Capture MIDI	**HOLD WIND** Quantise	**PLUCK ALL** Click	**RESET** Undo		**SOUND** left of pads, upper
STEADY Play	**GUSTY** Stop	**LORENZ** Record			**FX** left of pads, lower

100 mm. Print at *actual size* (100 %, no “fit to page”), then check this bar with a ruler.

Where each piece goes

Knobs: in the strip of panel under the 8 knobs (above the pads), one cell under each knob.

Pads: *presets* above the top row, *performance* under the bottom row, one cell per column.

Faders: the short strip above the 9 faders; the buttons strip under the 9 fader buttons.

Tags: next to their button (the name printed on the Launchkey is in small type on each tag).

The spacing is an estimate: lay a strip in place before gluing. If the cells drift off their controls, cut along the dashed lines and place each cell, or measure knob 1 → knob 8, pad column 1 → 8 and fader 1 → 9 (centre to centre) and set `\kp`, `\pp`, `\fp` in `docs/overlays.tex` to a seventh (an eighth for the faders) of them.

Removable tape or repositionable glue keeps the panel clean, and the overlays swap with the card.