






F36 mean, 3–37 mm
W3 mean, 3–37 mm
MRI archived
Before manual edits
v12 liquid molarity
Concentration (mol/L)
Nominal evaporation time (h)
Model − MRI / error (mol/L)
Mean bias
Shape RMSE



Processed signal; not native raw MRI
F36
W3
Workbook reconstruction-corrected GV
Nominal time (h)
Observation and supply are conditional
MRI apparent: archived
MRI apparent: recalibrated
1h-anchored inflow-only supply scenario
NaCl-equivalent inventory (g)
Nominal time (h)



F36, 24 h
F36, 84 h
F36, 120 h
F36, 174 h
Depth (mm)
x (mm)
Liquid concentration (mol/L)
Upward LS velocity (µm/s)



Independent trajectories; same 8.100162 mm film
Weighing: solution loss
v12 isothermal
v13 nonisothermal
1h-anchored solution loss (g)
Nominal evaporation time (h)


Black: experiment; blue: v12; orange: v13
Interval solution-loss rate (g/h)
Nominal evaporation time (h)


v12 isothermal
v13 nonisothermal
Solid NaCl-equivalent inventory (g)
Evaporation time (h)


v12 isothermal
v13 nonisothermal
F36 fraction of top water evaporation
Evaporation time (h)


F36 bottom salt exchange
Gross in
Gross out
Net supply
NaCl (g/h)
Time (h)
W3 bottom salt exchange
Gross in
Gross out
Net supply
NaCl (g/h)
Time (h)
Advection
Diffusion
Signed salt F36 → W3 (g/h)
Time (h)
F36 total
W3 total
Salt inventory (g)
Time (h)


24 h: bottom, + out
84 h: bottom, + out
120 h: bottom, + out
174 h: bottom, + out
z (mm)
x (mm); F36 left / W3 right
Bottom (g m⁻² h⁻¹)
SymLog threshold 3
300
30
3
0
-3
-30
-300
Advection
Depth (mm)
z (mm)
Diffusion
Depth (mm)
Interface, + F36→W3 (g m⁻² h⁻¹)
SymLog threshold 1
100
10
1
0
-1
-10
-100