
PRODUCT BOOKLET



Rubylith

Cut out the subject. Keep the edge.

Background removal that runs entirely in your browser, with the hand-finishing tools of a print studio.

ndray904.github.io/Rubylith

Free · Open Source


Named for a sheet of red film and a sharp knife.

Before software, a designer isolating a subject laid Rubylith, a ruby-red masking film, over the artwork on a light table. They traced the outline with a knife and peeled away the film they didn't need. The red reads as solid black to a camera's film, so what stayed became a perfect mask, yet the artist could see the picture through it while cutting.

This app does the same job. It finds the subject, cuts a clean edge, and leaves you the knife for the finishing touches.



01 **Lay the film.** The whole picture sits under ruby.



02 **Cut and peel.** Film stays only on the subject.



03 **Keep the cutout.** Background gone, edge intact.

THE APP IN FIVE STEPS

1

Open

A photo, logo or drawing.

2

Find the subject

An AI model or color removal.

3

Refine the edge

Fur, hair and soft outlines.

4

Touch up

Brushes and one-tap areas.

5

Save

Five formats, any background.

Two AI models and a color knife.

Photos go to an AI model that has learned what a subject looks like. Flat graphics go to removal by color, which keeps every letter and hairline.

BEST QUALITY

BiRefNet

The sharpest outlines: fur, hair, braided straps and stitching. Runs on a computer's graphics card through WebGPU, in Chrome or Edge.

≈190 MB, downloaded once

FAST

ISNet

Works everywhere, phones and tablets included, on the processor alone. A cutout in seconds for most photos.

≈90 MB, downloaded once

DEFAULT

Auto

Chooses for the device: BiRefNet where it can run, ISNet everywhere else. If a graphics card returns a broken result, it switches to ISNet and tells you.

Nothing to set up



Graphic / Logo mode instant

Removal by color, for logos, icons and flat artwork. Auto switches to it when it finds a flat or checkerboard background.

- Detects the background color, or pick it from the image
- Strips checkerboard grids painted in as fake transparency
- Can keep plain white areas that belong to the art
- Tolerance sets how close a color must be
- Keeps enclosed areas, like the inside of an O
- Painted artwork is spotted and sent to the AI instead

An edge you tune, not just accept.

The model draws a first outline. Rubylith then works only in a narrow band around it, re-fitting the edge to the photo's own colors, the way a cutter follows the line under the film.



The ruby band is the only area that gets re-fitted. Inside it, the model's verdict stands.

Edge-aware refinement	Re-fits the outline to the photo's colors. Raise the radius for fur and hair; keep it small for hard edges.
Edge radius	How wide the band is, from 1 to 64 px.
Smooth	Rounds off a jagged outline.
Feather	Fades the edge out gradually.
Contrast	Firms up a soft, uncertain edge.
Shift edge	Grows or shrinks the whole outline.
Remove stray bits	Clears leftover specks, keeping pieces above a size you set, at a strength you choose.
Decontaminate colors	Removes the old background's tint from edge pixels, so no halo shows on a new background.

LOGARITHMIC SLIDER

Fine steps where they matter: 1 to 8 px fills half the track.

Finish by hand, down to the pixel.

When the machine misses a whisker or keeps a stray toy, you hold the knife. Every stroke and tap can be undone.

Restore & Erase

B E

Paint the subject back in, or paint it away. Brush size runs from 1 to 600 px on a logarithmic slider: the first quarter covers 1 to 10 px, for pixel-level work. Hardness sets how soft the brush edge is.

Default brush 10 px · [ ] resize · X swaps

Area Removal & Restore

A

Tap a region and every connected pixel of a similar color goes, like the white of an eye socket or a patch of floor. Switch to Area restore and the same tap brings a region back.

Area tolerance sets the reach · X switches modes

Move & Zoom

V Space

Drag to pan, pinch or scroll to zoom, Fit or 1:1 in one click. On a phone, a stroke waits a split second: if a second finger lands it becomes a pinch, so zooming never leaves stray marks.

Four ways to look

\

Result, Mask, Original, and Compare, which has a before/after slider. Hold backslash to peek at the original at any time.








Five formats. Any background.

Save the cutout for the web, for print or for a vector tool, on transparency or on a new background.

PNG	Full transparency, lossless.
WebP	Transparency at a fraction of PNG's size.
JPG	The smallest files. No transparency, so a clear background is saved as white.
PDF	A page sized to the image, transparency kept, for print and layout apps.
SVG	Wraps the transparent image so it drops into vector tools and web pages.

BACKGROUND



Transparent



White



Black



Blurred original

Or place the subject on an image of your own.

Output size
Full, 50% or 25%

Trim to subject
Crops away empty space

Your file name
Named before saving

Mask on its own
Save it as a PNG

Nothing is uploaded.

The AI models run inside your browser. Your photos never leave your device.

Downloads once

After first use, a model is kept in your browser, so later visits skip the download. One button on the start screen clears them.

Picks up where you left off

Your last image, edits and settings save as you work. Continue editing brings them back after a reload.

Phone or computer

Works in a mobile browser with touch, pinch and logarithmic sliders for precise thumbs. A computer with a graphics card adds BiRefNet.

Free and open source

Licensed under the GNU AGPL v3. Read, change or host the code yourself.



ndray904.github.io/Rubylith

Free, in any modern browser. No account, no upload.

---

github.com/ndray904/Rubylith · GNU AGPL v3

Built on BiRefNet (MIT), ISNet from IMG.LY (AGPL-3.0) and ONNX Runtime Web (MIT). Named in tribute to Rubylith® masking film, a trademark of Ulano Corporation; not affiliated.