```
// FREQUENCY AND DETUNE FUNCTIONS
void setFrequency(float frequency);
                                     // 0.0 - whatever, not sure what happens when negative :)
void setFrequency1(float frequency1);
void setFrequency2(float frequency2);
void setFrequency3(float frequency3);
void setSemitone1(int8_t semi);
                                // -24 to 24
void setSemitone2(int8 t semi);
void setSemitone3(int8_t semi);
void setDetune(float detune):
                                 // 0.0 to whatever.
void setDetune1(float detune);
                                // 1.0 is one octave.
void setDetune2(float detune);
                                 // best results with detune between 0.00 and 0.02
void setDetune3(float detune);
void set0sc1LF0(bool lfo);
                             // true or false
void set0sc2LF0(bool lfo);
void set0sc3LF0(bool lfo);
void setFM1(uint8 t fm); // 0 - 127
void setFM2(uint8 t fm);
void setFM3(uint8 t fm);
void setFMoctaves(uint8 t octs); // 1 - 128, it won't go down to zero.
void setFM1octaves(uint8 t octs);
void setFM2octaves(uint8 t octs);
void setFM3octaves(uint8 t octs);
void setFM1Source(uint8_t source);
                                   // 0 - 3 where
void setFM2Source(uint8 t source);
                                  // 0 is linear, 1 is Osc1
void setFM3Source(uint8 t source);
                                   // 2 is 0sc2 and 3 is 0sc3
```

```
void setFM1Shape(uint8_t shape); // 0 - 5 where
void setFM2Shape(uint8 t shape); // 0 is linear full signal
void setFM3Shape(uint8 t shape); // 1 is envelope1, 2 is envelope2,
                                 // 3 is oscillator1, 4 is oscillator2 and 5 is oscillator 3
void fmToZeroHertz(bool); // true or false, if set to true the FM sounds more harmonic
void setPortamento(int32 t port); // 0 - 127
void set12bit(bool) // true or false
// WAVEFORM FUNCTIONS
void setWaveform(uint16 t waveForm);
                                      // JUST FOR 8bit WAVEFORMS
void setWaveform1(uint16 t waveForm);
                                      // 0 - 15
void setWaveform2(uint16 t waveForm);
                                      //
void setWaveform3(uint16 t waveForm);
// SHORTNAMES FOR WAVEFORMS
SINE 0
SOUARE 1
PULSE 2
TRIANGLE 3
SAW 4
FUZZ 5
DIGI1 6
DIGI2 7
DIGI3 8
DIGI4 9
NOISE 10
DIGI6 11
TAN1 12
TAN2 13
TAN3 14
TAN4 15
```

```
// GAIN FUNCTIONS
void setGain(float value); // 0.0 - 1.0
void setGain1(float value); // 0.0 - 1.0
void setGain2(float value); // 0.0 - 1.0
void setGain3(float value); // 0.0 - 1.0
                 // 0.0 - 1.0
// 0.0 - 1.0
float getGain();
float getGain1();
float getGain2(); // 0.0 - 1.0
float getGain3(); // 0.0 - 1.0
// FILTER FUNCTIONS
void setCutoff(uint16 t c);
                                        // 0 - 65535
void setFilterType(uint8_t type); // 0 is LP, 1 is HP, 2 is BP and 3 is 24dB LP
void setCutoffModAmount(int32 t amount);  // 0 - 65535
void setCutoffModSource(uint8 t source);
                                         // 0 - 65535
// NOTE FUNCTIONS
void noteOn(uint8 t note, uint8 t vel); // 0 - 127
void noteOn(uint8 t note); // 0 - 127
void noteOff(uint8 t note); // 0 - 127
void noteOff();
float getNoteFrequency(uint8_t note); // 0 - 127
```

// ENVELOPE FUNCTIONS

```
void enableEnvelope1();
void disableEnvelope1();
void setEnv1Attack(uint8 t att); // 0 - 127
void setEnv1Decay(uint8 t dec); // 0 - 127
void setEnv1Sustain(uint8 t sus); // 0 - 127
void setEnv1Release(uint8 t rel); // 0 - 127
void enableEnvelope2();
void disableEnvelope2();
void setEnv2Attack(uint8_t att); // 0 - 127
void setEnv2Decay(uint8 t dec); // 0 - 127
void setEnv2Sustain(uint8 t sus); // 0 - 127
void setEnv2Release(uint8 t rel); // 0 - 127
void getPreset(uint8 t p);
                            // 0 - 47, 0 to 15 are user presets on EEPROM
                             // 16 to 47 are "factory presets"
void savePreset(uint8_t p);
                            // 0 - 15, saves current instrument to EEPROM
void sendInstrument():
                             // send current instrument via MIDI as controller messages
BANK U 0
            // User preset bank
BANK A 16
           // Preset bank A
BANK B 32
           // Preset bank B
BANK C 48
           // Preset bank C
```

```
//synth parameters as MIDI controller numbers
//synth functions and parameters as MIDI controller numbers
    PRESET_SAVE 0
    PRESET_RECALL 1
    IS_12_BIT 3
    CUTOFF 4
    ZERO_HZ_FM 5
    FM_OCTAVES 6
    PORTAMENTO 8
    FILTER_TYPE 9
    LF01 10
    SEMITONE1 11
    DETUNE1 12
    GAIN1 13
    WAVEFORM1 14
    FM1 15
    FM1_OCTAVES 16
    FM1_SOURCE 17
    FM1_SHAPE 18
    FREQUENCY1 19
    LF02 20
    SEMITONE2 21
    DETUNE2 22
    GAIN2 23
```

```
WAVEFORM2 24
FM2 25
FM2_OCTAVES 26
FM2_SOURCE 27
FM2_SHAPE 28
FREQUENCY2 29
LF03 30
SEMITONE3 31
DETUNE3 32
GAIN3 33
WAVEFORM3 34
FM3 35
FM3_OCTAVES 36
FM3_SOURCE 37
FM3_SHAPE 38
FREQUENCY3 39
CUTOFF_MOD_AMOUNT 70
CUTOFF_SOURCE 72
ENV1_VELOCITY 112
ENV1_ENABLE 113
ENV1 ATTACK 114
ENV1_DECAY 115
ENV1_SUSTAIN 116
ENV1_RELEASE 117
ENV2_VELOCITY 122
ENV2_ENABLE 123
ENV2_ATTACK 124
ENV2_DECAY 125
ENV2_SUSTAIN 126
ENV2_RELEASE 127
```