are-restful-apis)

Create REST API

(https://www.pragimtech.com/blogasp.net-core-rest-api)

**REST API DbContext** 

(https://www.pragimtech.com/blog core-rest-api-dbcontext)

Repository Pattern in REST API

(https://www.pragimtech.com/blogapi-repository-pattern)

**REST API Get List** 

(https://www.pragimtech.com/blog core-rest-api-list-of-resources)

REST API Get By Id

(https://www.pragimtech.com/blog core-rest-api-get-by-id)

Post in REST API

(https://www.pragimtech.com/blogin-aspnet-core-rest-api)

**REST API Model Validation** 

(https://www.pragimtech.com/blogapi-model-validation)

Put in REST API

(https://www.pragimtech.com/blogin-asp.net-core-rest-api)

Delete in REST API

(https://www.pragimtech.com/blog

in-asp.net-core-rest-api)

Search in REST API

(https://www.pragimtech.com/blog

# Authentication and authorization state data in code in blazor

In our previous video we discussed, how to use [Authorize] attribute to authorize access to routable components (i.e components with <code>@page</code> directive). We did this in the component html.

In this video we will discuss, how to obtain authentication and authorization state data in code in blazor.

## Cascading AuthenticationState parameter

- Cascading AuthenticationState parameter (Task<AuthenticationState>)
   provides authentication and authorization state data.
- If the user is not authenticated, the request is redirected to the login page.
- The return url is also passed as the query string parameter to the login page.
- Upon successful login, the user will be redirected to the page he was trying to access.

in-asp.net-core-rest-api)
Call REST API from Blazor

are-restful-apis)

Create REST API

(https://www.pragimtech.com/blogasp.net-core-rest-api)

**REST API DbContext** 

(https://www.pragimtech.com/blog

core-rest-api-dbcontext)

Repository Pattern in REST API (https://www.pragimtech.com/blogapi-repository-pattern)

**REST API Get List** 

(https://www.pragimtech.com/blo/core-rest-api-list-of-resources)

REST API Get By Id

(https://www.pragimtech.com/blocore-rest-api-get-by-id)

Post in REST API

(https://www.pragimtech.com/blogin-aspnet-core-rest-api)

**REST API Model Validation** 

(https://www.pragimtech.com/blogapi-model-validation)

Put in REST API

(https://www.pragimtech.com/blogin-asp.net-core-rest-api)

Delete in REST API

(https://www.pragimtech.com/blog

in-asp.net-core-rest-api)

Search in REST API

(https://www.pragimtech.com/blog



```
in-asp.net-core-rest-api)
Call REST API from Blazor
are-restful-apis)
Create REST API
(https://www.pragimtech.com/blog
asp.net-core-rest-api)
REST API DbContext
(https://www.pragimtech.com/blog
core-rest-api-dbcontext)
Repository Pattern in REST API
(https://www.pragimtech.com/blog
api-repository-pattern)
REST API Get List
(https://www.pragimtech.com/blo-
core-rest-api-list-of-resources)
REST API Get By Id
(https://www.pragimtech.com/blog
core-rest-api-get-by-id)
Post in REST API
(https://www.pragimtech.com/blog
in-aspnet-core-rest-api)
REST API Model Validation
(https://www.pragimtech.com/blog
api-model-validation)
Put in REST API
(https://www.pragimtech.com/blog
in-asp.net-core-rest-api)
Delete in REST API
(https://www.pragimtech.com/blog
in-asp.net-core-rest-api)
Search in REST API
(https://www.pragimtech.com/blog
```

```
public class EditEmployeeBase : ComponentBase
    [CascadingParameter]
    private Task<AuthenticationState> authenticationStateTask { get; set; }
    [Inject]
    public NavigationManager NavigationManager { get; set; }
    protected async override Task OnInitializedAsync()
        var authenticationState = await authenticationStateTask;
        if (!authenticationState.User.Identity.IsAuthenticated)
            string returnUrl = WebUtility.UrlEncode($"/editEmployee/{Id}");
            NavigationManager.NavigateTo($"/identity/account/login?returnUrl={retur
        // rest of the code
```

in-asp.net-core-rest-api)

Call REST API from Blazor

are-restful-apis)

Create REST API

(https://www.pragimtech.com/blog asp.net-core-rest-api)

REST API DbContext

(https://www.pragimtech.com/blog core-rest-api-dbcontext)

Repository Pattern in REST API (https://www.pragimtech.com/blod api-repository-pattern)

**REST API Get List** 

(https://www.pragimtech.com/blod core-rest-api-list-of-resources)

REST API Get By Id

(https://www.pragimtech.com/blog core-rest-api-get-by-id)

Post in REST API

(https://www.pragimtech.com/blog

in-aspnet-core-rest-api)

REST API Model Validation

(https://www.pragimtech.com/blog api-model-validation)

Put in REST API

(https://www.pragimtech.com/blog

in-asp.net-core-rest-api)

Delete in REST API

(https://www.pragimtech.com/blog

in-asp.net-core-rest-api)

Search in REST API


(https://www.pragimtech.com/blog

## Check if authenticated user is in a specific role

```
if (authenticationState.User.IsInRole("Administrator"))
{
    // Execute Admin logic
}
```

## Check if authenticated user satisfies a specific policy

Task<AuthenticationState> can be combined with IAuthorizationService, to check if a specific authorization policy is satisfied.



Phong Vũ

```
in-asp.net-core-rest-api)
Call REST API from Blazor
are-restful-apis)
Create REST API
(https://www.pragimtech.com/blog
asp.net-core-rest-api)
REST API DbContext
(https://www.pragimtech.com/blog
core-rest-api-dbcontext)
Repository Pattern in REST API
(https://www.pragimtech.com/blod
api-repository-pattern)
REST API Get List
(https://www.pragimtech.com/blo-
core-rest-api-list-of-resources)
REST API Get By Id
(https://www.pragimtech.com/blog
core-rest-api-get-by-id)
Post in REST API
(https://www.pragimtech.com/blog
in-aspnet-core-rest-api)
REST API Model Validation
(https://www.pragimtech.com/block
api-model-validation)
Put in REST API
(https://www.pragimtech.com/blog
in-asp.net-core-rest-api)
Delete in REST API
(https://www.pragimtech.com/blog
in-asp.net-core-rest-api)
Search in REST API
```

```
public class EditEmployeeBase : ComponentBase
    [CascadingParameter]
    private Task<AuthenticationState> authenticationStateTask { get; set; }
    [Inject]
    private IAuthorizationService AuthorizationService { get; set; }
    protected async override Task OnInitializedAsync()
        var user = (await authenticationStateTask).User;
        if ((await AuthorizationService.AuthorizeAsync(user, "admin-policy"))
        .Succeeded)
            // Execute code specific to admin-policy
}
```



(https://www.pragimtech.com/blog/blazor/blazor-authorize-attribute) (https://www.pragimtech.com/blog/blazor/blazor-course-wrap-up)



© 2020 Pragimtech (https://www.pragimtech.com). All Rights Reserved.

(https://www.pragimtech.com/blog

in-asp.net-core-rest-api)
Call REST API from Blazor

are-restful-apis)

Create REST API

(https://www.pragimtech.com/blogasp.net-core-rest-api)

**REST API DbContext** 

(https://www.pragimtech.com/blo

core-rest-api-dbcontext)

Repository Pattern in REST API (https://www.pragimtech.com/blogapi-repository-pattern)

**REST API Get List** 

(https://www.pragimtech.com/blocore-rest-api-list-of-resources)

REST API Get By Id

(https://www.pragimtech.com/blog

core-rest-api-get-by-id)

Post in REST API

(https://www.pragimtech.com/blog

in-aspnet-core-rest-api)

**REST API Model Validation** 

(https://www.pragimtech.com/blogapi-model-validation)

Put in REST API

(https://www.pragimtech.com/blog

in-asp.net-core-rest-api)

Delete in REST API

(https://www.pragimtech.com/blog

in-asp.net-core-rest-api)

Search in REST API

(https://www.pragimtech.com/blog



#### Students save 6

Get started with templates and generati







#### Students save 6

Get started with templates and generati

