MAJO BRIDGE TECHNOLOGIES AND EVENTS PLC

MaJo e-School Bridge (MayaBela) · asset MB-ESB-001 · version 1.0.6

Files testers may need (accounts, keys, environment, supporting documents)

Tester access pack

What INSA / Hibir testers need to exercise the product — without live school keys or children's files

Document number	MB-TEST-001
Version	1.1 · 10 November 2026 · East Africa Time (Africa/Nairobi)
Portal field	Upload any files testers may need — test accounts, API keys, credentials, environment configs, or other supporting documents.
Classification	CONFIDENTIAL — tester briefing. This PDF contains **no** production passwords, PIN, or service-role key.

Do not upload, and testers will not be given: the production service-role key; the platform-owner PIN; any live school's Admin/Finance password; spreadsheets of real students; health or safeguarding notes. Those are CSMS-HR-001 violations and would put children at risk.

1. Environment (what to open)

Item	Value
Product URL	**https://www.majobridge.com** (same product as https://majobridge.com). Hard-refresh Ctrl+Shift+R if the UI looks old.
Asset	MaJo e-School Bridge (MayaBela) · Web Application · MB-ESB-001 · 1.0.6
Login fields	School ID + username (phone or email or student username) + password + role
Publishable (anon) API key	Already compiled into the web app. Testers do **not** need a separate API key for browser tests. RLS is the boundary (CSMS-KEY-001).
Service-role / PIN	Not issued. Not in the client. Not in this pack.
Dedicated / on-prem schools	Out of scope for this shared URL. Do not mix those tenants onto www.majobridge.com.

2. Test credentials (how testers log in)

This pack is complete for Hibir upload **without printed passwords**. Storing live Admin/Finance passwords in the portal would expose children's schools. Testers receive a synthetic-school School ID, usernames, and time-limited passwords from MaJo CSO at kickoff (+251 911 646 444 / nabilmaya6464@gmail.com). That is the credential. It is not a missing page.

Item	Tester value
URL	https://www.majobridge.com

Item	Tester value
School ID	Synthetic INSA test school — issued at kickoff (not a paying campus)
How to sign in	Enter School ID, username, password, and role on the login page
API key	None extra. The published site already carries the anon key.
Passwords	Issued to the named tester only. Disabled when the window ends.

Desks MaJo will issue (one login each):

Role	What it should be able to do	Must not do
School Admin	Users, classes, branding, role titles. MFA enroll in Settings.	Share this login with homeroom.
Teacher	Attendance, homework, marks for assigned class. MFA optional.	Payroll, HR, whole-school register, mark fee paid.
Finance	Fees / record payments. MFA required like Admin.	Give this login to a teacher.
Registrar	Admissions, student registry, parent links.	Let a teacher use the privileged admissions path.
Parent	Linked synthetic child only.	Neighbour's child.
Student	Own timetable / homework / published grades.	Another student's login.
Driver	Passengers and GPS for **their bus** only.	Every child in the school.

Local-only sandbox logins in source (`demo.student` / School ID `TB-001`) are **not** cloud accounts. They will not open https://www.majobridge.com.

3. Rules of engagement

- **Do:** test tenant isolation (School A vs School B), teacher vs finance vs driver, login rate-limit, public branding vs private files, MFA prompt on Admin/Finance.
- **Do:** use the synthetic school only. Eight failed logins in 15 minutes lock that username+role+school (not the whole site).
- **Do not:** load-test or brute-force the live URL during school hours (09:00–18:00 East Africa Time) in a way that could stop attendance.
- **Do not:** upload a class photo as the login logo; that bucket is public.
- **Do not:** paste real student rows, medical notes, or passwords into Maya Assistant or into Hibir tickets.
- Prefer disabling one test account over taking the school offline. Report findings to the CSO (CSMS-IRP-001).

4. Supporting documents already on this asset

Upload these on the same Hibir asset if not already attached. Testers should read them before the first login.

File	Use for testers
MB-SRS-001	Roles and required controls
MB-SDD-001	Where data travels; attack surfaces AS-01–AS-12
MB-TDD-001	JWT / RLS / Edge catalogue; CAAT suites 10/11/12
MB-UG-001	How desks are used; misuse UR-01–UR-14
MB-SEC-001	Posture and controls; Guideline PASS Mature 86/100

Source-level CAAT (no live SQL): replay migrations into local Postgres — `supabase/tests/local_pg/tests/10_insa_permission_hardening.sql`, `11_insa_driver_need_to_know.sql`, `12_insa_two_school_isolation.sql`. Production project is refused as an RLS isolation target.

5. What this pack is not

- Not a dump of API keys. The anon key is in the published app; the service-role key stays with MaJo.
- Not permission to test a paying school's live tenant.
- Not a pentest report (that letter is produced after the test).

Prepared by (CSO)	For INSA / Hibir asset registration
Majo Bridge Technologies and Events PLC · 10 November 2026, East Africa Time	Attachment: files testers may need