

Cucumber Report

Feb 1, 2025, 11:20:51 PM

Start : Feb 01, 11:12:00.365 PM

End : Feb 01, 11:20:50.649 PM

Duration : 8 m 50.284 s

Features


Scenarios

Steps

PASSED - 3
FAILED - 2
SKIPPED - 0


PASSED - 13
FAILED - 7
SKIPPED - 0

PASSED - 158
FAILED - 7
SKIPPED - 27




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Account Details Page</u>	34.449 s	3	3	0	0	26	26	0	0
<u>Add Money Popup</u>	1 m 26.563 s	6	4	2	0	61	59	2	0
<u>Create Account Popup Scenario</u>	5 m 46.240 s	5	0	5	0	67	35	5	27
<u>LoginPage Scenario</u>	46.639 s	5	5	0	0	26	26	0	0
<u>Transfer Money Popup Feature</u>	16.372 s	1	1	0	0	12	12	0	0


#	Feature Name	Scenario Name
1	<u>Add Money Popup</u>	<u>Validate Card Holder Field with invalid input</u>
2		<u>Validate Amount Field with invalid input</u>
3	<u>Create Account Popup Scenario</u>	<u>Checking Account Popup Test</u>
4		<u>Saving Account Popup Test</u>
5		<u>Create Saving Account</u>
6		<u>Create Checking Account</u>
7		<u>Check Checking Account</u>



#	Feature Name	T	P	F	S	Duration
1	<u>Account Details Page</u>	3	3	0	0	34.449 s
2	<u>Add Money Popup</u>	6	4	2	0	1 m 26.563 s
3	<u>Create Account Popup Scenario</u>	5	0	5	0	5 m 46.240 s
4	<u>LoginPage Scenario</u>	5	5	0	0	46.639 s
5	<u>Transfer Money Popup Feature</u>	1	1	0	0	16.372 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add Money Popup</u>	<u>Verify account details information</u>	10	10	0	0	9.586 s
2		<u>Open Add Money Screen</u>	8	8	0	0	11.980 s
3		<u>Open Edit Account Screen</u>	8	8	0	0	12.872 s
4	<u>Add Money Popup</u>	<u>Verify Add Money Popup UI Elements</u>	13	13	0	0	11.890 s
5		<u>Validate Card Holder Field with invalid input</u>	9	8	1	0	25.456 s
6		<u>Validate Expiry Date Field with invalid input</u>	9	9	0	0	11.993 s
7		<u>Validate CVV Field with invalid input</u>	9	9	0	0	11.796 s
8		<u>Validate Amount Field with invalid input</u>	9	8	1	0	12.233 s
9		<u>Successful Add Money Operation</u>	12	12	0	0	13.180 s
10	<u>Create Account Popup Scenario</u>	<u>Checking Account Popup Test</u>	12	7	1	4	1 m 9.707 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Create Account Popup Scenario</u>	<u>Saving Account Popup Test</u>	13	7	1	5	1 m 8.957 s
12		<u>Create Saving Account</u>	14	7	1	6	1 m 9.365 s
13		<u>Create Checking Account</u>	14	7	1	6	1 m 9.480 s
14		<u>Check Checking Account</u>	14	7	1	6	1 m 8.720 s
15	<u>LoginPage Scenario</u>	<u>Success login</u>	5	5	0	0	8.698 s
16		<u>Fail Login Invalid Username</u>	5	5	0	0	6.010 s
17		<u>Fail login Invalid Password</u>	5	5	0	0	6.554 s
18		<u>Fail login Empty Fields</u>	3	3	0	0	12.648 s
19		<u>Open Money Transfer Page To Back</u>	8	8	0	0	12.722 s
20	<u>Transfer Money Popup Feature</u>	<u>Open Transfer Money Screen</u>	12	12	0	0	16.372 s

Account Details Page

PASSED	DURATION - 34.449 s	Scenarios		Steps	
/ 11:12:00.365 PM // 11:12:34.814 PM /		Total - 3		Total - 26	
		Pass - 3		Pass - 26	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Verify account details information

PASSED	DURATION - 9.586 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	10
/ 11:12:00.367 PM // 11:12:09.953 PM /				
Account Details Page				

#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.116 s
2	When Enter the username	PASSED	0.081 s
3	And Enter the password	PASSED	0.063 s
4	And Click on the login	PASSED	0.033 s
5	Then The title will contains the "apps"	PASSED	3.028 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.039 s
7	Then The account name should be "EceAccount"	PASSED	0.531 s
8	And The account type should be "CHECKING"	PASSED	0.021 s
9	And The account amount should be "10,000,000.00"	PASSED	0.045 s
10	And The transactions message should be "You don't have any transaction yet."	PASSED	0.027 s

Open Add Money Screen

PASSED	DURATION - 11.980 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 11:12:09.958 PM // 11:12:21.938 PM /				
Account Details Page				

#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.585 s
2	When Enter the username	PASSED	0.072 s
3	And Enter the password	PASSED	0.063 s
4	And Click on the login	PASSED	0.031 s
5	Then The title will contains the "apps"	PASSED	3.025 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.037 s
7	When User clicks on "Add money" button	PASSED	3.063 s
8	Then The add money screen is displayed	PASSED	0.000 s

Open Edit Account Screen

PASSED	DURATION - 12.872 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 11:12:21.942 PM // 11:12:34.814 PM /				
Account Details Page				



#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	2.202 s
2	When Enter the username	PASSED	0.076 s
3	And Enter the password	PASSED	0.056 s
4	And Click on the login	PASSED	0.030 s
5	Then The title will contains the "apps"	PASSED	3.035 s

#	Step / Hook Details	Status	Duration
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.035 s
7	When User clicks on "Edit account" button	PASSED	3.052 s
8	Then The edit account screen is displayed	PASSED	0.001 s

Add Money Popup

FAILED	DURATION - 1 m 26.563 s	Scenarios		Steps	
/ 11:12:34.825 PM // 11:14:01.388 PM /		Total - 6		Total - 61	
		Pass - 4		Pass - 59	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	


Verify Add Money Popup UI Elements

PASSED	DURATION - 11.890 s		Steps	
/ 11:12:34.825 PM // 11:12:46.715 PM /			Total - 13	
Add Money Popup			Pass - 13	
			Fail - 0	
			Skip - 0	


#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.101 s
2	When Enter the username	PASSED	0.081 s
3	And Enter the password	PASSED	0.061 s
4	And Click on the login	PASSED	0.033 s
5	Then The title will contains the "apps"	PASSED	3.029 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.041 s
7	And User clicks on "Add money" button in add money popup	PASSED	3.071 s
8	Then The add money popup title should be "Add money"	PASSED	0.030 s
9	And The card number field should be displayed	PASSED	0.024 s
10	And The card holder field should be displayed	PASSED	0.027 s

#	Step / Hook Details	Status	Duration
11	And The expiry date field should be displayed	PASSED	0.032 s
12	And The CVV field should be displayed	PASSED	0.037 s
13	And The amount field should be displayed	PASSED	0.036 s


Validate Card Holder Field with invalid input

FAILED DURATION - 25.456 s			Steps Total - 9 Pass - 8 Fail - 1 Skip - 0	
/ 11:12:46.717 PM // 11:13:12.173 PM /				
Add Money Popup				

#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.050 s
2	When Enter the username	PASSED	0.060 s
3	And Enter the password	PASSED	0.056 s
4	And Click on the login	PASSED	0.029 s
5	Then The title will contains the "apps"	PASSED	3.018 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.036 s
7	And User clicks on "Add money" button in add money popup	PASSED	3.063 s
8	When User enters "12345" into "Card holder" field	PASSED	0.067 s
9	Then An error message "Invalid card holder name" should be displayed for "Card holder" field	FAILED	12.104 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //div[contains(text(),'Invalid card holder name')] (tried for 10 second(s) with 3000 milliseconds interval) Build info: version: '4.28.0', revision: 'ac342546e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.101, chrome: {chromedriverVersion: 127.0.6533.119 (bdef6783a05..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60918}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60918/devtoo..., se:cdpVersion: 127.0.6533.101, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c502b408b885eb56571f68d849c73e1b at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		


#	Step / Hook Details	Status	Duration
	at steps.AddMoneyPopupSteps.anErrorMessageShouldBeDisplayedForField(AddMoneyPopupSteps.java:121) at ?.An error message "Invalid card holder name" should be displayed for "Card holder" field(file:///C:/Users/esahin/IdeaProjects/org.catchylabs-nece/src/test/resources/features/add-money-popup.feature:22) * Not displayable characters are replaced by '?'.		
	AFTER - driver.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	2.689 s
	Validate Card Holder Field with invalid input		
			

Validate Expiry Date Field with invalid input

PASSED		DURATION - 11.993 s			Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 11:13:12.178 PM // 11:13:24.171 PM /						
Add Money Popup						


#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.442 s
2	When Enter the username	PASSED	0.054 s
3	And Enter the password	PASSED	0.055 s
4	And Click on the login	PASSED	0.037 s
5	Then The title will contains the "apps"	PASSED	3.019 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.034 s
7	And User clicks on "Add money" button in add money popup	PASSED	3.055 s
8	When User enters "13/99" into "Expiry date" field	PASSED	0.062 s
9	Then An error message "Wrong date. Please give a correct date" should be displayed for "Expiry date" field	PASSED	0.064 s

Validate CVV Field with invalid input




#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.128 s
2	When Enter the username	PASSED	0.056 s
3	And Enter the password	PASSED	0.057 s
4	And Click on the login	PASSED	0.029 s
5	Then The title will contains the "apps"	PASSED	3.018 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.035 s
7	And User clicks on "Add money" button in add money popup	PASSED	3.065 s
8	When User enters "abc" into "CVV" field	PASSED	0.059 s
9	Then An error message "Required" should be displayed for "CVV" field	PASSED	0.077 s

Validate Amount Field with invalid input





#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.175 s
2	When Enter the username	PASSED	0.055 s
3	And Enter the password	PASSED	0.059 s
4	And Click on the login	PASSED	0.031 s

#	Step / Hook Details	Status	Duration
5	Then The title will contains the "apps"	PASSED	3.023 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.044 s
7	And User clicks on "Add money" button in add money popup	PASSED	3.058 s
8	When User enters "ten dollars" into "Amount" field	PASSED	0.072 s
9	Then An error message "Invalid amount" should be displayed for "Amount" field <pre>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : Something went wrong. Please try again!} (Session info: chrome=127.0.6533.101): Something went wrong. Please try again! Build info: version: '4.28.0', revision: 'ac342546e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a1bdf02acce1a5f285be491861a329a6, findElement {using=css selector, value=body}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.101, chrome: {chromedriverVersion: 127.0.6533.119 (bdef6783a05..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61032}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61032/devtoo..., se:cdpVersion: 127.0.6533.101, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a1bdf02acce1a5f285be491861a329a6 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:136) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utils.FormHelper.findElement(FormHelper.java:77) at steps.AddMoneyPopupSteps.getErrorMessageLocator(AddMoneyPopupSteps.java:40) at steps.AddMoneyPopupSteps.anErrorMessageShouldBeDisplayedForField(AddMoneyPopupSteps.java:120) at ?.An error message "Invalid amount" should be displayed for "Amount" field(file:///C:/Users/esahin/IdeaProjects/org.catchylabs-nece/src/test/resources/features/add-money-popup.feature:34) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.005 s
	AFTER - driver.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.190 s
	Validate Amount Field with invalid input		

#	Step / Hook Details	Status	Duration
			

Successful Add Money Operation



PASSED	DURATION - 13.180 s		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0 
/ 11:13:48.208 PM // 11:14:01.388 PM /			
Add Money Popup			

#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	2.186 s
2	When Enter the username	PASSED	0.082 s
3	And Enter the password	PASSED	0.100 s
4	And Click on the login	PASSED	0.040 s
5	Then The title will contains the "apps"	PASSED	3.021 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.040 s
7	And User clicks on "Add money" button in add money popup	PASSED	3.060 s
8	When User enters "4111111111111111" into "Card number" field	PASSED	0.087 s
9	And User enters "John Doe" into "Card holder" field	PASSED	0.085 s
10	And User enters "12/25" into "Expiry date" field	PASSED	0.085 s
11	And User enters "123" into "CVV" field	PASSED	0.079 s
12	And User enters "1000" into "Amount" field	PASSED	0.064 s

Create Account Popup Scenario

FAILED	DURATION - 5 m 46.240 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 67 Pass - 35 Fail - 5 Skip - 27	
/ 11:14:01.393 PM // 11:19:47.633 PM /					


Checking Account Popup Test

FAILED	DURATION - 1 m 9.707 s		Steps Total - 12 Pass - 7 Fail - 1 Skip - 4	
/ 11:14:01.393 PM // 11:15:11.100 PM /				
Create Account Popup Scenario				



#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.742 s
2	When Enter the username	PASSED	0.103 s
3	And Enter the password	PASSED	0.079 s
4	And Click on the login	PASSED	0.060 s
5	Then The title will contains the "apps"	PASSED	3.014 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.033 s
7	Then The title will contains the "money-transfer"	PASSED	0.006 s
8	When Click "CREATE AN ACCOUNT" button	FAILED	1 m 0.225 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')] (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at utils.FormHelper.findElement(FormHelper.java:77) at steps.LoginSteps.clickButton(LoginSteps.java:102) at ?.Click "CREATE AN ACCOUNT" button(file:///C:/Users/esahin/IdeaProjects/org.catchylabs-nece/src/test/resources/features/create- account-popup.feature:11) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an		

#	Step / Hook Details	Status	Duration
	account'}}" (Session info: chrome=127.0.6533.101) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.0', revision: 'ac342546e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50d80f334baf7b2bfd14ab6c23aebe79, findElement {using=xpath, value=//div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.101, chrome: {chromedriverVersion: 127.0.6533.119 (bdef6783a05..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61104}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61104/devtoo..., se:cdpVersion: 127.0.6533.101, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 50d80f334baf7b2bfd14ab6c23aebe79 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utils.FormHelper.findElement(FormHelper.java:77) at steps.LoginSteps.clickButton(LoginSteps.java:102) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:377) at org.apache.maven.surefire.junit4.JUnit4Provider.executeWithRerun(JUnit4Provider.java:284) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:248) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:167) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> * Not displayable characters are replaced by '?'.		
9	Then System Open The Popup "Create account"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
10	And User check the "CREATE" button is disabled	SKIPPED	0.000 s
11	And User fill the Account Name "EceAccount"	SKIPPED	0.000 s
12	And User check the "CREATE" button is enabled	SKIPPED	0.000 s
	AFTER - driver.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.232 s
	Checking Account Popup Test		
			


Saving Account Popup Test

FAILED		DURATION - 1 m 8.957 s			Steps Total - 13 Pass - 7 Fail - 1 Skip - 5	
/ 11:15:11.103 PM // 11:16:20.060 PM /						
Create Account Popup Scenario						



#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.045 s
2	When Enter the username	PASSED	0.071 s
3	And Enter the password	PASSED	0.065 s
4	And Click on the login	PASSED	0.032 s
5	Then The title will contains the "apps"	PASSED	3.031 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.034 s
7	Then The title will contains the "money-transfer"	PASSED	0.004 s
8	When Click "CREATE AN ACCOUNT" button	FAILED	1 m 0.209 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')] (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at utils.FormHelper.findElement(FormHelper.java:77) at steps.LoginSteps.clickButton(LoginSteps.java:102) at ?.Click "CREATE AN ACCOUNT" button(file:///C:/Users/esahin/IdeaProjects/org.catchylabs-nece/src/test/resources/features/create-account-popup.feature:11) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')]"} (Session info: chrome=127.0.6533.101) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.0', revision: 'ac342546e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [83911c6b803a3aa5dad396fb25a9e6a4, findElement {using=xpath, value=//div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.101, chrome: {chromedriverVersion: 127.0.6533.119 (bdef6783a05..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61183}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61183/devtoo..., se:cdpVersion: 127.0.6533.101, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 83911c6b803a3aa5dad396fb25a9e6a4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utils.FormHelper.findElement(FormHelper.java:77) at steps.LoginSteps.clickButton(LoginSteps.java:102) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:377) at org.apache.maven.surefire.junit4.JUnit4Provider.executeWithRerun(JUnit4Provider.java:284) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:248)		

#	Step / Hook Details	Status	Duration
	at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:167) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) * Not displayable characters are replaced by '?'.		
9	Then System Open The Popup "Create account"	SKIPPED	0.000 s
10	When User Select Account Type "Saving account"	SKIPPED	0.000 s
11	And User check the "CREATE" button is disabled	SKIPPED	0.000 s
12	And User fill the Account Name "EceAccount"	SKIPPED	0.000 s
13	And User check the "CREATE" button is enabled	SKIPPED	0.000 s
	AFTER - driver.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.160 s
	Saving Account Popup Test		
			


Create Saving Account

FAILED DURATION - 1 m 9.365 s / 11:16:20.062 PM // 11:17:29.427 PM / Create Account Popup Scenario		Steps Total - 14 Pass - 7 Fail - 1 Skip - 6	
--	---	---	--



#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.316 s
2	When Enter the username	PASSED	0.055 s
3	And Enter the password	PASSED	0.056 s
4	And Click on the login	PASSED	0.031 s

#	Step / Hook Details	Status	Duration
5	Then The title will contains the "apps"	PASSED	3.015 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.031 s
7	Then The title will contains the "money-transfer"	PASSED	0.003 s
8	When Click "CREATE AN ACCOUNT" button	FAILED	1 m 0.499 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')] (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at utils.FormHelper.findElement(FormHelper.java:77) at steps.LoginSteps.clickButton(LoginSteps.java:102) at ?.Click "CREATE AN ACCOUNT" button(file:///C:/Users/esahin/IdeaProjects/org.catchylabs-nece/src/test/resources/features/create-account-popup.feature:11) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')]"} (Session info: chrome=127.0.6533.101) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.0', revision: 'ac342546e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9c21322731e67652cb79f3a7a75e5e68, findElement {using=xpath, value=//div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.101, chrome: {chromedriverVersion: 127.0.6533.119 (bdef6783a05..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61376/devtoo..., se:cdpVersion: 127.0.6533.101, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9c21322731e67652cb79f3a7a75e5e68 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utils.FormHelper.findElement(FormHelper.java:77) at steps.LoginSteps.clickButton(LoginSteps.java:102) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:377) at org.apache.maven.surefire.junit4.JUnit4Provider.executeWithRerun(JUnit4Provider.java:284) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:248) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:167) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> * Not displayable characters are replaced by '?'.		
9	Then System Open The Popup "Create account"	SKIPPED	0.000 s
10	When User Select Account Type "Saving account"	SKIPPED	0.000 s
11	And User check the "CREATE" button is disabled	SKIPPED	0.000 s
12	And User fill the Account Name "EceAccount"	SKIPPED	0.000 s
13	And User check the "CREATE" button is enabled	SKIPPED	0.000 s
14	And Click Account Create button	SKIPPED	0.000 s
	AFTER - driver.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.049 s
	Create Saving Account		
			


Create Checking Account

FAILED DURATION - 1 m 9.480 s			Steps Total - 14 Pass - 7 Fail - 1 Skip - 6	
/ 11:17:29.431 PM // 11:18:38.911 PM /				
Create Account Popup Scenario				



#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.753 s
2	When Enter the username	PASSED	0.053 s
3	And Enter the password	PASSED	0.057 s
4	And Click on the login	PASSED	0.029 s
5	Then The title will contains the "apps"	PASSED	3.018 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.031 s
7	Then The title will contains the "money-transfer"	PASSED	0.005 s
8	When Click "CREATE AN ACCOUNT" button	FAILED	1 m 0.073 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')] (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at utils.FormHelper.findElement(FormHelper.java:77) at steps.LoginSteps.clickButton(LoginSteps.java:102) at ?.Click "CREATE AN ACCOUNT" button(file:///C:/Users/esahin/IdeaProjects/org.catchylabs-nece/src/test/resources/features/create-account-popup.feature:11) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')]"} (Session info: chrome=127.0.6533.101) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.0', revision: 'ac342546e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3185d92092dcb8f24c72c7009e8fc4c9, findElement {using=xpath, value=//div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.101, chrome: {chromedriverVersion: 127.0.6533.119 (bdef6783a05..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61532}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61532/devtoo..., se:cdpVersion: 127.0.6533.101, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	3185d92092dcb8f24c72c7009e8fc4c9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utils.FormHelper.findElement(FormHelper.java:77) at steps.LoginSteps.clickButton(LoginSteps.java:102) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:377) at org.apache.maven.surefire.junit4.JUnit4Provider.executeWithRerun(JUnit4Provider.java:284) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:248) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:167) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> * Not displayable characters are replaced by '?'.		
9	Then System Open The Popup "Create account"	SKIPPED	0.000 s
10	When User Select Account Type "Checking account"	SKIPPED	0.000 s
11	And User check the "CREATE" button is disabled	SKIPPED	0.000 s
12	And User fill the Account Name "EceAccount"	SKIPPED	0.000 s
13	And User check the "CREATE" button is enabled	SKIPPED	0.000 s
14	And Click Account Create button	SKIPPED	0.000 s
	AFTER - driver.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.153 s
	Create Checking Account		

#	Step / Hook Details	Status	Duration
			


Check Checking Account

FAILED DURATION - 1 m 8.720 s			Steps Total - 14 Pass - 7 Fail - 1 Skip - 6	
/ 11:18:38.913 PM // 11:19:47.633 PM /				
Create Account Popup Scenario				

#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.126 s
2	When Enter the username	PASSED	0.055 s
3	And Enter the password	PASSED	0.054 s
4	And Click on the login	PASSED	0.030 s
5	Then The title will contains the "apps"	PASSED	3.018 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.036 s
7	Then The title will contains the "money-transfer"	PASSED	0.004 s
8	When Click "CREATE AN ACCOUNT" button	FAILED	1 m 0.002 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')] (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at utils.FormHelper.findElement(FormHelper.java:77) at steps.LoginSteps.clickButton(LoginSteps.java:102) at ?.Click "CREATE AN ACCOUNT" button(file:///C:/Users/esahin/IdeaProjects/org.catchylabs-nece/src/test/resources/features/create-account-popup.feature:11) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		

#	Step / Hook Details	Status	Duration
	<pre> {"method":"xpath","selector":"/div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')]} (Session info: chrome=127.0.6533.101) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.0', revision: 'ac342546e9' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [03956b9b381746e07097b7bdb98fceb8, findElement {using=xpath, value=//div[contains(translate(text(), 'ABCDEFGHIJKLMNOPQRSTUVWXYZ', 'abcdefghijklmnopqrstuvwxyz'), 'create an account')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.101, chrome: {chromedriverVersion: 127.0.6533.119 (bdef6783a05..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61619}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:61619/devtoo..., se.cdpVersion: 127.0.6533.101, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 03956b9b381746e07097b7bdb98fceb8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utils.FormHelper.findElement(FormHelper.java:77) at steps.LoginSteps.clickButton(LoginSteps.java:102) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.apache.maven.surefire.junit4.JUnit4Provider.execute(JUnit4Provider.java:377) at org.apache.maven.surefire.junit4.JUnit4Provider.executeWithRerun(JUnit4Provider.java:284) at org.apache.maven.surefire.junit4.JUnit4Provider.executeTestSet(JUnit4Provider.java:248) at org.apache.maven.surefire.junit4.JUnit4Provider.invoke(JUnit4Provider.java:167) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:456) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:169) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:595) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:581) </pre> * Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
9	Then System Open The Popup "Create account"	SKIPPED	0.000 s
10	When User Select Account Type "Checking account"	SKIPPED	0.000 s
11	And User check the "CREATE" button is disabled	SKIPPED	0.000 s
12	And User fill the Account Name "EceAccount"	SKIPPED	0.000 s
13	And User check the "CREATE" button is enabled	SKIPPED	0.000 s
14	And Click Account Create button	SKIPPED	0.000 s
	AFTER - driver.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.148 s
	Check Checking Account		
			

LoginPage Scenario


PASSED	DURATION - 46.639 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 26 Pass - 26 Fail - 0 Skip - 0	
/ 11:19:47.636 PM // 11:20:34.275 PM /					

Success login

PASSED		DURATION - 8.698 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 11:19:47.636 PM // 11:19:56.334 PM /						
LoginPage Scenario						


#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.391 s
2	When Enter the username	PASSED	0.074 s
3	And Enter the password	PASSED	0.057 s
4	And Click on the login	PASSED	0.028 s
5	Then The title will contains the "apps"	PASSED	3.015 s

Fail Login Invalid Username

PASSED		DURATION - 6.010 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 11:19:56.336 PM // 11:20:02.346 PM /						
LoginPage Scenario						


#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.186 s
2	When Enter the wrong username	PASSED	0.076 s
3	And Enter the password	PASSED	0.056 s
4	And Click on the login	PASSED	0.029 s
5	Then The error message "Username or Password Invalid!" is displayed	PASSED	0.530 s

Fail login Invalid Password

PASSED		DURATION - 6.554 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 11:20:02.347 PM // 11:20:08.901 PM /						
LoginPage Scenario						


#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.384 s
2	When Enter the username	PASSED	0.069 s
3	And Enter the wrong password	PASSED	0.057 s
4	And Click on the login	PASSED	0.030 s
5	Then The error message "Username or Password Invalid!" is displayed	PASSED	1.028 s

Fail login Empty Fields

PASSED		DURATION - 12.648 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0		
/ 11:20:08.903 PM // 11:20:21.551 PM /							
LoginPage Scenario							

#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	6.995 s
2	When Click on the login	PASSED	0.034 s
3	Then The error message "Username or Password Invalid!" is displayed	PASSED	1.549 s

Open Money Transfer Page To Back

PASSED	DURATION - 12.722 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 11:20:21.553 PM // 11:20:34.275 PM /				
LoginPage Scenario				

#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	5.301 s
2	When Enter the username	PASSED	0.070 s


#	Step / Hook Details	Status	Duration
3	And Enter the password	PASSED	0.055 s
4	And Click on the login	PASSED	0.028 s
5	Then The title will contains the "apps"	PASSED	3.023 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.034 s
7	Then The title will contains the "money-transfer"	PASSED	0.007 s
8	When Click "Back" button	PASSED	0.035 s

Transfer Money Popup Feature

PASSED	DURATION - 16.372 s	Scenarios		Steps	
/ 11:20:34.277 PM // 11:20:50.649 PM /		Total - 1		Total - 12	
		Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Open Transfer Money Screen

PASSED	DURATION - 16.372 s		Steps	
/ 11:20:34.277 PM // 11:20:50.649 PM /			Total - 12	
Transfer Money Popup Feature			Pass - 12	12
			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Go to catchylabs	PASSED	1.187 s
2	When Enter the username	PASSED	0.076 s
3	And Enter the password	PASSED	0.060 s
4	And Click on the login	PASSED	0.030 s
5	Then The title will contains the "apps"	PASSED	3.019 s
6	When Click "OPEN MONEY TRANSFER" button	PASSED	0.035 s
7	When User clicks on "Transfer money" button	PASSED	3.060 s

#	Step / Hook Details	Status	Duration
8	Then The transfer money popup title should be "Transfer money"	PASSED	0.028 s
9	And The sender account dropdown should be displayed	PASSED	3.032 s
10	And The receiver account dropdown should be displayed	PASSED	0.020 s
11	And The amount input field should be displayed	PASSED	0.020 s
12	And The "Send" button should be disabled	PASSED	0.020 s