Cucumber Report

| Start : Jun 18, 6:23:13.986 PM	End : Jun 18, 6:26:23.098 PM	Duration : 3 m 9.112 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 2 SKIPPED - 0	PASSED - 30 FAILED - 2 SKIPPED - 2

Features: 2 — Pass 50%

Scenarios: 8 — Pass 75%

Steps: 34 — Pass 88%

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
search_feature	2 m 27.332 s	6	6	0	0	24	24	0	0
customer_login_failing_on_purpose	41.718 s	2	0	2	0	10	6	2	2

#	Feature Name	Scenario Name
1	customer_login_failing_on_purpose	TC01_<PositiveTest>_customer_login_test
2		TC01_<PositiveTest>_customer_login_test

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@parameterizing1	6	6	0	0	1	1	0	0
@test_runner	6	6	0	0	1	1	0	0
@failed_test_case	2	0	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	search_feature	6	6	0	0	2 m 27.332 s
2	customer_login_failing_on_purpose	2	0	2	0	41.718 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	search_feature	TC01_iphone_search	4	4	0	0	35.567 s
2		TC02_tesla_search	4	4	0	0	12.582 s
3		TC03_bmw_search	4	4	0	0	23.720 s
4		TC04_apple_search	4	4	0	0	14.605 s
5		TC05_nio_search	4	4	0	0	43.946 s
6		TC06_pineapple_search	4	4	0	0	16.834 s
7	customer_login_failing_on_purpose	TC01_<PositiveTest>_customer_login_test	5	3	1	1	21.838 s
8		TC01_<PositiveTest>_customer_login_test	5	3	1	1	19.825 s

search_feature

| PASSED	DURATION - 2 m 27.332 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0	6	Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	24
/ 6:23:13.986 PM // 6:25:41.318 PM /					

TC01_iphone_search

PASSED	DURATION - 35.567 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 6:23:13.994 PM // 6:23:49.561 PM /				
search_feature				
@parameterizing1 @test_runner				

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.google.com"	PASSED	25.777 s
2	And user search for "iPhone"	PASSED	3.676 s
3	Then verify the page title contains "iPhone"	PASSED	4.896 s
4	Then close the application	PASSED	1.160 s

TC02_tesla_search

PASSED	DURATION - 12.582 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 6:23:49.589 PM // 6:24:02.171 PM /				
search_feature				
@parameterizing1 @test_runner				

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.google.com"	PASSED	8.850 s
2	And user search for "tesla"	PASSED	0.350 s
3	Then verify the page title contains "tesla"	PASSED	2.927 s
4	Then close the application	PASSED	0.449 s

TC03_bmw_search

PASSED	DURATION - 23.720 s		Steps
/ 6:24:02.185 PM // 6:24:25.905 PM /			Total - 4
			Pass - 4
search_feature			Fail - 0
			Skip - 0
@parameterizing1 @test_runner			

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.google.com"	PASSED	12.118 s
2	And user search for "bmw"	PASSED	2.680 s
3	Then verify the page title contains "bmw"	PASSED	7.921 s
4	Then close the application	PASSED	0.990 s

TC04_apple_search

PASSED	DURATION - 14.605 s		Steps
/ 6:24:25.915 PM // 6:24:40.520 PM /			Total - 4
			Pass - 4
search_feature			Fail - 0
			Skip - 0
@parameterizing1 @test_runner			

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.google.com"	PASSED	10.475 s
2	And user search for "apple"	PASSED	0.376 s

#	Step / Hook Details	Status	Duration
3	Then verify the page title contains "apple"	PASSED	3.158 s
4	Then close the application	PASSED	0.593 s

TC05_nio_search

PASSED	DURATION - 43.946 s
/ 6:24:40.526 PM // 6:25:24.472 PM /	
search_feature	
@parameterizing1 @test_runner	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.google.com"	PASSED	28.464 s
2	And user search for "nio"	PASSED	0.473 s
3	Then verify the page title contains "nio"	PASSED	14.141 s
4	Then close the application	PASSED	0.863 s

TC06_pineapple_search

PASSED	DURATION - 16.834 s
/ 6:25:24.484 PM // 6:25:41.318 PM /	
search_feature	
@parameterizing1 @test_runner	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.google.com"	PASSED	9.382 s
2	And user search for "pine apple"	PASSED	0.358 s
3	Then verify the page title contains "pine apple"	PASSED	6.652 s
4	Then close the application	PASSED	0.437 s

customer_login_failing_on_purpose

FAILED	DURATION - 41.718 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 10 Pass - 6 Fail - 2 Skip - 2	10
/ 6:25:41.380 PM // 6:26:23.098 PM /					

TC01_<PositiveTest>_customer_login_test

FAILED	DURATION - 21.838 s		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	5
/ 6:25:41.392 PM // 6:26:03.230 PM /				
customer_login_failing_on_purpose				
@failed_test_case				

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.bluerentalcars.com/"	PASSED	6.390 s
2	And user clicks on home page login button	PASSED	1.610 s
3	And user enters "sam.walker@bluerentalcars.com" and "c!fas_art"	PASSED	1.634 s
4	Then user logs out the application	FAILED	11.193 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#dropdown\-basic\-button"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [8a20e0f982d9a943a357bbb86e97fb82, findElement {using=id, value=dropdown-basic-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\necme\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55591}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55591/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8a20e0f982d9a943a357bbb86e97fb82
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.$Proxy26.click(Unknown Source) at stepdefinitions.BlueRentalStepDefs.userLogsOutTheApplication(BlueRentalStepDefs.java:40) at ?.user logs out the application(file:///D:/Java%20Dersleri/TimeToLearnJava/mycucumberproject/./src/test/resources/features/day29_failed_test_cases.feature:7) * Not displayable characters are replaced by '?'.		
5	Then close the application	SKIPPED	0.002 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.004 s
	screenshots		

TC01_<PositiveTest>_customer_login_test

FAILED	DURATION - 19.825 s		Steps
/ 6:26:03.273 PM // 6:26:23.098 PM /			Total - 5 Pass - 3 Fail - 1 Skip - 1
customer_login_failing_on_purpose			
@failed_test_case			

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.bluerentalcars.com/"	PASSED	5.368 s
2	And user clicks on home page login button	PASSED	1.163 s
3	And user enters "kate.brown@bluerentalcars.com" and "tad1$Fas"	PASSED	1.595 s
4	Then user logs out the application	FAILED	11.017 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#dropdown\-basic\-button"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [943ee74dccd767c910e466517c1353e6, findElement {using=id, value=dropdown-basic-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\necme\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55626}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55626/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 943ee74dccd767c910e466517c1353e6
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at com.sun.proxy.$Proxy26.click(Unknown Source)
	    at stepdefinitions.BlueRentalStepDefs.userLogsOutTheApplication(BlueRentalStepDefs.java:40)
	    at ?.user logs out the application(file:///D:/Java%20Dersleri/TimeToLearnJava/mycucumberproject/./src/test/resources/features/day29_failed_test_cases.feature:7)
	* Not displayable characters are replaced by '?'.		

5	Then close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.678 s

#	Step / Hook Details	Status	Duration
	screenshots		