





t	Vc
0	0
30	6.12
60	8.16
90	8.69
120	9.27
150	9.43
180	9.5
210	9.61
240	9.7
270	9.74
300	9.77
330	9.78
360	9.79
390	9.79
420	9.79
450	9.79
480	9.79
510	9.79
540	9.79
570	9.79
600	9.79
630	9.79
660	9.79
690	9.79






t	$\ln(1-V_c/E)$
0	0
30	-0.94
60	-1.69
90	-2.03
120	-2.61
150	-2.86
180	-2.99
210	-3.24
240	-3.41
270	-3.5
300	-3.64
330	-3.77
360	-3.81
390	-3.86
420	-3.86
450	-3.86
480	-3.86
510	-3.86
540	-3.86
570	-3.86
600	-3.86
630	-3.86
660	-3.86
690	-3.86






t(sec)	Vc(volt)
0	9.79
30	3.89
60	1.71
90	0.73
120	0.32
150	0.15
180	0.07
210	0.04
240	0.02
270	0.01
300	0.01
330	0.01
360	0.01
390	0.01
420	0.01
450	0.01
480	0.01
510	0.01
540	0.01
570	0.01
600	0.01
630	0.01
660	0.01
690	0.01



(volt)



t	$\ln(V_c/E)$
0	0
30	-0.02
60	-0.94
90	-1.77
120	-2.62
150	-3.44
180	-4.1
210	-4.96
240	-5.52
270	-6.21
300	-6.91
330	-6.91
360	-6.91
390	-6.91
420	-6.91
450	-6.91
480	-6.91
510	-6.91
540	-6.91
570	-6.91
600	-6.91
630	-6.91
660	-6.91
690	-6.91

