Volatile Organic Compound Detection Using Insect Odorant-Receptor Functionalised Field-Effect Transistors

by

Eddyn Oswald Perkins Treacher

A thesis submitted in fulfilment of the
requirements of the degree of
Doctor of Philosophy in Physics
School of Physical and Chemical Sciences
Te Herenga Waka - Victoria University of Wellington

Feb 2023

Acknowledgements

Thanks for all the fish.

Abstract

This is a thesis skeleton written with quarto. Make a copy of this thesis repo and start to write!

Make a new paragraph by leaving a blank line.

Table of contents

1 Introduction

This is a book created from markdown and executable code.

See Knuth (1984) for additional discussion of literate programming.

```
[1] 2
```

2 Insect Odorant-Receptor Functionalised Carbon Nanotube and Graphene Field-Effect Transistor Biosensors

2.1 Carbon Nanotube and Graphene Field-Effect Transistors

2.2 Device Functionalisation

2.3 Insect Odorant Receptors

3 Fabrication

Stuff I did to get the results.

4 Non-Covalent Functionalisation of Carbon Nanotubes and Graphene with Odorant Receptors

4.1 Linker molecules

4.1.1 1-Pyrenebutanoic acid N-hydroxysuccinimide ester (PBASE)

1-Pyrenebutanoic acid N-hydroxysuccinimide ester, also known as 1-Pyrenebutyric acid N-hydroxysuccinimide ester, is an aromatic solid commonly used for anchoring biomolecules to the carbon rings of graphene and carbon nanotubes. Chen *et al.* first used

5 Results

What I found out.

See for more detailed results

6 Results

What I found out.

See for more detailed results

7 Summary

In summary, this book has no content whatsoever.

```
[1] 2
```

References

Knuth, Donald E. 1984. “Literate Programming.” *Comput. J.* 27 (2): 97–111. https://doi.org/10.1093/comjnl/27.2.97.