

INTRODUCTION

HISTORY OF HTML:

HTML stands for **Hyper Text Markup Language**.

- It is used to share the information over the internet.
- HTML id developed by Tim Berner's Lee in 1991.But officially in 1993.
- The First version of HTML consists of "18 tags"
- HTML follows certain rules and regulations setup by "**ISO**".
- International Organization for standardization is set of rules and regulation are present in '**SGML**' document.

Versions of HTML

- **HTML-1** version in the year 1993.
- **Html-2** version in the year 1995.
- **HTML-3.02** version in the year 1997.
- **HTML-4.1** version in the year 1999.
- **HTML-5** version in the year 2014.

Features of HTML

- It is easy to Learn.
- It is a tag based language.
- HTML is supported by multiple browsers.
- First web browser is Netscape navigation which was developed by the "Mosaic".
- It is a portable language.
- **WORA** stands for 'write once run anywhere'

Limitation of HTML

- HTML has less designing capabilities.
- It is dependent on other technology such as CSS in order to develop well designed Webpages.
- HTML has no programming capabilities.
- Using HTML and CSS we can develop only static Web page.
- In order to write the HTML code required an editor such as VS Code, Notepad, Eclipse.
- In order to execute the HTML code we required Web browsers. Like Chrome, Firefox, edge, Opera Safari .

CSS

- **CSS** stands for **Cascading Style Sheets**.
- It was developed by W3C to add stylings to the HTML elements.
- W3C stands for World Wide Web.com

Versions of CSS:

- CSS-1 (level-1) in the year 1996.
- CSS-2 (level-2) in the year 1998.
- CSS-3 (level-3) in the year 1999.

Why do we required CSS ?

- Since HTML has less designing capabilities we cannot create well designed or most appealing Websites.
- Using HTML we cannot add style, animation and transitions to the Webpage.
- Therefore we require CSS to create well designed Webpages.

Advantages of CSS

- It allows to add styles, animation and various effects to the Webpage.
- It allows us to develop the Webpage rapidly. It is also known as RAD (rapid application Developer).
- It allows us to separate from formatting develop page to the presentation of Webpage.
- It allows to create well designed Websites.

Limitations of CSS

- Using CSS we can perform static styles for the Webpages.
- In order to create dynamic styling for the Websites. We must make use of scripting language such as JavaScript and Libraries of JavaScript.

Types of CSS:

1. Inline CSS
2. Internal CSS
3. External CSS
4. Default Browser CSS

Inline CSS:

Defining all the CSS properties within the style attribute inside the opening of the tag is referred to as Inline CSS.

Internal CSS:

Defining all the CSS properties within <style> inside the HTML document is referred to as Internal CSS.

External CSS:

Defining all the CSS properties within as external Script or File with an extension CSS is referred to as External CSS.

- In order to link external CSS file within the HTML document we must use of <link>.
- The value for the 'ref' attribute should be 'stylesheet'.

PROJECT:

ROOT STRUCTURE:

HTML AND CSS FILES

- ADOBE ACROBAT WEBSITE.HTML
- ADOBE ACROBAT1.HTML
- ADOBE BY NOW.HTML
- ADOBE COMPARE PLANS.HTML
- ADOBE COMPARE PLANS.HTML
- ADOBE FREE TRAIL.CSS
- ADOBE HOMEPAGE.HTML
- ADOBE RESOURCES.HTML
- ADOBE SIGNIN.HTML


PROJECT REPORT

- GQT CLONE WEBSITE.DOC

SCREENSHOTS

- ALL THE REQUIRED SCREENSHOTS

CONTROL FLOW DIAGRAM:



ADOBE ACROBAT

Scope of the document

The scope of a project is Adobe Acrobat is creating, viewing, and editing pdf documents. It can import popular document and image formats and save them as PDF. It is also possible to import scanner output, a website, or the contents windows clipboard. Acrobat can crop PDF pages, change their order, manipulate hyperlinks, digitally sign a PDF file, add comments, redact certain parts of the PDF file, and ensure its adherence to such standards as pdf. Because of the nature of the PDF, however, once a PDF document is created, its natural organization and flow cannot be meaningfully modified. In other words, Adobe Acrobat is able to modify the contents of paragraphs and images, but doing so does not repaginate the whole document to accommodate for a longer or shorter document.

Technologies Used

- HTML5
- CSS

Our Project

Source Code:-

Home.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Adobe: Creative,marketing and document management solutions adobe.com</title>
  <link rel="icon"
href="https://tse2.mm.bing.net/th?id=OIP.j56gzk49LS4_fMWubGYKCAHaGu&pid=Api&P=
0&h=180">
  <style>
    *{
      background-attachment: fixed;
      box-sizing: border-box;
    }
    :hover{
      #a:hover{
        color: rgb(25, 127, 243);
      }
    }
    #header{
      margin-top: -14px;
      height:65px;
      width:101%;
      padding: 5px 0px;
      margin-left: -7px;
    }
    #div1{
      height:65px;
      width:8%;
      border: 1px solid rgb(219, 217, 217);
```

```
float: left;
border-left: none;
border-right: none;
border-bottom: none;
}
#div2{
height:65px;
width:12.8%;
border: 1px solid rgb(214, 211, 211);
float: left;
font-size: 12px;
min-height: 60px;
line-height: 60px;
text-align: center;
font-family: sans-serif;
border-bottom: none;

}
#div3{
height:65px;
width:79.2%;
border: 1px solid rgb(227, 226, 226);
float:right;
border-bottom: none;
border-right: none;

}
#div4{
height:33px;
width:101%;
border: 1px solid rgb(228, 226, 226);
border-left: none;
position: -webkit-sticky;
position: sticky;
margin-top: 5px;
```



```
margin-left: -7px;
border-right: none;
}
#a{
    text-decoration: none; color: black;min-height: 60px;line-height: 60px;margin-left:
15px;font-size: 14px;font-weight:#686868;font-family:sans-serif ;font-stretch: expanded;
}
#b{
    text-decoration: none; color: rgb(95, 93, 93);min-height: 28px;line-height: 28px;margin-
left: 5px;font-size: 12px;font-weight:#686878;font-family:monospace;font-stretch:extra-
expanded;
}
#div5{
    height:580px;width:36%;background-color:rgb(31, 30, 30);color: rgb(44,44,44);font-
family: sans-serif;font-size: 18px;margin-top: -50px;margin-left: -8px;
}
#id1{
    color: white;
    margin-top: 50px;
    padding-top: 130px;
    font-size: 12px;margin-left: 100px;
}
#id2{
    color: white;
    margin-top: 20px;
    margin-left: 100px;
    line-height: 51px;
    font-family: sans-serif;
    font-size: 35px;
    font-stretch:expanded;
    font-weight: 700;
}
#id3{
    margin-left:100px ;
    line-height: 28px;
```

```

    color: white;
    margin-right: 100px;
    font-size: 15px;
    margin-top: -10px;
}
#c{
    margin-left: 40px;
    line-height: 30px;
    font-size: 16px;
    font-weight: 200;
}
hr{
    color:#e8e5e5;
}
</style>
</head>
<body>
    <div id="header">
        <div id="div1"> </div>
        <div id="div2">PDF & E-signatures</div>
        <div id="div3">
            <a href="adobe acrobat1.html" target="_blank" id="a">Adobe Acrobat </a>
            <a href="" id="a">Features</a>
            <a href="adobe compare plans.html" target="_blank" id="a">Compare plans</a>
            <a href="adobe resources.html" target="_blank" id="a">Resources</a>
            <a href="" id="a">Learn & Support</a>
            <a href="adobe free trail.html" target="_blank" id="a">Free trail</a>
            <button style="height:32px;width:9%;background-color: rgb(20, 115, 230);color:
white;border-radius: 16px;border: 1px solid rgb(20, 115, 230);margin-left: 20px;font-weight:
700;"><a href="adobe buy now .html" target="_blank" style="text-decoration: none;color:
white;">Buy now</a></button>

```

```

    <a href="adobe signin.html" target="_blank" id="a" style="margin-right: -100px;float:
right;">Sign in</a>
</div>
```

```
</div>
<div id="div4">
    <a href="adobe homepage.html" target="_blank" id="b" style="margin-left:
13px;">Home / </a>
    <a href="adobe acrobat1.html" target="_blank" id="b">Acrobat DC </a>
    <a href="adobe resources.html" target="_blank" id="b">Resources </a>
    <p style="margin-top: -20px;margin-left: 227px;font-family:sans-serif;font-size:
11px;font-weight: 500;">How To Convert HTML To PDF</p>
</div>
```

```
<div id="div5">
    <p id="id1">ACROBAT</p>
    <h1 id="id2">How to convert HTML to PDF.</h1>
    <p id="id3">You can convert HTML files and web pages to PDF to easily share and
review.</p>
```

```
    <button style="border: 2px solid white;border-radius:
20px;height:41px;width:46%;background-color: rgb(30, 29, 29);margin-left: 100px;margin-
top: 10px;color: white;font-size: 16px;font-weight: 600;"><a href="adobe acrobat1.html"
style="text-decoration: none;color: white;" target="_blank">Explore Adobe
Acrobat</a></button>
</div>
```

```

<br>
<br>
<br>
```

<div style="border: 2px solid rgb(146, 143, 143);height:170px;width:28%;line-height: 20px;margin-left: 100px;border-left: none;border-top: none;border-bottom: none;font-family: sans-serif;">

<h3 style="font-family: sans-serif;font-weight: 300;">JUMP TO SECTION</h3>

How to convert HTML files to PDFs

Why PDF is the right file format

Put your PDF to work

</div>

<div style="float: right;border: 0px solid black;height:170px;width:52%;margin-top: -170px;margin-right: 100px;font-family: sans-serif;">

<h3 style="margin-top: 30px;font-size: 22px;font-weight: 600;font-size: 18px;">When to convert HTML pages to PDFs.</h3>

<p style="line-height: 32px;font-size: 18px;">Store, share, and review HTML web pages offline by converting them to PDFs. It's easy and fast with Adobe Acrobat PDF tools.</p>

</div>

<p style="font-family: sans-serif;font-size: 18px;text-align: center;margin-left: 205px;margin-right: 245px;line-height: 30px;text-align: justify;margin-top: 110px;font-weight: 100;">HTML (Hypertext Markup Language) is the system that governs the structure and layout of most websites. Whether you're a student, teacher, designer, small-business owner, or online shopper, sometimes you need to make an HTML page portable and searchable.</p>

<ul style="margin-left: 165px;font-family: sans-serif;font-size: 18px;line-height: 20px;">With HTML-to-PDF conversion, you can:

<li id="c">Share web pages in presentations and projects

<li id="c">Save a content-rich page without losing formatting or links

<li id="c">Collect ideas for a lookbook without losing image quality

<li id="c">Download long newspaper or magazine articles

<li id="c">Save and store online receipts or order confirmations

<div style="background-color: whitesmoke;margin-top: 70px;width:100%;">

<h2 style="font-family: sans-serif;margin-top: 20px;margin-left: 210px;margin-right: 245px;padding-top: 50px;">How to convert HTML files to PDFs.</h2>

<p style="font-family: sans-serif;font-size: 18px;margin-left: 210px;line-height: 30px;margin-right: 250px;text-align: justify;"> Whether you use a Mac or Windows computer, the Adobe Acrobat desktop app, or the Acrobat extension for your web browser, learning how to convert HTML to PDF is easy. Customize the Conversion Settings to change page size, orientation, or scaling. Create tagged bookmarks or PDF tags that keep the HTML structure of the web page throughout the HTML conversion process. Add headers, footers, and more.</p>

<h2 style="font-family: sans-serif;margin-top: 20px;margin-left: 210px;margin-right: 245px;padding-top: 50px;">Convert web pages with the Acrobat plug-in.</h2>

<ol style="font-family: sans-serif;font-size: 18px;margin-left: 185px;line-height: 30px;margin-right: 250px;text-align: justify;line-height: 25px;margin-top: -10px;">

<p style="line-height: 50px;margin-left: -20px;">How to convert HTML to PDF quickly using the Acrobat extension for your web browser:</p>

Open the HTML web page in your Microsoft, Google, or Mozilla browser.

<hr>

Select Convert to PDF in the Adobe PDF toolbar.

<hr>

Name the file and save the new PDF file in your desired location.

<hr>

</div>

<h2 style="font-family: sans-serif;margin-top: 20px;margin-left: 210px;margin-right: 245px;padding-top: 100px;">Convert web pages with Acrobat.</h2>

<p style="font-family: sans-serif;font-size: 18px;margin-left: 210px;line-height: 32px;margin-right: 250px;text-align: justify;">

For more options, convert the web page in the Acrobat desktop app. You can convert linked or unlinked web pages to new PDFs or append them to existing PDF documents. Include an entire website with the HTML code or just particular levels of the website. (A level describes where a page is located in a website's hierarchy. Think of each click you make deeper into a site away from the main URL as a level.)</p>

<p style="font-family: sans-serif;font-size: 18px;margin-left: 210px;line-height: 30px;margin-right: 250px;text-align: justify;">To convert a specific number of levels in a website:</p>

<ol style="font-family: sans-serif;font-size: 18px;margin-left: 185px;line-height: 32px;margin-right: 250px;text-align: justify;line-height: 25px;margin-top: -10px;">

Open Acrobat and choose Tools › Create PDF › Web Page.

<hr>

 Enter the complete path to the web page, or click Browse and locate an HTML file.

<hr>

<li style="line-height: 30px;">Click Capture Multiple Levels and enter the number of levels to include. (Avoid converting more levels than you need, as that may use up hard drive space and slow down your system.)

<hr>

<li style="line-height: 30px;">If you select Get Only N Level(s), select Stay on Same Path to download only web pages subordinate to the specified URL, or select Stay on Same Server to download only web pages stored on the same server.

<hr>

<li style="line-height: 30px;">Click Settings/Advanced Settings, change the selected options in the Web Page Conversion Settings dialog box as needed, and click OK.

```
<br><hr><br><br>
<li>Click Create.</li>
<br><hr><br>
</ol>
```

```
<div style="width:100%;background-color: whitesmoke;padding-top: 80px;padding-
bottom: 80px;">
```

```
  <div style="border: 1px solid black;height:300px;width:40%;margin-left: 100px;margin-
top: -20px;">
```

```
    </div>
```

```
    <div style="border: 1px solid black;height:300px;width:40%;margin-top: -301px;float:
right;margin-right: 110px;">
```

```
      </div>
```

```
    </div>
```

```
<h2 style="font-family: sans-serif;margin-top: 20px;margin-left: 210px;margin-right:
245px;padding-top: 50px;">Explore more options to convert an HTML to a PDF.</h2>
```

```
<p style="font-family: sans-serif;font-size: 18px;margin-left: 210px;line-height:
30px;margin-right: 250px;text-align: justify;">Customize the web page HTML converter
options in the desktop app or with the Acrobat extension. Create tagged bookmarks, or set tags
so the PDF document structure matches the HTML document structure. Under the Page Layout
tab, set the page width, height, margin measurements, and page orientation. Avoid surprise
page breaks by choosing whether to scale contents to fit the page or changing the paper size to
fit the content. </p>
```

<h2 style="font-family: sans-serif;margin-top: 20px;margin-left: 210px;margin-right: 245px;padding-top: 50px;">Why PDF is the right file format.</h2>

<p style="font-family: sans-serif;font-size: 18px;margin-left: 210px;line-height: 30px;margin-right: 250px;text-align: justify;">PDF (Portable Document Format) files are perfect for maintaining text formatting and the sharpness of charts, graphs, and high-quality photos. They meet ISO image standards so you know your colors will stay true.</p>

<p style="font-family: sans-serif;font-size: 18px;margin-left: 210px;line-height: 30px;margin-right: 250px;text-align: justify;">

When you export HTML to PDF, you don't lose the HTML file or associated files like JPEG or PNG images, cascading style sheets, text files, image maps, or forms. Image links, image maps, and media files will appear and function as they did on the web (except for GIFs, which will appear as still images of the last frame).</p>

<p style="font-family: sans-serif;font-size: 18px;margin-left: 210px;line-height: 30px;margin-right: 250px;text-align: justify;">A converted web page retains the functionality of a PDF, so you can extract text and add PDF bookmark tags to make information easier to find. You can combine PDFs or multiple file types into a single PDF and share with a link to collaborate or get feedback from multiple reviewers.</p>

<h2 style="font-family: sans-serif;margin-top: 20px;margin-left: 210px;margin-right: 245px;padding-top: 50px;">Put your PDF to work.</h2>

<p style="font-family: sans-serif;font-size: 18px;margin-left: 210px;line-height: 30px;margin-right: 250px;text-align: justify;font-weight: 100;">With Acrobat desktop and online tools, you get much more than a PDF converter. You can edit PDF text and image files on any operating system without going back to the source files, collect e-signatures, add password protection, redact sensitive information, and much more. You can also convert all types of files to and from PDF format, such as Microsoft Excel and Word documents, JPGs, and many more.</p>

Get Started

<h2 style="margin-top: 100px;text-align: center;font-family:'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;font-size: 27px;font-weight: 700;">Keep exploring</h2>

<div style="height:420px;width:22%;border: 1px solid rgb(211, 209, 209);margin-left: 180px;margin-top: 70px;border-radius: 5px;">

<h3 style="margin-left: 20px;margin-right: 20px;">How to make a fillable PDF form.</h3>

<p style="color: black;margin-left: 20px;margin-right: 20px;font-size: 14px;line-height: 20px;">Discover how you can create fillable PDF documents from text files, images, or even paper forms with Adobe</p>

<button style="border: 2px solid rgb(48, 47, 47);border-radius: 20px;height:30px;width:30%;color: black;float: right;margin-right: 20px;">Read now</button></div>

<div style="height:420px;width:22%;border: 1px solid rgb(224, 224, 224);float: right;margin-right: 200px;margin-top: -420px;border-radius: 5px;">

<h3 style="margin-left: 20px;margin-right: 20px;">Learn how to convert PDFs to JPGs on a Mac.</h3>

<p style="color: black;margin-left: 20px;margin-right: 20px;font-size: 14px;line-height: 20px;">Learn new ways to convert PDFs to JPGs on your Mac and speed up your work no matter which format the</p>

<button style="border: 2px solid rgb(46, 45, 45);border-radius: 20px;height:30px;width:30%;color: black;float: right;margin-right: 20px;">Read now</button></div>

```
<div style="height:420px;width:22%;border: 1px solid rgb(207, 205, 205);float:
left;margin-top: -420px;margin-left: 475px;border-radius: 5px;">
  
  <h3 style="margin-left: 20px;margin-right: 20px;">PDF editor for students</h3>
  <p style="color: black;margin-left: 20px;margin-right: 20px;font-size: 14px;line-height:
20px;">Learn how Adobe Acrobat is truly a PDF editor for students. Get the tools to excel in
school, no matter your</p>

  <button style="border: 2px solid rgb(47, 46, 46);border-radius:
20px;height:30px;width:30%;color: black;float: right;margin-right: 20px;margin-top:
22px;">Read now</button></div>
```

```
<div style="height:420px;width:22%;border: 1px solid rgb(211, 209, 209);float:
left;margin-top: 20px;margin-left: 179px;border-radius: 5px;">
  
  <h3 style="margin-left: 20px;margin-right: 20px;">How to write a cover letter</h3>
  <p style="color: black;margin-left: 20px;margin-right: 20px;font-size: 14px;line-height:
20px;">Learn how to write a cover letter that can help you land your dream job using these tips
that make a great first</p>

  <button style="border: 2px solid rgb(37, 37, 37);border-radius:
20px;height:30px;width:30%;color: rgb(39, 37, 37);float: right;margin-right: 20px;">Read
now</button></div>
```

```
<div style="height:380px;width:100%;border: 1px solid black;margin-top:
500px;background-image:
url(https://www.adobe.com/acrobat/resources/media_13d1ecea312784a534b68b8389e34059df
a185e28.png?width=2000&format=webply&optimize=medium);background-size: cover;box-
sizing: border-box;">
```

```
<br>
<h2 style="margin-left: 20px;margin-left: 420px;color: white;font-family: sans-serif;">Do
more with Adobe Acrobat Pro</h2>
<button style="border: 2px solid rgb(243, 242, 242);border-radius:
20px;height:33px;width:15%;color: rgb(39, 37, 37);float: right;margin-right:
555px;background-color: transparent;color: white;font-size: 15px;"><a href="adobe free
trail.html" target="_blank" style="text-decoration: none;color: white;">Start free 7-day
trail</a></button><br><br><br>
<a href="" style="text-decoration: none;color: white;margin-left: 560px;">Learn more</a>
</div>
</div>

</body>
</html>
```

Output:




Fig:1.1

JUMP TO SECTION

[How to convert HTML files to PDFs](#)

[Why PDF is the right file format](#)

[Put your PDF to work](#)

When to convert HTML pages to PDFs.

Store, share, and review HTML web pages offline by converting them to PDFs. It's easy and fast with Adobe Acrobat PDF tools.

HTML (Hypertext Markup Language) is the system that governs the structure and layout of most websites. Whether you're a student, teacher, designer, small-business owner, or online shopper, sometimes you need to make an HTML page portable and searchable.

With HTML-to-PDF conversion, you can:

- Share web pages in presentations and projects
- Save a content-rich page without losing formatting or links
- Collect ideas for a lookbook without losing image quality
- Download long newspaper or magazine articles
- Save and store online receipts or order confirmations

Fig:1.2

How to convert HTML files to PDFs.

Whether you use a Mac or Windows computer, the Adobe Acrobat desktop app, or the Acrobat extension for your web browser, learning how to convert HTML to PDF is easy. Customize the Conversion Settings to change page size, orientation, or scaling. Create tagged bookmarks or PDF tags that keep the HTML structure of the web page throughout the HTML conversion process. Add headers, footers, and more.

Convert web pages with the Acrobat plug-in.

How to convert HTML to PDF quickly using the Acrobat extension for your web browser:

1. Open the HTML web page in your Microsoft, Google, or Mozilla browser.

2. Select Convert to PDF in the Adobe PDF toolbar.

Fig:1.3

3. Name the file and save the new PDF file in your desired location.



Fig:1.4

Convert web pages with Acrobat.

For more options, convert the web page in the Acrobat desktop app. You can convert linked or unlinked web pages to new PDFs or append them to existing PDF documents. Include an entire website with the HTML code or just particular levels of the website. (A level describes where a page is located in a website's hierarchy. Think of each click you make deeper into a site away from the main URL as a level.)

To convert a specific number of levels in a website:

1. Open Acrobat and choose Tools › Create PDF › Web Page.

2. Enter the complete path to the web page, or click Browse and locate an HTML file.

3. Click Capture Multiple Levels and enter the number of levels to include. (Avoid converting more levels than you need, as that may use up hard drive space and slow down your system.)

Fig:1.5


levels than you need, as that may use up hard drive space and slow down your system.)

4. If you select Get Only N Level(s), select Stay on Same Path to download only web pages subordinate to the specified URL, or select Stay on Same Server to download only web pages stored on the same server.

5. Click Settings/Advanced Settings, change the selected options in the Web Page Conversion Settings dialog box as needed, and click OK.

6. Click Create.

Fig:1.6




Explore more options to convert an HTML to a PDF.

Customize the web page HTML converter options in the desktop app or with the Acrobat extension. Create tagged bookmarks, or set tags so the PDF document structure matches the HTML document structure. Under the Page Layout tab, set the page width, height, margin measurements, and page orientation. Avoid surprise page breaks by choosing whether to scale contents to fit the page or changing the paper size to fit the content.

Fig:1.7


Keep exploring



How to make a fillable PDF form.

Discover how you can create fillable PDF documents from text files, images, or even paper forms with Adobe


[Read now](#)



PDF editor for students

Learn how Adobe Acrobat is truly a PDF editor for students. Get the tools to excel in school, no matter your

[Read now](#)



Learn how to convert PDFs to JPGs on a Mac.

Learn new ways to convert PDFs to JPGs on your Mac and speed up your work no matter which format the

[Read now](#)




Fig:1.8




Fig:1.9

Adobe Acrobat .html:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Adobe: Creative,marketing and document management solutions adobe.com</title>
```

```
  <link rel="icon"
```

```
href="https://tse2.mm.bing.net/th?id=OIP.j56gzk49LS4_fMWubGYKCAHaGu&pid=Api&P=0
&h=180">
```

```
  <style>
```

```
    * {
```

```
      margin: 0px;
```

```
      box-sizing: border-box;
```

```
    }
```

```
    #q {
```

```
      text-decoration: none;
```

```
      color: black;
```

```
      font-family: sans-serif;
```

```
      margin-left: 3%;
```

```
      line-height: 60px;
```

```
      min-height: 60px;
```

```
      font-size: 13.5px;
```

```
    }
```

```
    #div4 {
```

```
      height: 33px;
```

```
      width: 100%;
```

```
      border: 1px solid rgb(228, 226, 226);
```

```
      border-left: none;
```

```
      margin-top: 0px;
```

```
      border-right: none;
```

```
    }
```

```
#b {  
    text-decoration: none;  
    color: rgb(95, 93, 93);  
    min-height: 30px;  
    line-height: 30px;  
    margin-left: 0.8%;  
    font-size: 12px;  
    font-weight: #686878;  
    font-family: monospace;  
    font-stretch: extra-expanded;  
}
```

```
#f{  
    height:500px;  
    width:36%;  
    border: 1px solid rgb(169, 166, 166);  
    margin-top: 100px;  
    font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;  
    color:rgb(51, 50, 50);  
    border-bottom-left-radius: 10px;  
    border-bottom-right-radius: 10px;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div
```

```
    style="height:100px;width:100%;box-sizing: border-box;border: 0px solid black;position:  
sticky;position: fixed;background-color: white;">
```

```
<div style="display: flex;flex-direction: row;height:65px;border: 0px solid black;">
```

```
<div
```

```
    style="height:65px;width:9%;border: 0px solid black;display: flex;border-right: 1px  
solid rgb(201, 198, 198);">
```

</div>

<div
style="height:65px;width:11%;border: 0px solid black;font-size: 14px; min-height:
60px; line-height: 60px;padding-left: 1.5%;border-right: 1px solid rgb(222, 218, 218);">

<nav>PDF & E-signatures</nav>

</div>

<div style="height:65px;width:80%;border: 0px solid black;display: flex;">

<nav style="border: 0px solid black;width:60%;height:60px;">

Adobe Acrobat

 Features

 Compare plans

Resources

Learn & Support

 Free trail

</nav>

<button

style="height:50%;width:10%;background-color: rgb(20, 115, 230);color:
white;border-radius: 16px;border: 1px solid rgb(20, 115, 230);margin-right: -16%;font-weight:
700;margin-top: 15px;float: right;"><a href="adobe free trail.html" style="text-decoration:
none;color: white;">Buy now</button>

<a href="adobe signin.html" id="a"

style="float: right;margin-right: 1%;text-decoration: none;color: black;margin-top:
18px;margin-left: 1%;">Sign

in

</div>

</div>

```
<div id="div4">
  <a href="adobe homepage.html" target="_blank" id="b">Home </a>
  <a href="adobe acrobat1.html" target="_blank" id="b">Acrobat DC </a>
  <a href="adobe resources.html" target="_blank" id="b">Resources </a>
  <p style="margin-top: -20px;font-family:sans-serif;font-size: 11px;font-weight:
500;margin-left: 19%;">How
    To Convert HTML To PDF</p>
```

```
</div>
</div>
```

```
<div style="height:600px;border: 0px solid black;width:100%;background-color: rgb(223, 4,
4);margin-top: 0px;">
  <br><br>
  <h1 style="color: white;font-family: sans-serif;margin-left: 5%;font-size: 41px;">Acrobat's
got it.</h1>
  <p style="color: white;margin-left: 5%;font-family: sans-serif;margin-top: 20px;margin-
right: 63%;line-height: 23px;">Create, edit, and review PDFs. E-sign documents and collect
signatures. Collaborate with your team. All in one app.</p><br>
```

```
<button style="height:50px;width:12%;background-color: rgb(34, 119, 247);border: 0px
solid black;color: white;border-radius: 30px;font-family:sans-serif;font-weight: 550;font-size:
15px;margin-left: 5%;">
```

```
<a href="adobe free trail.html" style="text-decoration: none;color: white;">Start free
trail</a></button>
```

```

</div>
```

```
<div style="background-color: rgb(21, 115, 222);width:100%;height:50px;color: white;font-family: sans-serif;font-size: 17px;">
```

```
<p style="margin-left: 20%;min-height: 50px;line-height: 50px;">Adobe also offers Acrobat plans for larger organizations and teams. </p>
```

```
<a href="adobe compare plans.html" target="_blank" style="color: white;font-family: sans-serif;margin-right: 31%;float: right;margin-top: -35px;">View plans</a></div>
```

```
<h1 style="margin-left: 7%;margin-top: 50px;font-family: sans-serif;">Always get the latest Acrobat features.</h1>
```

```
<p style="margin-left: 7%;margin-top: 30px;font-family: sans-serif;margin-right: 8%;line-height: 27px;">Your needs are always evolving. And the way you work evolves with it. That's why we're continually improving and adding features to Adobe Acrobat. And when you buy Adobe Acrobat, you'll always get the newest features the moment they're released.</p>
```

```
<div style="height:400px;width:100%;border: 0px solid black;margin-top: 50px;display: flex;">
```

```
<div style="height:300px;width:27%;border: 2px solid grey;margin-left: 7%;font-family: sans-serif;border-radius: 10px;">
```

```
<h2 style="margin-top: 20px;margin-left: 10%;">Acrobat Standard</h2>
```

```
<p style="margin-top: 20px;margin-left: 10%;">Convert, edit, e-sign, protect.</p>
```

```
<h1 style="margin-top: 20px;margin-left: 10%;">US$12.99/mo</h1>
```

```
<p style="margin-top: 20px;margin-left: 10%;margin-right: 5%;font-size: 14px;line-height: 20px;">Annual subscription, cancel within 14 days for a <a href="" style="color:rgb(0, 81, 255)">full refund.</a> Windows and Mac.</p>
```

```
<hr style="margin-top: 20px;margin-left: 10%;width:80%;"><br>
```

```
<button style="height:30px;width:30%;background-color: rgb(0, 128, 255);border: 0px solid black;border-radius: 20px;float: right;margin-right: 10%;color: white;"><a href="adobe buy now .html" target="_blank" style="text-decoration: none;color: white;">Buy Now</a></button>
```

```
</div>
```

```
<div style="height:350px;width:27%;border: 2px solid rgb(222, 193, 6);margin-left: 1%;font-family: sans-serif;border-radius: 10px;">
```

```
<h2 style="margin-top: 20px;margin-left: 10%;">Acrobat Pro</h2>
```

```
<p style="margin-top: 20px;margin-left: 10%;font-weight: 100;">Our most comprehensive PDF solution with full convert and edit capabilities, advanced protection, and powerful e-signature features.</p>
```

```
<h1 style="margin-top: 20px;margin-left: 10%;">US$19.99/mo</h1>
```

```
<p style="margin-top: 20px;margin-left: 10%;margin-right: 5%;font-size: 14px;line-height: 20px;">Annual subscription, cancel within 14 days for a <a href="" style="color:rgb(0, 81, 255)">full refund.</a> Windows and Mac.</p>
```

```
<hr style="margin-top: 20px;margin-left: 10%;width:80%;"><br>
```

```
<button style="height:30px;width:30%;background-color: rgb(0, 128, 255);border: 0px solid black;border-radius: 20px;float: right;margin-right: 10%;color: white;">
```

```
<a href="adobe buy now .html" style="text-decoration: none;color: white;">Buy Now</a></button>
```

```
<button style="height:30px;width:30%;border: 2px solid black;border-radius: 20px;margin-left: 25%;">
```

```
<a href="adobe signin.html" target="_blank" style="text-decoration: none;">Free trail</a></button>
```

```
</div>
```

```
<div style="height:250px;width:27%;border: 2px solid grey;margin-left: 1%;font-family: sans-serif;border-radius: 10px;">
```

```
<h2 style="margin-top: 20px;margin-left: 10%;">Want to know more?</h2>
```

```
<p style="margin-top: 20px;margin-left: 10%;">Our Acrobat expert is standing by.</p><br>
```

```
<h3 style="margin-top: 20px;margin-left: 10%;margin-top: 15px;">Questions ?</h3>
```

Let's Chat

Contact Sales


Looking for Acrobat Reader?

Download now

Students get 60% off.

With Adobe Creative Cloud All Apps, students get Acrobat Pro and 20+ creative apps, including Adobe Photoshop, Adobe Illustrator, and Adobe Premiere Pro.

Learn more



<h1 style="margin-top: 60px;font-family: sans-serif;margin-left: 20%;">Acrobat. It's how
the world gets work done.</h1>

<p style="text-align: center;margin-left: 15%;margin-right: 15%;line-height: 20px;font-size:
17px;font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;font-weight: 100;">More
than five million organizations around the world rely on Acrobat to create and edit PDFs, convert
them to

Microsoft Office formats, and so much more. When you're working remotely and need
tools that empower

collaboration and help you keep business moving, use Acrobat — and go make it
happen.</p>

<div>

</div>

<a id="u" style="font-size: 20px;color: black;text-decoration: none;font-weight:
600;margin-left: 27%;">Convert

<a id="u" style="font-size: 20px;color: black;text-decoration: none;font-weight:
600;margin-left: 9%;">Edit

<a id="u" style="font-size: 20px;color: black;text-decoration: none;font-weight:
600;margin-left: 10%;">Share

Sign

<div>

<button style="height:35px;width:15%;border: 2px solid black;margin-top: 50px;border-radius: 20px;background-color: transparent;margin-left: 40%;font-weight: 600;">See all Acrobat features</button>

See What's New

</div>

</div>

<div id="f" style="margin-left: 10%;">

<p style="margin-top: 10px;font-weight: 500;color: rgb(71, 69, 69);margin-left: 2%;">COLLABORATE AND TRACK</p>

<h3 style="margin-top: 10px;margin-left: 2%;">Keep projects moving — from any location, on any device.</h3>

<p style="margin-top: 10px;font-weight: 400;margin-left: 2%;margin-right: 1%;">No matter where your day takes you or what device you're on, keep the collaboration going. With Acrobat you can easily share PDFs to be viewed, reviewed, and signed, and even track their progress — from any device and any location.</p></div>

<div id="f" style="margin-left: 51%;margin-top: -500px;">

<p style="margin-top: 10px;font-weight: 500;color: rgb(71, 69, 69);margin-left: 2%;">EASY REVIEWING</p>

<h3 style="margin-top: 10px;margin-left: 2%;">Make document reviews painless.</h3>

<p style="margin-top: 10px;font-weight: 400;margin-left: 2%;margin-right: 1%;">Now, sharing PDFs and gathering comments is as simple as sending an email — but with far more control, full tracking, and no messy attachments. Recipients get an email with a link to your PDF. They just click to open, view, and comment.</p>
</div>

<div id="f" style="margin-left: 10%;margin-top: 40px;">

<p style="margin-top: 10px;font-weight: 500;color: rgb(71, 69, 69);margin-left: 2%;">PRODUCTIVITY ON THE GO</p>

<h3 style="margin-top: 10px;margin-left: 2%;">Turn your mobile device into a serious PDF tool.</h3>

<p style="margin-top: 10px;font-weight: 400;margin-left: 2%;margin-right: 1%;">The best mobile PDF viewing app just got better with Liquid Mode. The Acrobat Reader mobile app is packed with free tools you need to view, annotate, sign, and share PDFs on the go. And with Acrobat Pro, you can do even more.</p>
</div>

<div id="f" style="margin-left: 51%;margin-top: -500px;">

<p style="margin-top: 10px;font-weight: 500;color: rgb(71, 69, 69);margin-left: 2%;">FORMS AND SIGNATURES</p>

<h3 style="margin-top: 10px;margin-left: 2%;">Leave the pen behind and sign electronically.</h3>

<p style="margin-top: 10px;font-weight: 400;margin-left: 2%;margin-right: 1%;">Easily fill and sign PDF forms from anywhere and on any device. You can also collect signatures, digitally track progress, and automatically archive the signed document.
</p>
</div>

<div style="height:380px;width:100%;border: 0px solid black;margin-top: 100px;background-image:

url(https://www.adobe.com/acrobat/resources/media_13d1ecea312784a534b68b8389e34059dfa185e28.png?width=2000&format=webply&optimize=medium);background-size: cover;">

<h3 style="margin-left: 36%;color: white;font-family: sans-serif;font-size: 20px;">Do more with Adobe Acrobat Pro</h3>

<button style="border: 2px solid rgb(243, 242, 242);border-radius: 20px;height:33px;width:180px;color: rgb(39, 37, 37);float: right;margin-left: 48%;background-

color: transparent;color: white;font-size: 14px;position: relative;margin-right: 44%;">Start free 7-day trail</button>

Learn more

</div>

</body>

</html>

Output :-




Fig:2.1

The screenshot shows the Adobe Acrobat pricing page. The header is identical to the previous image. The main heading is 'Always get the latest Acrobat features.' followed by the text: 'Your needs are always evolving. And the way you work evolves with it. That's why we're continually improving and adding features to Adobe Acrobat. And when you buy Adobe Acrobat, you'll always get the newest features the moment they're released.'

Acrobat Standard

Convert, edit, e-sign, protect.

US\$12.99/mo

Annual subscription, cancel within 14 days for a [full refund](#). Windows and Mac.

[Buy Now](#)

Acrobat Pro

Our most comprehensive PDF solution with full convert and edit capabilities, advanced protection, and powerful e-signature features.

US\$19.99/mo

Annual subscription, cancel within 14 days for a [full refund](#). Windows and Mac.

[Free trial](#) [Buy Now](#)

Want to know more?

Our Acrobat expert is standing by.

Questions ? [Let's Chat](#)

1 800 102 5567 [Contact Sales](#)

Looking for Acrobat Reader? [Download now](#)

Fig:2.2




Fig:2.3




Fig:2.4




Fig:2.5




Fig:2.6

Compare Plans.html:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Adobe: Creative,marketing and document management solutions adobe.com</title>
```

```
<link rel="icon"
href="https://tse2.mm.bing.net/th?id=OIP.j56gzk49LS4_fMWubGYKCAHaGu&pid=Api&P=0
&h=180">
```

```
<style>
```

```
* {
```

```
margin: 0px;
```

```
box-sizing: border-box;
```

```
}
```

```
#q {
```

```
text-decoration: none;
```

```
color: black;
```

```
font-family: sans-serif;
```

```
margin-left: 3%;
```

```
line-height: 60px;
```

```
min-height: 60px;
```

```
font-size: 13.5px;
```

```
}
```

```
#div4 {
```

```
    height: 33px;
```

```
    width: 100%;
```

```
    border: 1px solid rgb(228, 226, 226);
```

```
    border-left: none;
```

```
    margin-top: 0px;
```

```
    border-right: none;
```

```
}
```

```
#b {
```

```
    text-decoration: none;
```

```
    color: rgb(95, 93, 93);
```

```
    min-height: 30px;
```

```
    line-height: 30px;
```

```
    margin-left: 0.8%;
```

```
    font-size: 12px;
```

```
    font-weight: #686878;
```

```
    font-family: monospace;
```

```
    font-stretch: extra-expanded;
```

```
}
```

```
#f{
```

```
    height:500px;
```

```
    width:36%;
```

```
    border: 1px solid rgb(169, 166, 166);
```



```
margin-top: 100px;
```

```
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
```

```
color:rgb(51, 50, 50);
```

```
border-bottom-left-radius: 10px;
```

```
border-bottom-right-radius: 10px;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div
```

```
style="height:100px;width:100%;box-sizing: border-box;border: 0px solid black;position:
sticky;position: fixed;background-color: white;">
```

```
<div style="display: flex;flex-direction: row;height:65px;border: 0px solid black;">
```

```
<div
```

```
style="height:65px;width:9%;border: 0px solid black;display: flex;border-right: 1px
solid rgb(201, 198, 198);">
```

```
</div>
```

```
<div
```

```
style="height:65px;width:11%;border: 0px solid black;font-size: 14px; min-height:
60px; line-height: 60px;padding-left: 1.5%;border-right: 1px solid rgb(222, 218, 218);">
```

<nav>PDF & E-signatures</nav>

</div>

<div style="height:65px;width:80%;border: 0px solid black;display: flex;">

<nav style="border: 0px solid black;width:60%;height:60px;">

Adobe Acrobat

 Features

 Compare plans

Resources

Learn & Support

 Free trail

</nav>

<button

style="height:50%;width:10%;background-color: rgb(20, 115, 230);color: white;border-radius: 16px;border: 1px solid rgb(20, 115, 230);margin-right: -16%;font-weight: 700;margin-top: 15px;float: right;">

Buy now</button>

<a href="adobe signin.html" id="a"

style="float: right;margin-right: 1%;text-decoration: none;color: black;margin-top: 18px;margin-left: 1%;">Sign in

</div>

</div>

<div id="div4">

Home

Acrobat DC

Resources

<p style="margin-top: -20px;font-family:sans-serif;font-size: 11px;font-weight: 500;margin-left: 19%;">How

To Convert HTML To PDF</p>

</div>

</div>

<div style="height:600px;border: 0px solid black;width:100%;background-color: rgb(223, 4, 4);margin-top: 0px;">

<h1 style="color: white;font-family: sans-serif;margin-left: 5%;font-size: 41px;">Acrobat's got it.</h1>

<p style="color: white;margin-left: 5%;font-family: sans-serif;margin-top: 20px;margin-right: 63%;line-height: 23px;">Create, edit, and review PDFs. E-sign documents and collect signatures. Collaborate with your team. All in one app.</p>

<button style="height:50px;width:12%;background-color: rgb(34, 119, 247);border: 0px solid black;color: white;border-radius: 30px;font-family:sans-serif;font-weight: 550;font-size: 15px;margin-left: 5%;">Start free trail</button>

</div>

```
<div style="background-color: rgb(21, 115, 222);width:100%;height:50px;color: white;font-family: sans-serif;font-size: 17px;">
```

```
<p style="margin-left: 20%;min-height: 50px;line-height: 50px;">Adobe also offers Acrobat plans for larger organizations and teams. </p>
```

```
<a href="adobe compare plans.html" target="_blank" style="color: white;font-family: sans-serif;margin-right: 31%;float: right;margin-top: -35px;">View plans</a></div>
```

```
<h1 style="margin-left: 7%;margin-top: 50px;font-family: sans-serif;">Always get the latest Acrobat features.</h1>
```

```
<p style="margin-left: 7%;margin-top: 30px;font-family: sans-serif;margin-right: 8%;line-height: 27px;">Your needs are always evolving. And the way you work evolves with it. That's why we're continually improving and adding features to Adobe Acrobat. And when you buy Adobe Acrobat, you'll always get the newest features the moment they're released.</p>
```

```
<div style="height:400px;width:100%;border: 0px solid black;margin-top: 50px;display: flex;">
```

```
<div style="height:300px;width:27%;border: 2px solid grey;margin-left: 7%;font-family: sans-serif;border-radius: 10px;">
```

```
<h2 style="margin-top: 20px;margin-left: 10%;">Acrobat Standard</h2>
```

```
<p style="margin-top: 20px;margin-left: 10%;">Convert, edit, e-sign, protect.</p>
```

```
<h1 style="margin-top: 20px;margin-left: 10%;">US$12.99/mo</h1>
```

```
<p style="margin-top: 20px;margin-left: 10%;margin-right: 5%;font-size: 14px;line-height: 20px;">Annual subscription, cancel within 14 days for a <a href="" style="color:rgb(0, 81, 255)">full refund.</a> Windows and Mac.</p>
```

```
<hr style="margin-top: 20px;margin-left: 10%;width:80%;"><br>
```

```
<button style="height:30px;width:30%;background-color: rgb(0, 128, 255);border: 0px solid black;border-radius: 20px;float: right;margin-right: 10%;color: white;">
```

```
<a href="adobe buy now .html" target="_blank" style="text-decoration: none;color: white;">Buy Now</a></button>
```

</div>

<div style="height:350px;width:27%;border: 2px solid rgb(222, 193, 6);margin-left: 1%;font-family: sans-serif;border-radius: 10px;">

<h2 style="margin-top: 20px;margin-left: 10%;">Acrobat Pro</h2>

<p style="margin-top: 20px;margin-left: 10%;font-weight: 100;">Our most comprehensive PDF solution with full convert and edit capabilities, advanced protection, and powerful e-signature features.</p>

<h1 style="margin-top: 20px;margin-left: 10%;">US\$19.99/mo</h1>

<p style="margin-top: 20px;margin-left: 10%;margin-right: 5%;font-size: 14px;line-height: 20px;">Annual subscription, cancel within 14 days for a full refund. Windows and Mac.</p>

<hr style="margin-top: 20px;margin-left: 10%;width:80%;">

<button style="height:30px;width:30%;background-color: rgb(0, 128, 255);border: 0px solid black;border-radius: 20px;float: right;margin-right: 10%;color: white;">Buy Now</button>

<button style="height:30px;width:30%;border: 2px solid black;border-radius: 20px;margin-left: 25%;">Free trail</button>

</div>

<div style="height:250px;width:27%;border: 2px solid grey;margin-left: 1%;font-family: sans-serif;border-radius: 10px;">

<h2 style="margin-top: 20px;margin-left: 10%;">Want to know more?</h2>

<p style="margin-top: 20px;margin-left: 10%;">Our Acrobat expert is standing by.</p>

<h3 style="margin-top: 20px;margin-left: 10%;margin-top: 15px;">Questions ?</h3>

Let's Chat

<p style="margin-top: 20px;margin-left: 10%;margin-right: 5%;font-size: 16px;line-height: 20px;">1 800 102 5567</p>Contact Sales

</div>

</div>

<p style="margin-top: -120px;margin-left: 63%;">Looking for Acrobat Reader?</p>

<button style="height:30px;width:10%;border: 2px solid black;border-radius: 20px;margin-left: 79%;">Download now</button>

<div style="height:370px;width:100%;background-color: rgb(5, 12, 35);margin-top: 70px;">

<h2 style="padding-top: 100px;padding-left: 14%;color: white;font-family: sans-serif;font-size: 30px;">Students get 60% off.</h2>

<p style="padding-top: 30px;padding-left: 14%;color: white;font-family: sans-serif;margin-right: 50%;line-height: 23px;font-size: 15px;">With Adobe Creative Cloud All Apps, students get Acrobat Pro and 20+ creative apps, including Adobe Photoshop, Adobe Illustrator, and Adobe Premiere Pro.</p>

<button style="height:35px;width:10%;background-color:rgb(13, 84, 248);border: 1px solid black;color: white;border-radius: 20px;font-size: 15px;font-weight: 600;margin-left: 14%;">Learn more</button>

</div>

<div style="height:500px;border: 1px solid black;width:100%;margin-top: 0px;background-color: rgb(247, 237, 239);">

<h1 style="margin-top: 60px;font-family: sans-serif;margin-left: 20%;">Acrobat. It's how the world gets work done.</h1>

`<p style="text-align: center;margin-left: 15%;margin-right: 15%;line-height: 20px;font-size: 17px;font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;font-weight: 100;">More than five million organizations around the world rely on Acrobat to create and edit PDFs, convert them to`

`Microsoft Office formats, and so much more. When you're working remotely and need tools that empower collaboration and help you keep business moving, use Acrobat — and go make it happen.</p> <div>`

``

``

``

``

`</div>
`

`Convert`

`Edit`

`Share`

`Sign`

`<div>`

<button style="height:35px;width:15%;border: 2px solid black;margin-top: 50px;border-radius: 20px;background-color: transparent;margin-left: 40%;font-weight: 600;">See all Acrobat features</button>

See What's New

</div>

</div>

<div id="f" style="margin-left: 10%;">

<p style="margin-top: 10px;font-weight: 500;color: rgb(71, 69, 69);margin-left: 2%;">COLLABORATE AND TRACK</p>

<h3 style="margin-top: 10px;margin-left: 2%;">Keep projects moving — from any location, on any device.</h3>

<p style="margin-top: 10px;font-weight: 400;margin-left: 2%;margin-right: 1%;">No matter where your day takes you or what device you're on, keep the

collaboration going. With Acrobat you can easily share PDFs to be

viewed, reviewed, and signed, and even track their progress — from any

device and any location.</p></div>

<div id="f" style="margin-left: 51%;margin-top: -500px;">

<p style="margin-top: 10px;font-weight: 500;color: rgb(71, 69, 69);margin-left: 2%;">EASY REVIEWING</p>

<h3 style="margin-top: 10px;margin-left: 2%;">Make document reviews painless.</h3>

<p style="margin-top: 10px;font-weight: 400;margin-left: 2%;margin-right: 1%;">Now, sharing PDFs and gathering comments is as simple as sending an

email — but with far more control, full tracking, and no messy

attachments. Recipients get an email with a link to your PDF. They just click to open, view, and comment.</p>

</div>

<div id="f" style="margin-left: 10%;margin-top: 40px;">

<p style="margin-top: 10px;font-weight: 500;color: rgb(71, 69, 69);margin-left: 2%;">PRODUCTIVITY ON THE GO</p>

<h3 style="margin-top: 10px;margin-left: 2%;">Turn your mobile device into a serious PDF tool.</h3>

<p style="margin-top: 10px;font-weight: 400;margin-left: 2%;margin-right: 1%;">The best mobile PDF viewing app just got better with Liquid Mode. The Acrobat Reader mobile app

is packed with free tools you need to view, annotate, sign, and share PDFs on the go. And with Acrobat Pro, you can do even more.</p>

</div>

<div id="f" style="margin-left: 51%;margin-top: -500px;">

<p style="margin-top: 10px;font-weight: 500;color: rgb(71, 69, 69);margin-left: 2%;">FORMS AND SIGNATURES</p>

<h3 style="margin-top: 10px;margin-left: 2%;">Leave the pen behind and sign electronically.</h3>

<p style="margin-top: 10px;font-weight: 400;margin-left: 2%;margin-right: 1%;">

Easily fill and sign PDF forms from anywhere and on any device. You can also collect signatures, digitally track progress, and automatically archive the signed document. </p> </div>

<div style="height:380px;width:100%;border: 0px solid black;margin-top: 100px;background-image:

url(https://www.adobe.com/acrobat/resources/media_13d1ecea312784a534b68b8389e34059dfa185e28.png?width=2000&format=webply&optimize=medium);background-size: cover;">

<h3 style="margin-left: 36%;color: white;font-family: sans-serif;font-size: 20px;">Do more with Adobe Acrobat Pro</h3>

<button style="border: 2px solid rgb(243, 242, 242);border-radius: 20px;height:33px;width:180px;color: rgb(39, 37, 37);float: right;margin-left: 48%;background-color: transparent;color: white;font-size: 14px;position: relative;margin-right: 44%;">

Start free 7-day trail</button>

Learn more

</div>

</body>

</html>

Comapre Plans:CSS

```
* {  
  margin: 0px;  
  box-sizing: border-box;  
}
```

```
#div1{  
height:100px;  
width:100%;  
box-sizing: border-box;  
border: 0px solid black;  
position: sticky;
```

```
position: fixed;
background-color: white;
}
```

```
#div2{
    display: flex;
    flex-direction: row;
    height:65px;
    border: 0px solid black;
}
```

```
#div3{
    height:65px;
    width:9%;
    border: 0px solid black;
    display: flex;
    border-right: 1px solid rgb(201, 198, 198);
}
```

```
#div4{
    height:65px;
    width:11%;
    border: 0px solid black;
    font-size: 14px;
    min-height: 60px;
    line-height: 60px;
    padding-left: 1.5%;
    border-right: 1px solid rgb(222, 218, 218);
}
```

```
#div5{
    height:65px;
    width:80%;
    border: 0px solid black;
    display: flex;
}
```

```
#div6 {
    height: 33px;
    width: 100%;
```

```
border: 1px solid rgb(228, 226, 226);
border-left: none;
margin-top: 0px;
border-right: none;
}
```

```
#div7{
  display: flex;
  padding-top: 150px;
  text-align: center;
  margin-left: 30%;
  margin-right: 30%;
  font-family: sans-serif;
}
```

```
#div8{
  display: flex;
  flex-direction: row;
  border: 0px solid black;
  height: 300px;
  margin-top: 50px;
}
```

```
#div9{
  height: 250px;
  width: 100%;
  border: 1px solid rgb(183, 179, 179);
  margin-top: 50px;
  margin-left: 1%;
}
```

```
#div10{
  height: 45px; border: 0px solid black;
  border-top-left-radius: 10px;

  border-top-right-radius: 10px;
  background-color: rgb(222, 182, 22);
  margin-top: -46px;
```

```
}
```

```
#nav1{  
    border: 0px solid black;  
    width:60%;  
    height:60px;  
}
```

```
#p1{  
    margin-top: -20px;  
    font-family:sans-serif;  
    font-size: 11px;  
    font-weight: 500;  
    margin-left: 19%;  
}
```

```
#p2{  
    padding-top: 15px;  
    padding-left: 50px;  
}
```

```
#q {  
    text-decoration: none;  
    color: black;  
    font-family: sans-serif;  
    margin-left: 3%;  
    line-height: 60px;  
    min-height: 60px;  
    font-size: 13.5px;  
}
```

```
#a{  
    float: right;  
    margin-right: 1%;  
  
    text-decoration: none;  
    color: black;  
    margin-top: 18px;
```

```
margin-left: 1%;
}

#b {
text-decoration: none;
color: rgb(95, 93, 93);
min-height: 30px;
line-height: 30px;
margin-left: 0.8%;
font-size: 12px;
font-weight: #686878;
font-family: monospace;
font-stretch: extra-expanded;
}

#tickimg{
height:19px;
width:12%;
margin-left: 40%;
background-image:
url('https://tse3.mm.bing.net/th?id=OIP.aB8LmgN3ZSSStNoTTFdOl1wHaFs&pid=Api&P=0&
h=180');
background-size: cover;
background-repeat: no-repeat;
border-width: 0px;
background-clip: padding-box;
padding: 9px;
}

#button1 {
height:50%;
width:10%;
background-color: rgb(20, 115, 230);
color: white;
border-radius: 16px;
border: 1px solid rgb(20, 115, 230);
margin-right: -16%;
```

```
font-weight: 700;
margin-top: 15px;
float: right;
}

table{
margin-left: 8%;
margin-right: 0%;
padding-bottom: 30px;
width: 88%;
border: none;
}
th{
width:24%;
border: none;
}
#td1{
width:18%;
border: none;
}

#img1{
height:30px;
width:75%;
padding: 5px;
margin-top: 15px;
margin-left: 2%;
background-image: url("");
}
#img2{
height:20px;
width:2.1%;
margin-top: 17px;
float: right;
margin-left: 30%;
}
```

Output:

The screenshot displays the Adobe Acrobat pricing page. At the top, there's a navigation bar with the Adobe logo and links for PDF & E-signatures, Adobe Acrobat, Features, Compare plans, Resources, Learn & Support, and a Free trial button. Below the navigation bar, the page title is "How To Convert HTML To PDF".

The main heading is "Find the plan that's right for you." Below this, there are four plan cards:

- Acrobat Pro**: US\$19.99/mo. A "Free Trial" button is present.
- Acrobat Standard**: US\$12.99/mo. A "Buy Now" button is present.
- Acrobat Reader**: Free. A "Download Now" button is present.
- Acrobat for business**: Starting at US\$23.99/mo. A "View Plans" button is present.

Below the plan cards is a table comparing features across the plans:

Top features	Acrobat Pro	Acrobat Standard	Acrobat Reader	Acrobat for business
View, print, share, and comment	✓	✓	✓	✓
Edit text and images in a PDF	✓	✓		✓
Create, fill out, sign, and send forms easily	✓	✓		✓
Collect signatures	✓	✓		✓
Send bulk e-signature requests	✓			✓
Admin tools to manage teams				✓
Industry-specific compliance				Available with Acrobat Sign solutions

At the bottom of the table, there is a "view plans and pricing" button.

Fig:3.1

The screenshot shows the "What's included with Acrobat" section of the Adobe Acrobat website. It features six icons representing different features:

- Storage**: Your Adobe membership comes with 100GB of cloud storage that can be upgraded.
- Integrations**: Perform most PDF and e-sign functions on many of the apps you already use daily.
- Customer support**: Create a case or start a chat when you need help with your account, billing, or services.
- Tutorials**: Learn the basics or refine your skills with tutorials designed to inspire.
- Security**: Create a password-protected PDF or restrict copying and editing.
- Access anywhere**: View on desktop, mobile, or in your web browser.

At the bottom of the page, there is a red banner with the Adobe Acrobat logo and the text "Do more with Adobe Acrobat Pro". Below this, there is a "Start free 7-day trial" button and a "Learn more" link.

Fig:3.2

Resources.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Adobe: Creative,marketing and document management solutions adobe.com</title>
  <link rel="icon"
href="https://tse2.mm.bing.net/th?id=OIP.j56gzk49LS4_fMWubGYKCAHaGu&pid=Api&P=0
&h=180">
```

```
<style>
  * {
    margin: 0px;
    box-sizing: border-box;
  }
```

```
#q {
  text-decoration: none;
  color: black;
  font-family: sans-serif;
  margin-left: 3%;
  line-height: 60px;
  min-height: 60px;
  font-size: 13.5px;
}
```

```
#div4 {
  height: 33px;
  width: 100%;
  border: 1px solid rgb(228, 226, 226);
  border-left: none;
  margin-top: 0px;
```

```

        border-right: none;
    }

    #b {
        text-decoration: none;
        color: rgb(95, 93, 93);
        min-height: 30px;
        line-height: 30px;
        margin-left: 0.8%;
        font-size: 12px;
        font-weight: #686878;
        font-family: monospace;
        font-stretch: extra-expanded;
    }
</style>
</head>
<body>
    <div
        style="height:100px;width:100%;box-sizing: border-box;border: 0px solid black;position:
sticky;position: fixed;background-color: white;">
        <div style="display: flex;flex-direction: row;height:65px;border: 0px solid black;">
            <div
                style="height:65px;width:9%;border: 0px solid black;display: flex;border-right: 1px
solid rgb(201, 198, 198);">
                </div>
            <div
                style="height:65px;width:11%;border: 0px solid black;font-size: 14px; min-height:
60px; line-height: 60px;padding-left: 1.5%;border-right: 1px solid rgb(222, 218, 218);">
                <nav>PDF & E-signatures</nav>
            </div>
            <div style="height:65px;width:80%;border: 0px solid black;display: flex;">

```

```

<nav style="border: 0px solid black;width:60%;height:60px;">
  <a href="adobe acrobat1.html" target="_blank" id="q">Adobe Acrobat</a>
  <a href="" id="q"> Features</a>
  <a href="adobe compare plans.html" target="_blank" id="q"> Compare plans</a>
  <a href="adobe resources.html" target="_blank" id="q">Resources</a>
  <a href="" id="q">Learn & Support</a>
  <a href="adobe free trail.html" target="_blank" id="q"> Free trail</a>
</nav>

<button
  style="height:50%;width:10%;background-color: rgb(20, 115, 230);color:
white;border-radius: 16px;border: 1px solid rgb(20, 115, 230);margin-right: -16%;font-weight:
700;margin-top: 15px;float: right;">Buy now</button>

  
  <a href="adobe signin.html" id="a"
  style="float: right;margin-right: 1%;text-decoration: none;color: black;margin-top:
18px;margin-left: 1%;">Sign
  in</a>
</div>
</div>

<div id="div4">
  <a href="adobe homepage.html" target="_blank" id="b">Home </a>
  <a href="adobe acrobat1.html" target="_blank" id="b">Acrobat DC </a>
  <a href="adobe resources.html" target="_blank" id="b">Resources </a>
  <p style="margin-top: -20px;font-family:sans-serif;font-size: 11px;font-weight:
500;margin-left: 19%;">How
  To Convert HTML To PDF</p>
</div>
</div>

<div style="height:500px;border: 1px solid black;width:100%;margin-top: 0px;">
  <h2 style="font-family: sans-serif;margin-left: 25%;font-size: 35px;padding-top:
200px;">Get it done with Adobe Acrobat.</h2>

```

`<p style="margin-left: 20%;font-family: sans-serif;margin-top: 20px;margin-right: 30%;line-height: 23px;text-align: center;">Share, sign, and work together — anywhere. For any documents life throws your way, Acrobat has you covered.</p>
`

`<div style="height:100px;width:100%;border: 0px solid black;margin-top: 100px;display: flex;flex-direction: row;">`

`Edit`

`Merge`

`Word and PDF`

`JPG and PDF`

`Compress`

`Convert`

`Fill & Sign`

`</div>`

`<div style="border: 0px solid black;height:600px;">`

``

`<h2 style="margin-top: 60px;float: right;margin-right: 10%;font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;font-size: 30px;">Turn files into PDFs
and back again.</h2>`

`<p style="margin-top: -390px;margin-left: 68.5%;font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;font-size: 17px;margin-right: 8%;line-height: 29px;">Convert any Office file, image, or web page into a high-quality PDF that looks great on any device — desktop, tablet, or smartphone.</p>

`

``

Convert a PDF

PPT to PDF

PDF to PPT

PDF to Excel

Excel to PDF

</div>

<div style="height:200px;width:100%;border: 0px solid rgb(79, 78, 78);">

<h2 style="text-align: center; font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-

serif;margin-top: 30px;font-size: 27px;">Explore the ins and outs of converting files to PDF.</h2>

<p style="font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;text-align: center;margin-top: 40px;font-size: 17px;margin-right: 20%;margin-left: 20%;">Get tips on how to convert different file types to and from PDF and learn how to simplify your work by using the right file type.</p></div>

<div style="display: flex;height:450px;width:100%;border: 0px solid black;font-family: sans-serif;">

<div style="border: 1px solid rgb(183, 181, 181);height:400px;width:22%;margin-left: 15%;border-radius: 10px;">

<h3 style="margin-left: 5%;margin-top: 20px;margin-right: 20%;">How to remove PDF password</h3>

<p style="margin-left: 5%;margin-top: 10px;font-size: 13px;line-height: 20px;">Discover how to remove a password from a PDF with Adobe Acrobat. Use this guide to learn how to unlock PDF</p>

<button style="border: 2px solid rgb(67, 66, 66);width:30%;height:33px;float: right;border-radius: 40px;margin-right: 7%;">Read now</button></div>

<div style="border: 1px solid rgb(150, 148, 148);height:400px;width:22%;margin-left: 2%;border-radius: 10px;">

<h3 style="margin-left: 5%;margin-top: 20px;margin-right: 20%;">How to put together an order form.</h3>

<p style="margin-left: 5%;margin-top: 10px;font-size: 13px;line-height: 20px;">Keep your small business running smoothly by using Adobe Acrobat to create and submit order forms.</p>

<button style="border: 2px solid rgb(62, 61, 61);width:30%;height:33px;float: right;border-radius: 40px;margin-right: 7%;">Read now</button></div>

<div style="border: 1px solid rgb(142, 141, 141);height:400px;width:22%;margin-left: 2%;border-radius: 10px;">

<h3 style="margin-left: 5%;margin-top: 20px;margin-right: 20%;">4 quick and easy ways to make a PDF.</h3>

<p style="margin-left: 5%;margin-top: 10px;font-size: 13px;line-height: 20px;">Learn all the different options to make a PDF document that is easy to edit, convert, and share. This guide provides</p>

<button style="border: 2px solid rgb(58, 58, 58);width:30%;height:33px;float: right;border-radius: 40px;margin-right: 7%;">Read now</button></div>
</div>

<div style="display: flex;height:410px;width:100%;border: 0px solid black;font-family: sans-serif;">

<div style="border: 1px solid rgb(123, 121, 121);height:400px;width:22%;margin-left: 15%;border-radius: 10px;">

<h3 style="margin-left: 5%;margin-top: 20px;margin-right: 20%;">How to write a cover letter</h3>

<p style="margin-left: 5%;margin-top: 10px;font-size: 13px;line-height: 20px;">Learn how to write a cover letter that can help you land your dream job using these tips that make a great first
</p>


```
<button style="border: 2px solid rgb(73, 73, 73);width:30%;height:33px;float: right;border-radius: 40px;margin-right: 7%;">Read now</button></div>
```

```
<div style="border: 1px solid rgb(129, 128, 128);height:400px;width:22%;margin-left: 2%;border-radius: 10px;">
```

```
  
```

```
  <h3 style="margin-left: 5%;margin-top: 20px;margin-right: 20%;">Learn how PDF software can help you </h3>
```

```
  <p style="margin-left: 5%;margin-top: 10px;font-size: 13px;line-height: 20px;">Keep your small business running smoothly by using Adobe Acrobat to create and submit order forms.</p><br>
```

```
  <button style="border: 2px solid rgb(77, 76, 76);width:30%;height:33px;float: right;border-radius: 40px;margin-right: 7%;">Read now</button></div>
```

```
<div style="border: 1px solid rgb(124, 123, 123);height:400px;width:22%;margin-left: 2%;border-radius: 10px;">
```

```
  
```

```
  <h3 style="margin-left: 5%;margin-top: 20px;margin-right: 20%;">Review and edit PDF files with Adobe.</h3>
```

```
  <p style="margin-left: 5%;margin-top: 10px;font-size: 13px;line-height: 20px;">Discover why Adobe offers the best free online PDF editor using the free version of Acrobat Reader to edit,</p><br>
```

```
  <button style="border: 2px solid rgb(74, 74, 74);width:30%;height:33px;float: right;border-radius: 40px;margin-right: 7%;">Read now</button></div>  
</div>
```

```
<div style="display: flex;height:410px;width:100%;border: 0px solid black;margin-top: 40px;font-family: sans-serif;">
```



```
<div style="border: 1px solid rgb(143, 141, 141);height:400px;width:22%;margin-left: 15%;border-radius: 10px;">
```

```

```

```
<h3 style="margin-left: 5%;margin-top: 20px;margin-right: 20%;">How to write a cover  
letter</h3>
```

```
<p style="margin-left: 5%;margin-top: 10px;font-size: 13px;line-height: 20px;">Learn how to  
write a cover letter that can help you land your dream job using these tips that make a great first  
</p><br>
```

```
<button style="border: 2px solid rgb(91, 90, 90);width:30%;height:33px;float: right;border-  
radius: 40px;margin-right: 7%;">Read now</button></div>
```

```
<div style="border: 1px solid rgb(143, 140, 140);height:400px;width:22%;margin-left: 2%;border-radius: 10px;">
```

```

```

```
<h3 style="margin-left: 5%;margin-top: 20px;margin-right: 20%;">Stay on top of work-  
from-home </h3>
```

```
<p style="margin-left: 5%;margin-top: 10px;font-size: 13px;line-height: 20px;">Keep your  
small business running smoothly by using Adobe Acrobat to create and submit order  
forms.</p><br>
```

```
<button style="border: 2px solid rgb(76, 76, 76);width:30%;height:33px;float: right;border-  
radius: 40px;margin-right: 7%;">Read now</button></div>  
</div>
```

```
<div style="height:380px;width:100%;border: 0px solid black;margin-top:
100px;background-image:
url(https://www.adobe.com/acrobat/resources/media_13d1ecea312784a534b68b8389e34059dfa
185e28.png?width=2000&format=webply&optimize=medium);background-size: cover;">
<br><br><br>
```

```
<h3 style="margin-left: 36%;color: white;font-family: sans-serif;font-size: 20px;">Do
more with Adobe Acrobat Pro</h3><br><br>
```

```
<button style="border: 2px solid rgb(243, 242, 242);border-radius:
20px;height:33px;width:180px;color: rgb(39, 37, 37);float: right;margin-left: 48%;background-
color: transparent;color: white;font-size: 14px;position: relative;margin-right: 44%;">
```

```
<a href="adobe free trail.html" style="text-decoration: none;color: white;">Start free 7-day
trail</a></button><br><br><br>
```

```
<a style="text-decoration: none;color: white;margin-left: 45%;">Learn more</a>
```

```
</div>
```

```
</body>
```

```
</html>
```

Output:




Fig:4.1




Fig:4.2

Free Trail.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Adobe: Creative,marketing and document management solutions adobe.com</title>
  <link rel="icon"
href="https://tse2.mm.bing.net/th?id=OIP.j56gzk49LS4_fMWubGYKCAHaGu&pid=Api&P=
0&h=180">

  <style>
    * {
      margin: 0px;
      box-sizing: border-box;
    }

    #q {
      text-decoration: none;
      color: black;
      font-family: sans-serif;
      margin-left: 3%;
      line-height: 60px;
      min-height: 60px;
      font-size: 13.5px;
    }

    #div4 {
      height: 33px;
      width: 100%;
      border: 1px solid rgb(228, 226, 226);
      border-left: none;
      margin-top: 0px;
```

```

        border-right: none;
    }

    #b {
        text-decoration: none;
        color: rgb(95, 93, 93);
        min-height: 30px;
        line-height: 30px;
        margin-left: 0.8%;
        font-size: 12px;
        font-weight: #686878;
        font-family: monospace;
        font-stretch: extra-expanded;
    }

    #t{
        background-image: linear-gradient(to bottom, rgb(253, 155, 135), rgb(218, 31, 7));
        color: white;
    }
</style>
</head>
<body>

<div
    style="height:100px;width:100%;box-sizing: border-box;border: 0px solid black;position:
sticky;position: fixed;background-color: white;">
    <div style="display: flex;flex-direction: row;height:65px;border: 0px solid black;">
        <div
            style="height:65px;width:9%;border: 0px solid black;display: flex;border-right: 1px
solid rgb(201, 198, 198);">
            </div>

```

```

<div
    style="height:65px;width:11%;border: 0px solid black;font-size: 14px; min-height:
60px; line-height: 60px;padding-left: 1.5%;border-right: 1px solid rgb(222, 218, 218);">
    <nav>PDF & E-signatures</nav>
</div>
<div style="height:65px;width:80%;border: 0px solid black;display: flex;">
    <nav style="border: 0px solid black;width:60%;height:60px;">
        <a href="adobe acrobat1.html" target="_blank" id="q">Adobe Acrobat</a>
        <a href="" id="q"> Features</a>
        <a href="adobe compare plans.html" target="_blank" id="q"> Compare plans</a>
        <a href="adobe resources.html" target="_blank" id="q">Resources</a>
        <a href="" id="q">Learn & Support</a>

    </nav>
    <button
        style="height:50%;width:10%;background-color: rgb(20, 115, 230);color:
white;border-radius: 16px;border: 1px solid rgb(20, 115, 230);margin-right: -16%;font-weight:
700;margin-top: 15px;float: right;">
        <a href="adobe buy now .html" target="_blank" style="text-decoration:
none;color: white;">Buy now</a></button>
        
        <a href="adobe signin.html" target="_blank" id="a"
            style="float: right;margin-right: 1%;text-decoration: none;color: black;margin-top:
18px;margin-left: 1%;">Sign in</a>
    </div>
</div>

<div id="div4">
    <a href="adobe homepage.html" target="_blank" id="b">Home </a>
    <a href="adobe acrobat1.html" target="_blank" id="b">Acrobat DC </a>
    <a href="adobe resources.html" target="_blank" id="b">Resources </a>
    <p style="margin-top: -20px;font-family:sans-serif;font-size: 11px;font-weight:
500;margin-left: 19%;">

```

How

To Convert HTML To PDF</p>

</div>

</div>

<div style="height:642px;width:100%;border: 1px solid black;" id="t">

<p style="padding-top: 100px;text-align: center;font-size: 25px;margin-top: 50px;">Adobe Acrobat Pro</p>

<h2 style="text-align: center;font-size: 48px;">Try it for free.</h2>

<p style="text-align: center;margin-left: 25%;margin-right: 25%;font-size: 20px;line-height: 30px;">Edit, convert, and password protect PDFs – all in one app. Even collect e-signatures and sign documents in a flash, without a drop of ink.</p>

<button style="height:50px;width:25%;background-color: rgb(35, 107, 252);border-radius: 35px;color: white;text-align: center;border: 1px solid black;margin-left: 37%;font-size: 20px;font-family:sans-serif;">Start free Trail</button>

<button style="height:50px;width:12%;border-radius: 35px;text-align: center;border: 1px solid rgb(63, 62, 62);margin-left: 43%;font-size: 17px;font-family:sans-serif;">Buy Now</button>

</div>

</body>

</html>

Output:




Fig:5.1

Buy Now.Html:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Adobe: Creative,marketing and document management solutions  
adobe.com</title>
```

```
  <link rel="icon"  
href="https://tse2.mm.bing.net/th?id=OIP.j56gzk49LS4_fMWubGYKCAHaGu&pid=A  
pi&P=0&h=180">
```

```
  <style>
```

```
    *{
```

```
      background-attachment: fixed;
```

```
      box-sizing: border-box;
```

```
      font-family: sans-serif;
```

```
    }
```

```
    :hover{
```

```
      #a:hover{
```

```
        color: rgb(25, 127, 243);
```

```
      }
```

```
    }
```

```
  #header{
```

```
    margin-top: -14px;
```

```
    height:65px;
```

```
    width:100%;
```

```
    border-bottom: 1px solid rgb(79, 77, 77);
```

```
  }
```

```
  #div1{
```

```
    height:50px;
```

```
width:8.2%;
border: 1px solid rgb(219, 217, 217);
float: left;
border-left: none;
border-right: none;
border-bottom: none;
margin-left: 3%;
margin-top: 3px;
}
#a{
text-decoration: none;
color: black;
min-height: 60px;
line-height: 60px;
margin-left: 15px;
font-size: 14px;
font-weight:#686868;
font-family:sans-serif;
font-stretch: expanded;
}
.class1{
margin-left:3% ;
}

</style>
</head>
<body>
<div id="header">
<div id="div1"> </div>
```

```

```

```
<a href="adobe signin.html" target="_blank" id="a" style="margin-right: -
100px;float: right;">Sign in</a>
```

```
</div>
```

```
</div>
```

```
<div >
```

```
<p class="class1" style="font-size: 13px;">Step 1 of 2</p>
```

```
<h2 class="class1">Enter your email. You'll use it to access all your Adobe
products.</h2>
```

```
<p class="class1">We'll create an account if you're new, or ask you to sign
in.</p><br>
```

```
<input class="class1" style="height:46px;width:35%;border: 1px solid
black;border-radius: 5px;outline-width: 0px;" type="email" placeholder="email
address">
```

```
<p class="class1" style="font-size: 12px;margin-right: 53%;font-family: 'Segoe UI',
Tahoma, Geneva, Verdana, sans-serif;line-height: 17px;">By clicking "Continue", I
agree that I have read and accepted the Terms of Use, and that the Adobe family of
companies can keep me informed by sending personalized emails about products and
services. See our Privacy Policy for details or to opt-out at any time.
```

```
</p>
```

```
<button style="height:34px;width:8%;background-color: rgb(82, 134, 245);border:
1px solid black;border-radius: 20px;margin-left: 3%;margin-top: 15px;"><a href=""
style="color: white;text-decoration: none;">Continue</a></button>
```


```
<div style="height:580px;width:32%;border: 1px solid rgb(147, 147, 147);float:
right;margin-top: -270px;border-top: none;">
```


```
<h5 style="margin-left: 11%;margin-top: 40px;">Summary</h5>
<hr style="width:75%;margin-left: 11%;margin-right: 0%;margin-top: -7px;">
<p
style="margin-top: -39px;margin-left: 22%;">Acrobat Pro</p>
<p style="font-size: 11px;margin-left: 11%;margin-top: 30px;">Subscription</p>
<select name="" id="" style="border: none;margin-left: 11%;">
<option value="">Yearly,billed Monthly</option>
<option value="">Monthly</option>
<option value="">Yearly,billed upfront</option>
</select>
<hr style="width:75%;margin-left: 11%;margin-right: 0%;margin-top: 20px;">

<p style="margin-left: 11%;font-size: 13px;line-height: 30px;">Subtotal</p>
<p style="margin-right: 13%;font-size: 13px;line-height: 30px;margin-top: -
40px;float: right;">US$19.99/mo</p>
<h5 style="margin-left: 11%;">TOTAL</h5>
<p style="margin-right: 13%;font-size: 13px;line-height: 30px;margin-top: -
40px;float: right;">US$19.99/mo + tax</p>

</div>
</div>
</body>
</html>
```

Output:



 Sign in

Step 1 of 2


Enter your email. You'll use it to access all your Adobe products.

We'll create an account if you're new, or ask you to sign in.

By clicking "Continue", I agree that I have read and accepted the Terms of Use, and that the Adobe family of companies can keep me informed by sending personalized emails about products and services. See our Privacy Policy for details or to opt-out at any time.

Continue

Summary

 Acrobat Pro

Subscription

Yearly,billed Monthly ▾

Subtotal	US\$19.99/mo
TOTAL	US\$19.99/mo + tax

Fig:6.1

Sign in.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Adobe: Creative,marketing and document management solutions adobe.com</title>

<link rel="icon" href="https://tse2.mm.bing.net/th?id=OIP.j56gzk49LS4_fMWubGYKC AHaGu&pid=Api&P=0&h=180">

<style>

body{

background-image: url('https://tse4.mm.bing.net/th?id=OIP.Sox6lXJ2MUvejqlh7TBNkQHaEo&pid=Api&P=0&h=180');

background-size: cover;

background-attachment: fixed;

}

div{

height: 650px;

width: 41%;

background-color: white;

border: 1px solid rgb(104, 103, 103);

float: right;

margin-right: 5%;

$$\}$$

</head>

 Or

```
<div style="border: 2px solid black;background-color: white;height:53px;width:77%;border-radius: 30px;margin-right:11.5%;border-color: rgb(206, 204, 204);margin-top: 15px;">
```

```
<p style="margin-top: -30px;margin-left: 35%;font-weight: 600;font-family: sans-serif;font-size: small;color: rgb(95, 93, 93);">Continue with Google</p></div>
```

```
<div style="border: 2px solid black;background-color: white;height:53px;width:77%;border-radius: 30px;margin-right:11.5%;border-color: rgb(206, 204, 204);margin-top: 15px;">
```

```
<p style="margin-top: -25px;margin-left: 35%;font-weight: 600;font-family: sans-serif;font-size: small;color: rgb(95, 93, 93);">Continue with Facebook</p></div>
```

```
<div style="border: 2px solid black;background-color: white;height:53px;width:77%;border-radius: 30px;margin-right:11.5%;border-color: rgb(206, 204, 204);margin-top: 15px;">
```

```
<p style="margin-top: -25px;margin-left: 35.5%;font-weight: 600;font-family: sans-serif;font-size: small;color: rgb(95, 93, 93);">Continue with Apple</p></div>
```

```
<a href="" style="color: #1473e6;margin-left: 50px;text-decoration: none;font-family: sans-serif;font-size: small;font-weight: 600;">Get help signing in</a>
```

```
</div>
```

```
<div style="height:150px;width:30%;border: 0px solid black;float: left;background-color: transparent;margin-top: 160px;margin-left: 10%;">
```

```

```



```
<p style="color: white;font-family: sans-serif;margin-top: -60px;">Sign in or Create an account</p>
```

```
</div>
```

```
</body>
```

```
</html>
```

Output:




Fig:7.1

Conclusion

The Adobe Website is best suited for which it is available for various operating systems including Windows, MacOS, Android, and iOS, allowing users to view and interact with PDFs across different devices. This makes it a versatile tool for reading PDF documents, filling forms, signing documents, and making basic annotations. Adobe Acrobat is a robust, comprehensive tool for managing PDF documents. Whether you need to view, create, or edit PDFs, Adobe Acrobat has a solution to fit your needs. Its integration with Adobe's Creative Cloud and Document Cloud, along with some extra features.

