		Date	
	Lat Program 6:		
	Hinside Student-java		
	package CIE; import fava-util scanner;		
	public class student ?		
	public etring um		
	public ent sem;		
	faction the fest,		
	public void getData()?		21
	system-sout-println ("Ente Scarner input: new scann		
	un = input next Line();	Cr Congression	4
	System out println ("Enter	the Name'y	
	name = input next line();		
	Sigstem out println ("Enter.	the semeste	2
	sem = input 'nextInt();		+
			+
	a blin mid + Data ()		+
	System out println ("The U	CAL = Vany	1
	system out println ("The N		
	system out println ("The sen	rester és "tsen	7
2	3		-
3			-
			-
1	Vincide Internals java		
1	ackage CIE;		

Classmate

classmate
Date Page
import java: util ! scanner;
public class Internals extends student?
public int a[]=new int[5]
{ system-out println ("Enter the internal
scarner in : new Scanner (System in);
huldie wid get DataInt ()?
System out-println ("Enter the marks i
aliJ=in:nextInt();
 3
<u> </u>
Hinride Enternals: java
package SEE; import java util scannes;
import CIE. +;
public dans Externals extends CIE. Studen public int c[]: new int[5];
A system out println (" Enter the enternal
marks"); 3
scanner in : new scanner (system in);

public void get DataExt () { for (int i=0) [45; i+1) { system out println ("Enter the mark in subject "+(i+1)); e[i] = in nextInt()i Hinside driver file import CIE. *; class Final Marks (public static void main (String args[]) (IE. student S=new CIE. student(); System out println ("Enter the details:" s. getData(); S. putData(); CIE. Internals i=new CIE. Internals(); SEE Externals e : new SEE Externals(); System out println ("Frinal Marks:"); for (int j=0; j<5:j+) { System weet println ("Subject" + (j+1) t 3 3 3 = "+ (i.a[j] + e.e[j]);