Assignment2

Initialize a new Git repository in a directory of your choice. Add a simple text file to the repository and make the first commit.

```
Hp@DESKTOP-IDBKG0F MINGW64 /c/Training/repository1
$ git init
Initialized empty Git repository in C:/Training/repository1/.git/

Hp@DESKTOP-IDBKG0F MINGW64 /c/Training/repository1 (master)
$ git status
On branch master

No commits yet

Untracked files:
   (use "git add <file>..." to include in what will be committed)
        Helloworld.txt

nothing added to commit but untracked files present (use "git add" to track)

Hp@DESKTOP-IDBKG0F MINGW64 /c/Training/repository1 (master)
$ git add  Helloworld.txt

Hp@DESKTOP-IDBKG0F MINGW64 /c/Training/repository1 (master)
$ git status
On branch master

No commits yet

Changes to be committed:
   (use "git rm --cached <file>..." to unstage)
        new file:   Helloworld.txt


Hp@DESKTOP-IDBKG0F MINGW64 /c/Training/repository1 (master)
$ git commit -m "FirstCommit"
[master (root-commit) c20bfcf] FirstCommit
 1 file changed, 1 insertion(+)
 create mode 100644 Helloworld.txt

Hp@DESKTOP-IDBKG0F MINGW64 /c/Training/repository1 (master)
$ git remote add origin https://github.com/neelimapothamsetty9518/May23Wipro.git

Hp@DESKTOP-IDBKG0F MINGW64 /c/Training/repository1 (master)
$ git branch
* master

Hp@DESKTOP-IDBKG0F MINGW64 /c/Training/repository1 (master)
$ git push origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 236 bytes | 47.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/neelimapothamsetty9518/May23Wipro.git
 * [new branch]      master -> master
```