

CASE SCRIPTS

case Scripts:

Ex:1

```
ec2-user@ip-172-31-35-251:~  
#!/bin/bash  
#checking Case statements  
#Date :19/12/2025  
#Modifications if any  
echo  
echo please choose one of the options below  
echo  
echo 'a=Display Date and Time'  
echo 'b=List file and directories'  
echo 'c=List users logged in'  
echo 'd=Check system uptime'  
read choices  
case $choices in  
    a)date;;  
    b)ls;;  
    c)who;;  
    d)uptime;;  
    *)echo Invalid choice-BYE  
esac  
[ec2-user@ip-172-31-35-251 ~]$ ./Case_scripts.sh  
  
please choose one of the options below  
  
a=Display Date and Time  
b=List file and directories  
c=List users logged in  
d=Check system uptime  
s  
Invalid choice-BYE
```

2.This script will look at your current day and tell you the state of the backup

```
[ec2-user@ip-172-31-35-251 ~]$ cat State_backup.sh  
#!/bin/bash  
#State of backup  
#Date:19/12/25  
#Modifications if any  
  
Now=$(date +"%a")  
case $Now in  
    Mon)          echo "Full backup";;  
    Tue|Wed|Thu|Fri) echo "Partial backup";;  
    Sat|Sun)      echo "No backup";;  
    *);;  
esac  
[ec2-user@ip-172-31-35-251 ~]$ ./State_backup.sh  
Partial backup  
[ec2-user@ip-172-31-35-251 ~]$ |
```

CASE SCRIPTS

3. do-while Script

```
[ec2-user@ip-172-31-35-251 ~]$ vi do_while.sh
[ec2-user@ip-172-31-35-251 ~]$ chmod 777 do_while.sh
[ec2-user@ip-172-31-35-251 ~]$ cat do_while.sh
#!/bin/bash
#Script to run for a Number of times
#Date:19/12/25
#modifications if any

c=1
while [ $c -le 5 ]
do
    echo "welcome $c times"
    (( c++ ))
done
[ec2-user@ip-172-31-35-251 ~]$ ./do_while.sh
welcome 1 times
welcome 2 times
welcome 3 times
welcome 4 times
welcome 5 times
[ec2-user@ip-172-31-35-251 ~]$ |
```

CASE SCRIPTS

Script to run for a number of second

ec2-user@ip-172-31-35-251:~

```
[ec2-user@ip-172-31-35-251 ~]$ vi run_for_NumberofSeconds  
[ec2-user@ip-172-31-35-251 ~]$ cat run_for_NumberofSeconds
```

```
#!/bin/bash  
#run for a number of seconds  
#Date:19/12/25  
count=0  
num=10  
while [ $count -lt 10 ]  
do  
    echo  
    echo $num seconds left to stop this process $1  
    echo  
    sleep 1
```

```
num=`expr $num - 1`  
count=`expr $count + 1`  
done  
echo  
echo $1 process is stopped!!  
echo
```

```
[ec2-user@ip-172-31-35-251 ~]$ ./run_for_NumberofSeconds
```

10 seconds left to stop this process

9 seconds left to stop this process

8 seconds left to stop this process

7 seconds left to stop this process

6 seconds left to stop this process

5 seconds left to stop this process

4 seconds left to stop this process

3 seconds left to stop this process

2 seconds left to stop this process

1 seconds left to stop this process



process is stopped!!

CASE SCRIPTS

For_loops

```
ec2-user@ip-172-31-35-251:~  
[ec2-user@ip-172-31-35-251 ~]$ vi for_loops  
[ec2-user@ip-172-31-35-251 ~]$ chmod 777 for_loops  
[ec2-user@ip-172-31-35-251 ~]$ cat for_loops  
#!/bin/bash  
#simple for loop output  
#Date:19/12/25  
#Modifications if any  
echo  
for i in 1 2 3 4 5  
do  
echo "welcome $i times"  
done  
[ec2-user@ip-172-31-35-251 ~]$ ./for_loops  
  
welcome 1 times  
welcome 2 times  
welcome 3 times  
welcome 4 times  
welcome 5 times  
[ec2-user@ip-172-31-35-251 ~]$ |
```

```
[ec2-user@ip-172-31-35-251 ~]$ vi for_loops_1  
[ec2-user@ip-172-31-35-251 ~]$ chmod 777 for_loops_1  
[ec2-user@ip-172-31-35-251 ~]$ cat for_loops_1  
#!/bin/bash  
#for loop output  
#Date:19/12/25  
#Modifications if any  
for i in Hyd Bnglr TN  
do  
echo Welcome to $i  
done  
[ec2-user@ip-172-31-35-251 ~]$ ./for_loops_1  
Welcome to Hyd  
Welcome to Bnglr  
Welcome to TN  
[ec2-user@ip-172-31-35-251 ~]$ |
```

CASE SCRIPTS

If-then Scripts

```
[ec2-user@ip-172-31-35-251 ~]$ vi if_then.sh
[ec2-user@ip-172-31-35-251 ~]$ chmod 777 if_then.sh
[ec2-user@ip-172-31-35-251 ~]$ ./if_then.sh
count is 100
[ec2-user@ip-172-31-35-251 ~]$ cat if_then.sh
#!/bin/bash
#If_then_check_the_variable
#Date:19/12/25
#Modifications if any

count=100
if [ $count -eq 100 ]
then
    echo count is 100
else
    echo count is not 100
fi

[ec2-user@ip-172-31-35-251 ~]$ |
```

Check if a file error.txt exist

```
ec2-user@ip-172-31-35-251:~
#!/bin/bash
#file_error.sh
#Date:19/12/25
#Modifications if any
clear
if [ -e /file_error.sh ]
then
    echo "File Exist"
else
    echo "File does not exist"
fi
~
~
~
~
~
~
~
```

```
ec2-user@ip-172-31-35-251:~
File does not exist
[ec2-user@ip-172-31-35-251 ~]$ |
```

CASE SCRIPTS

Check if a variable value is met

```
[root@ip-172-31-35-251 ~]# vi Variable_value.sh
[root@ip-172-31-35-251 ~]# ./Variable_value.sh
Today is saturday
[root@ip-172-31-35-251 ~]# vi Variable_value.sh
[root@ip-172-31-35-251 ~]# cat Variable_value.sh
#!/bin/bash
#Check_variable value is met
#Date:20/12/25
a=`date | awk '{print $1}'`
if [ "$a" == sat ]
then
    echo Today is $a
else
    echo Today is not saturday
fi
[root@ip-172-31-35-251 ~]# ./Variable_value.sh
Today is not saturday
```

Check the Response and the Output

```
[root@ip-172-31-35-251 ~]# vi Chec_Response.sh
[root@ip-172-31-35-251 ~]# cat Chec_Response.sh
#!/bin/bash
#check the response and then output
#Date:20/12/25
#Modifications if any
clear
echo
echo "What is your name?"
echo
read a
echo

echo Hello $a
echo

echo "Do you Like working in IT? (y/n)"
read Like
echo

if [ "$Like" == y ]
then
    echo you are cool
elif [ "$Like" == n ]
then
    echo you should try IT, its a good field
echo
fi
```

CASE SCRIPTS

Output:

 root@ip-172-31-35-251:/

```
What is your name?
```

```
Neelima
```

```
Hello Neelima
```

```
Do you Like working in IT? (y/n)
```

```
y
```

```
you are cool
```

```
[root@ip-172-31-35-251 ~]# |
```