

Mongodb Assginment
Neelisha Gowri R
1AY24CD035

```
mongosh mongodb://127.0.0.1:27020/
test> use myStudentDatabase
switched to db myStudentDatabase
myStudentDatabase> db.createCollection("students")
{ ok: 1 }
myStudentDatabase> db.students.insertOne({
  name: "Amy",
  age: 20,
  department: "AIIML"
})
{ acknowledged: true,
  insertedId: ObjectId('6a0e9f4df3653e19aa11402a') }
myStudentDatabase> db.students.insertOne({
  _id: 1,
  name: "Arya",
  age: 22,
  department: "CSE"
})
{ acknowledged: true, insertedId: 1 }
myStudentDatabase> db.students.insertMany([
  { _id: 2, name: "Chirag", age: 24, department: "ECE" },
  { _id: 3, name: "Sai", age: 23, department: "AIIML" },
  { _id: 4, name: "Shiva", age: 22, department: "CSE" }
])
{ acknowledged: true, insertedIds: { '0': 2, '1': 3, '2': 4 } }
myStudentDatabase> db.students.find()
[
  {
    _id: ObjectId('6a0e9f4df3653e19aa11402a'),
    name: 'Amy',
    age: 20,
    department: 'AIIML'
  },
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 2, name: 'Chirag', age: 24, department: 'ECE' },
  { _id: 3, name: 'Sai', age: 23, department: 'AIIML' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase> db.students.updateOne(
```

```

mongosh mongodb://127.0.0.1:27000
myStudentDatabase> db.students.updateOne(
  {
    _id: 2,
    $set: { age: 25 }
  }
)
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
myStudentDatabase> db.students.updateMany(
  {
    department: "ECE"
  },
  {
    $set: { age: 23 }
  }
)
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
myStudentDatabase> db.students.deleteOne({ _id: 3 })
{ acknowledged: true, deletedCount: 1 }
myStudentDatabase> db.students.deleteMany({ department: "ECE" })
{ acknowledged: true, deletedCount: 1 }
myStudentDatabase> db.students.find({}, { name: 1, department: 1, _id: 0 })
[
  { name: 'Amy', department: 'AIML' },
  { name: 'Arya', department: 'CSE' },
  { name: 'Shiva', department: 'CSE' }
]
myStudentDatabase> db.students.find({}, { age: 0 })
[
  {
    _id: ObjectId('6a0e9f4df3653e19aa11402a'),
    name: 'Amy',
    department: 'AIML'
  },
  { _id: 1, name: 'Arya', department: 'CSE' },
  { _id: 4, name: 'Shiva', department: 'CSE' }
]

```

```

mongosh mongodb://127.0.0.1:27000
{ _id: 4, name: 'Shiva', department: 'CSE' }
myStudentDatabase> db.students.find(
  {
    department: "CSE"
  },
  {
    name: 1, age: 1, _id: 0
  }
)
[ { name: 'Arya', age: 22 }, { name: 'Shiva', age: 22 } ]
myStudentDatabase> db.students.find({ department: "CSE" })
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase> db.students.find({
  $and: [
    { department: "CSE" },
    { age: 22 }
  ]
})
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase> db.students.find({
  $or: [
    { department: "CSE" },
    { age: 24 }
  ]
})
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase> db.students.find({
  $and: [
    { department: "CSE" },
    {
      $or: [
        { age: 22 },
        { age: 23 }
      ]
    }
  ]
})
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]

```

```

mongosh mongodb://127.0.0.1:27000
myStudentDatabase> db.students.find({ department: "CSE" })
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase> db.students.find({
  $and: [
    { department: "CSE" },
    { age: 22 }
  ]
})
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase> db.students.find({
  $or: [
    { department: "CSE" },
    { age: 24 }
  ]
})
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase> db.students.find({
  $and: [
    { department: "CSE" },
    {
      $or: [
        { age: 22 },
        { age: 23 }
      ]
    }
  ]
})
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase>

```

```

mongosh mongodb://127.0.0.1:27000
myStudentDatabase> db.students.find({ department: "CSE" })
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase> db.students.find({
  $and: [
    { department: "CSE" },
    { age: 22 }
  ]
})
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase> db.students.find({
  $or: [
    { department: "CSE" },
    { age: 24 }
  ]
})
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase> db.students.find({
  $and: [
    { department: "CSE" },
    {
      $or: [
        { age: 22 },
        { age: 23 }
      ]
    }
  ]
})
[
  { _id: 1, name: 'Arya', age: 22, department: 'CSE' },
  { _id: 4, name: 'Shiva', age: 22, department: 'CSE' }
]
myStudentDatabase>

```