

Floating Call Button – Product Documentation

Overview

The **Floating Call Button** is a global calling interface available in the **beconversive portal UI**. It enables users to initiate and manage calls from anywhere in the application without disrupting their current workflow.

It appears as a **top floating bar (pill UI)** and provides:

-  Contact name or phone number
 -  Live call duration
 -  Call status (Ringing / Connecting / Connected)
 -  End call action
 -  Error notifications (toast messages)
-

Purpose

The goal of the Floating Call Button is to:

- Provide **seamless calling experience across the platform**
 - Allow **calls to persist across navigation**
 - Enable **easy integration from multiple applications (internal & external)**
-

Who Can Use This

The feature is designed for:

Internal Applications

- Any module inside **beconversive-portal-ui**

Embedded Applications (iFrame)

- Apps embedded using **iframe** can trigger calls

External Integrations

- Any web application with access to `window.postMessage`

Current Usage

- Actively used by **FastApp Desk (Flutter Desk)**
-

How It Works

The floating call system is triggered using browser communication mechanisms:

Primary Trigger Method

- `window.postMessage` (recommended for integrations)

Alternative Methods

- Global window API (`window.beconversiveFloatingCall`)
 - Direct React usage (internal apps)
-

Call Trigger (Recommended)

To initiate a call, send the following message:

```
window.postMessage(  
  {  
    event: 'initiate-call',  
    message: {  
      phoneNumber: '+919999999999',  
      contactName: 'Raj',  
      callMode: 'browser',  
      senderId: 919999999999,  
    },  
  },  
  '*');
```

Parameter Definitions

Field	Description
<code>phoneNumber</code>	Recipient's phone number
<code>contactName</code>	Recipient's name (optional but recommended)
<code>callMode</code>	Type of call (<code>browser</code> or <code>bridge</code>)
<code>senderId</code>	Caller's number (used as "from number")

Call Modes

1. Browser Call (`callMode: 'browser'`)

- Call happens directly in the browser using WebRTC
- Requires microphone permission
- Faster connection, no phone dependency

2. 📞 Bridge Call (`callMode: 'bridge'`)

- Agent's phone rings first, then connects to the customer
 - Uses backend telephony system
 - Useful when browser calling is not preferred
-

🧭 User Experience Flow

Call Initiation

1. Trigger received (via `postMessage` / API)
2. Floating bar appears
3. Status updates:
 - "Initiating call..."
 - "Connecting..." / "Ringing..."
 - "Connected"

During Call

- Timer starts when call is active
- User can end call anytime

Call End

- User clicks **End Call**, OR
 - System ends call (completed / failed / no answer)
-

🔔 Error Handling & Notifications

Errors are shown as **toast messages** (independent of call UI):

Scenario	Message
Duplicate call attempt	Session already exists
Missing data	Missing required field
Microphone denied	Microphone permission required

Call failure	Failed to initiate the call
No answer	Error: No answer

Safety & Validations

Duplicate Call Protection

- Only **one active call allowed**
- New requests are ignored if a call is ongoing

Required Fields

Call will NOT start if missing:

- `phoneNumber`
 - `callMode`
 - `senderId`
-

Integration Options

1. Using `window.postMessage` (Best for iframe / external apps)

- Works across applications
- Used by Flutter Desk

2. Using Global API

```
window.beconversiveFloatingCall.start({  
  phoneNumber: '+919999999999',  
  contactName: 'John Doe',  
  callMode: 'browser',  
  senderId: '919999999999',  
});
```

3. Internal React Usage

- Direct integration within portal UI components
-

iFrame Support

✓ Fully supported with `window.postMessage`

Requirements:

- Parent and iframe must allow messaging
- Proper event format must be used

Optional:

- Restrict allowed origins for security
-

Special Behavior (Flutter Desk Integration)

When calls are triggered from **Flutter Desk**:

- The desk UI automatically closes when the call starts
- This ensures the floating bar is visible and not obstructed

This behavior is triggered internally and does not require additional setup.

Backend Integration (Simplified)

The system interacts with backend APIs to:

- Initiate calls
- Track call status
- Disconnect calls

Core APIs Used

- Initiate Call
 - Get Call Status (polled every 2 seconds)
 - Disconnect Call
-



Authentication

- Uses `stories_delight` token from browser storage
 - Required for all call operations
-



Call Lifecycle Summary

Trigger Call



Validate Request



Show Floating UI



Initiate Backend Call



Connect / Ringing



Call Active → Timer Starts



Call Ends (User/System)



UI Dismissed

Best Practices

- Always pass `contactName` for better UX
 - Validate phone numbers before triggering
 - Use correct `callMode` based on use case
 - Avoid triggering multiple calls simultaneously
-

Limitations

- Requires browser environment
 - Microphone permission needed for browser calls
 - Depends on network and backend availability
 - Cross-origin iframe usage may need proper configuration
-

Summary

The Floating Call Button is a **centralized, flexible, and integration-friendly calling solution** that:

- Works across apps and iframes
 - Supports multiple calling modes
 - Provides real-time call status and controls
 - Ensures a smooth, non-intrusive user experience
-