

JAVA LCA-2

Name- **NEEL MORE**

Class- **CSE-1**

Roll- **30**

PRN-**1262240198**

Course- **JAVA Programming**

Q. Write a method that converts a String to an int using Integer.parseInt(). Catch NumberFormatException if the input isn't a valid number, and print a message telling the user what went wrong.

CODE:

```
import java.util.Scanner;
```

```
public class Main {  
    public static int convertToInt(String input) {  
        try {  
            return Integer.parseInt(input);  
        } catch (NumberFormatException e) {  
            System.out.println("Invalid number. Please enter a valid integer.");  
            return 0;  
        }  
    }  
}
```

```
public static void main(String[] args)  
{  
    Scanner sc = new Scanner(System.in);
```

```
    System.out.print("Enter a number: ");
```

```
    String input = sc.nextLine();
```

```
    int result = convertToInt(input);
```

```
    System.out.println("Integer value: " + result);  
    sc.close();  
}
```

OUTPUT:

Example-1:

Enter a number: 12

Integer value: 12

Example-2:

Enter a number: MIT

Invalid number. Please enter a valid integer.

Integer value: 0

The screenshot shows the Programiz Online Java Compiler interface. The browser address bar displays `programiz.com/java-programming/online-compiler/`. The page header includes the Programiz logo, a banner with the text "Stop copy pasting code you don't actually understand" and "Build the coding confidence you need to become a developer companies will fight for", and a "Become a PRO" button. Below the header, there is a section with a woman wearing a headset, the text "Shape technology. Drive progress.", an "Apply Now" button, the Dell Technologies logo, and a "Programiz PRO >" button. The main area is divided into two panels. The left panel, titled "Main.java", contains the following Java code:

```
1 import java.util.Scanner;
2
3 public class Main {
4     public static int convertToInt(String input) {
5         try {
6             return Integer.parseInt(input);
7         } catch (NumberFormatException e) {
8             System.out.println("Invalid number. Please enter a valid
integer.");
9             return 0;
10        }
11    }
12    public static void main(String[] args) {
13        Scanner sc = new Scanner(System.in);
14        System.out.print("Enter a number: ");
15        String input = sc.nextLine();
16        int result = convertToInt(input);
17        System.out.println("Integer value: " + result);
18        sc.close();
19    }
20 }
```

The right panel, titled "Output", displays the execution results:

```
Enter a number: MIT
Invalid number. Please enter a valid integer.
Integer value: 0

=== Code Execution Successful ===
```

Step:

- 1)Take input from the user.
- 2)Store the input as a String
- 3)Convert the String into an int using `Integer.parseInt()`
- 4)if the input is invalid, catch `NumberFormatException`
- 5)Print an error message for invalid input.
- 6)Return the converted integer or 0 if invalid.

