

Steps: Nginx Static Websites on Different Ports

Quick step-by-step reference. See README.md for full explanations and TROUBLESHOOTING.md if something breaks.

Step 1 — Install Nginx

Ubuntu/Debian

```
sudo apt update
sudo apt install nginx -y
sudo systemctl start nginx
sudo systemctl enable nginx
```

CentOS/RHEL/Fedora

```
sudo dnf install nginx -y
sudo systemctl start nginx
sudo systemctl enable nginx
```

Step 2 — Create Website Folders and Files

```
sudo mkdir -p /var/www/site1 /var/www/site2
echo "<h1>Site 1 - Running on port 8081</h1>" | sudo tee
/var/www/site1/index.html
echo "<h1>Site 2 - Running on port 8082</h1>" | sudo tee
/var/www/site2/index.html
```

Step 3 — Set Ownership

```
# Ubuntu/Debian
sudo chown -R www-data:www-data /var/www/site1 /var/www/site2

# CentOS/RHEL
sudo chown -R nginx:nginx /var/www/site1 /var/www/site2
```

Step 4 — Create Server Block Configs

Ubuntu/Debian → /etc/nginx/sites-available/site1 and site2
CentOS/RHEL → /etc/nginx/conf.d/site1.conf and site2.conf

```
server {
    listen 8081;
    server_name localhost;
    root /var/www/site1;
    index index.html;

    location / {
        try_files $uri $uri/ =404;
    }
}
```

```
}
```

(Repeat for site2 with listen 8082; and root /var/www/site2;)

Step 5 — Enable the Sites (Ubuntu/Debian only)

```
sudo ln -s /etc/nginx/sites-available/site1 /etc/nginx/sites-enabled/  
sudo ln -s /etc/nginx/sites-available/site2 /etc/nginx/sites-enabled/
```

CentOS/RHEL: skip this step — files in conf.d/ load automatically.

Step 6 — Test and Reload Nginx

```
sudo nginx -t  
sudo systemctl reload nginx
```

Step 7 — Open Firewall Ports

```
# UFW (Ubuntu)  
sudo ufw allow 8081/tcp  
sudo ufw allow 8082/tcp  
  
# firewalld (CentOS/RHEL)  
sudo firewall-cmd --permanent --add-port=8081/tcp  
sudo firewall-cmd --permanent --add-port=8082/tcp  
sudo firewall-cmd --reload
```

SELinux enforcing (CentOS/RHEL only):

```
sudo semanage port -a -t http_port_t -p tcp 8081  
sudo semanage port -a -t http_port_t -p tcp 8082
```

Step 8 — Verify

```
curl http://localhost:8081  
curl http://localhost:8082
```

Or visit <http://<server-ip>:8081> and <http://<server-ip>:8082> in a browser.