DIGITAL FORENSICS ANALYSIS REPORT

test.pcap

Case: CASE-2025-E2E · Analyst: SOC Analyst

Generated	2026-04-18 13:05:14 UTC
Organisation	Digital Forensics Lab
Analyst	SOC Analyst
Case Number	CASE-2025-E2E
Evidence File	test.pcap
File Size	1.0 KB
SHA-256	e45aa76ea75e9183201252f75598a5e75b454c545dd34363…

CONFIDENTIAL — This document contains sensitive forensic findings and is intended solely for authorised personnel.

Table of Contents

1. Chain of Custody
2. Executive Summary
3. Traffic Overview
4. Session Analysis
5. C2 Beacon Findings
6. DNS Analysis
7. Extracted Files
8. IOC Report
9. Evidence Appendix

1. Chain of Custody

The SHA-256 hash below serves as a cryptographic fingerprint confirming that the evidence file has not been altered since acquisition.

Evidence Identifier	test.pcap
File Path	N/A
File Size	1.0 KB
SHA-256 Hash	e45aa76ea75e9183201252f75598a5e75b454c545dd34363883e119b42cd615a
Date of Analysis	2026-04-18 13:05:14 UTC
Analysing Tool	PCAP Engine v1.0
Analyst	SOC Analyst
Organisation	Digital Forensics Lab
Case Reference	CASE-2025-E2E

■ Analysis was performed on a verified copy of the evidence. The original file was not modified.

2. Executive Summary

Overall: CRITICAL Critical threats detected. Immediate incident response recommended.

- Capture: **10 packets** / 1.0 KB / 4.5m
- **1** suspicious C2 beacon flow(s) — 1 CRITICAL, 0 HIGH
- **2** IOC(s) across MITRE tactics: C2

MITRE ATT&CK; Coverage

Tactic	Technique	IOCs
C2	T1571	2

3. Traffic Overview

First Packet	2023-11-14T22:13:20
Last Packet	2023-11-14T22:17:50
Duration	4.5m
Total Packets	10
Total Bytes	1.0 KB
Unique IPs	2
Internal IPs	1
External IPs	1

Protocol Breakdown

Protocol	Packets	Bytes	Share
TCP	10	1.0 KB	100.0%

Top Source IPs

IP	Packets	Share
192.168.1.5	10	100.0%

Top Destination Ports

Port	Service	Count	Proto
4444	unknown	10	TCP/UDP

4. Session Analysis

1 bidirectional flows reconstructed. Top 30 by byte volume:

Source	Destination	Proto	Pkts	Bytes	Dur	Score
192.168.1.5:55000	45.33.32.1:4444	TCP	10	1.0 KB	270.0s	0

5. C2 Beacon Findings

1 suspicious flow(s) with beaconing characteristics.

CRITICAL `192.168.1.5 → 45.33.32.1:4444 [TCP]` Score: 100/100

Interval mean	30.00s
Interval CV	0.0000
Packets	10

→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-200] Reverse shell behavioral profile: Small bidirectional TCP flow on non-standard port with interactive-sized payloads matches reverse shell pattern
→ Clock-like beacon: mean=30.0s stddev=0.000s CV=0.000 jitter_tolerance=100%
→ Fixed packet sizes: mean=118B stddev=0.0B (automated sender)
→ Low-BW long-lived flow: 270s @ 4B/s
→ Burst traffic: 9 gaps >5s in 9 total intervals

6. DNS Analysis

No suspicious DNS activity detected.

7. Extracted Files

No files extracted.

8. IOC Report

2 IOC(s) | CRITICAL:1 HIGH:1 MEDIUM:0

Sev	Score	Type	Value	Tactic	Technique
CRIT	100	IP	45.33.32.1	C2	T1071.001
HIGH	60	PORT	4444	C2	T1571

9. Evidence Appendix

Complete flow list:

#	Src IP	Src Port	Dst IP	Dst Port	Proto	Pkts	Bytes
1	192.168.1.5	55000	45.33.32.1	4444	TCP	10	1.0 KB

`Evidence SHA-256: e45aa76ea75e9183201252f75598a5e75b454c545dd34363883e119b42cd615a`

— End of Report —