DIGITAL FORENSICS ANALYSIS REPORT

health.pcap

Case: HEALTH-CHECK-001 · Analyst: SOC Analyst

Generated	2026-04-19 09:06:28 UTC
Organisation	Digital Forensics Lab
Analyst	SOC Analyst
Case Number	HEALTH-CHECK-001
Evidence File	health.pcap
File Size	3.0 KB
SHA-256	558f4838093ae160bfb70afa1ff84a52a1b907d3d08f9359…

CONFIDENTIAL — This document contains sensitive forensic findings and is intended solely for authorised personnel.

Table of Contents

1. Chain of Custody
2. Executive Summary
3. Traffic Overview
4. Session Analysis
5. C2 Beacon Findings
6. DNS Analysis
7. Extracted Files
8. IOC Report
9. Evidence Appendix

1. Chain of Custody

The SHA-256 hash below serves as a cryptographic fingerprint confirming that the evidence file has not been altered since acquisition.

Evidence Identifier	health.pcap
File Path	N/A
File Size	3.0 KB
SHA-256 Hash	558f4838093ae160bfb70afa1ff84a52a1b907d3d08f9359703bf68b057002c6
Date of Analysis	2026-04-19 09:06:28 UTC
Analysing Tool	PCAP Engine v1.0
Analyst	SOC Analyst
Organisation	Digital Forensics Lab
Case Reference	HEALTH-CHECK-001

■ Analysis was performed on a verified copy of the evidence. The original file was not modified.

2. Executive Summary

Overall: CRITICAL Critical threats detected. Immediate incident response recommended.

- Capture: **33 packets** / 3.0 KB / 21274.9h
- **2** suspicious C2 beacon flow(s) — 1 CRITICAL, 1 HIGH
- **1** suspicious DNS domain(s) — 1 tunnelling, 0 DGA
- **5** IOC(s) across MITRE tactics: C2, Exfiltration

MITRE ATT&CK; Coverage

Tactic	Technique	IOCs
C2	T1571	4
Exfiltration	T1048.003	1

3. Traffic Overview

First Packet	2023-11-14T22:13:20
Last Packet	2026-04-19T09:06:23.433196
Duration	21274.9h
Total Packets	33
Total Bytes	3.0 KB
Unique IPs	4
Internal IPs	2
External IPs	2

Protocol Breakdown

Protocol	Packets	Bytes	Share
TCP	25	2.0 KB	75.8%
UDP	8	992.0 B	24.2%

Top Source IPs

IP	Packets	Share
192.168.1.5	21	63.6%
45.33.32.1	12	36.4%

Top Destination Ports

Port	Service	Count	Proto
4444	unknown	12	TCP/UDP
53	DNS	8	UDP
62389	unknown	1	TCP/UDP
61628	unknown	1	TCP/UDP
55708	unknown	1	TCP/UDP
55010	unknown	1	TCP/UDP
56697	unknown	1	TCP/UDP
57292	unknown	1	TCP/UDP
53518	unknown	1	TCP/UDP
51989	unknown	1	TCP/UDP

4. Session Analysis

21 bidirectional flows reconstructed. Top 30 by byte volume:

Source	Destination	Proto	Pkts	Bytes	Dur	Score
192.168.1.5:62389	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:61628	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:55708	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:55010	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:56697	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:57292	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:53518	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:51989	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:57381	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:61704	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:52095	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:65184	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:12000	8.8.8.8:53	UDP	1	124.0 B	0.0s	0
192.168.1.5:12001	8.8.8.8:53	UDP	1	124.0 B	0.0s	0
192.168.1.5:12002	8.8.8.8:53	UDP	1	124.0 B	0.0s	0
192.168.1.5:12003	8.8.8.8:53	UDP	1	124.0 B	0.0s	0
192.168.1.5:12004	8.8.8.8:53	UDP	1	124.0 B	0.0s	0
192.168.1.5:12005	8.8.8.8:53	UDP	1	124.0 B	0.0s	0
192.168.1.5:12006	8.8.8.8:53	UDP	1	124.0 B	0.0s	0
192.168.1.5:12007	8.8.8.8:53	UDP	1	124.0 B	0.0s	0
192.168.1.5:60000	192.168.1.20:445	TCP	1	54.0 B	0.0s	0

5. C2 Beacon Findings

2 suspicious flow(s) with beaconing characteristics.

CRITICAL `192.168.1.5 → 45.33.32.1:4444 [TCP]` Score: 100/100

Interval mean	30.00s
Interval CV	0.0000
Packets	24

→ Tight beacon: 12 connections, mean=30.0s CV=0.0000 (CS/TrickBot/Dridex profile)
→ Repeated connections to known C2 port 4444 (12 connections)
→ High external connection count: 12 connections to 45.33.32.1:4444
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)

HIGH `192.168.1.5 → 8.8.8.8:53 [UDP]` Score: 65/100

Interval mean	5.00s
Interval CV	0.0000
Packets	8

→ Tight beacon: 8 connections, mean=5.0s CV=0.0000 (CS/TrickBot/Dridex profile)
→ High external connection count: 8 connections to 8.8.8.8:53

6. DNS Analysis

1 suspicious domain(s) — 1 tunnelling, 0 DGA.

Sev	Score	Domain	Queries	Entropy	Tunnel	DGA
CRITICAL	100	evil.com	8	4.45	YES	—

Domain: evil.com

→ Very high subdomain entropy: 4.45 bits/char (base64/hex encoded data — tunnelling indicator)
→ Very long subdomain label: 55 chars (threshold: 40) — DNS tunnelling
→ Tunnelling record types: {'TXT'} (used by dnscat2, iodine, dns2tcp)

7. Extracted Files

No files extracted.

8. IOC Report

5 IOC(s) | CRITICAL:2 HIGH:3 MEDIUM:0

Sev	Score	Type	Value	Tactic	Technique
CRIT	100	IP	45.33.32.1	C2	T1071.001
CRIT	100	DOMAIN	evil.com	Exfiltration	T1048.003
HIGH	65	IP	8.8.8.8	C2	T1071.001
HIGH	60	PORT	4444	C2	T1571
HIGH	60	PORT	53	C2	T1571

9. Evidence Appendix

Complete flow list:

#	Src IP	Src Port	Dst IP	Dst Port	Proto	Pkts	Bytes
1	192.168.1.5	62389	45.33.32.1	4444	TCP	2	204.0 B
2	192.168.1.5	61628	45.33.32.1	4444	TCP	2	204.0 B
3	192.168.1.5	55708	45.33.32.1	4444	TCP	2	204.0 B
4	192.168.1.5	55010	45.33.32.1	4444	TCP	2	204.0 B
5	192.168.1.5	56697	45.33.32.1	4444	TCP	2	204.0 B
6	192.168.1.5	57292	45.33.32.1	4444	TCP	2	204.0 B
7	192.168.1.5	53518	45.33.32.1	4444	TCP	2	204.0 B
8	192.168.1.5	51989	45.33.32.1	4444	TCP	2	204.0 B
9	192.168.1.5	57381	45.33.32.1	4444	TCP	2	204.0 B
10	192.168.1.5	61704	45.33.32.1	4444	TCP	2	204.0 B
11	192.168.1.5	52095	45.33.32.1	4444	TCP	2	204.0 B
12	192.168.1.5	65184	45.33.32.1	4444	TCP	2	204.0 B
13	192.168.1.5	12000	8.8.8.8	53	UDP	1	124.0 B
14	192.168.1.5	12001	8.8.8.8	53	UDP	1	124.0 B
15	192.168.1.5	12002	8.8.8.8	53	UDP	1	124.0 B
16	192.168.1.5	12003	8.8.8.8	53	UDP	1	124.0 B
17	192.168.1.5	12004	8.8.8.8	53	UDP	1	124.0 B
18	192.168.1.5	12005	8.8.8.8	53	UDP	1	124.0 B
19	192.168.1.5	12006	8.8.8.8	53	UDP	1	124.0 B
20	192.168.1.5	12007	8.8.8.8	53	UDP	1	124.0 B
21	192.168.1.5	60000	192.168.1.20	445	TCP	1	54.0 B

`Evidence SHA-256: 558f4838093ae160bfb70afa1ff84a52a1b907d3d08f9359703bf68b057002c6`

— End of Report —