DIGITAL FORENSICS ANALYSIS REPORT

hc.pcap

Case: HC-1488 · Analyst: SOC Analyst

Generated	2026-04-19 14:28:27 UTC
Organisation	Digital Forensics Lab
Analyst	SOC Analyst
Case Number	HC-1488
Evidence File	hc.pcap
File Size	2.0 KB
SHA-256	3cdc1a9d7488484784f3ac11e07e33cf1d0a895ef2ba30fa…

CONFIDENTIAL — This document contains sensitive forensic findings and is intended solely for authorised personnel.

Table of Contents

1. Chain of Custody
2. Executive Summary
3. Traffic Overview
4. Session Analysis
5. C2 Beacon Findings
6. DNS Analysis
7. Extracted Files
8. IOC Report
9. Evidence Appendix

1. Chain of Custody

The SHA-256 hash below serves as a cryptographic fingerprint confirming that the evidence file has not been altered since acquisition.

Evidence Identifier	hc.pcap
File Path	N/A
File Size	2.0 KB
SHA-256 Hash	3cdc1a9d7488484784f3ac11e07e33cf1d0a895ef2ba30faa2f426e9eb054ff7
Date of Analysis	2026-04-19 14:28:27 UTC
Analysing Tool	PCAP Engine v1.0
Analyst	SOC Analyst
Organisation	Digital Forensics Lab
Case Reference	HC-1488

■ Analysis was performed on a verified copy of the evidence. The original file was not modified.

2. Executive Summary

Overall: CRITICAL Critical threats detected. Immediate incident response recommended.

- Capture: **20 packets** / 1.0 KB / 4.5m
- **1** suspicious C2 beacon flow(s) — 1 CRITICAL, 0 HIGH
- **2** IOC(s) across MITRE tactics: C2

MITRE ATT&CK; Coverage

Tactic	Technique	IOCs
C2	T1571	2

3. Traffic Overview

First Packet	2023-11-14T22:13:20
Last Packet	2023-11-14T22:17:50.100000
Duration	4.5m
Total Packets	20
Total Bytes	1.0 KB
Unique IPs	2
Internal IPs	1
External IPs	1

Protocol Breakdown

Protocol	Packets	Bytes	Share
TCP	20	1.0 KB	100.0%

Top Source IPs

IP	Packets	Share
192.168.1.5	10	50.0%
45.33.32.1	10	50.0%

Top Destination Ports

Port	Service	Count	Proto
4444	unknown	10	TCP/UDP
52800	unknown	1	TCP/UDP
49971	unknown	1	TCP/UDP
58164	unknown	1	TCP/UDP
57176	unknown	1	TCP/UDP
56466	unknown	1	TCP/UDP
53724	unknown	1	TCP/UDP
52510	unknown	1	TCP/UDP
52000	unknown	1	TCP/UDP
62977	unknown	1	TCP/UDP

4. Session Analysis

10 bidirectional flows reconstructed. Top 30 by byte volume:

Source	Destination	Proto	Pkts	Bytes	Dur	Score
192.168.1.5:52800	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:49971	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:58164	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:57176	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:56466	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:53724	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:52510	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:52000	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:62977	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:50193	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0

5. C2 Beacon Findings

1 suspicious flow(s) with beaconing characteristics.

CRITICAL `192.168.1.5 → 45.33.32.1:4444 [TCP]` Score: 100/100

Interval mean	30.00s
Interval CV	0.0000
Packets	20

→ Tight beacon: 10 connections, mean=30.0s CV=0.0000 (CS/TrickBot/Dridex profile)
→ Repeated connections to known C2 port 4444 (10 connections)
→ High external connection count: 10 connections to 45.33.32.1:4444
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)

6. DNS Analysis

No suspicious DNS activity detected.

7. Extracted Files

No files extracted.

8. IOC Report

2 IOC(s) | CRITICAL:1 HIGH:1 MEDIUM:0

Sev	Score	Type	Value	Tactic	Technique
CRIT	100	IP	45.33.32.1	C2	T1071.001
HIGH	60	PORT	4444	C2	T1571

9. Evidence Appendix

Complete flow list:

#	Src IP	Src Port	Dst IP	Dst Port	Proto	Pkts	Bytes
1	192.168.1.5	52800	45.33.32.1	4444	TCP	2	204.0 B
2	192.168.1.5	49971	45.33.32.1	4444	TCP	2	204.0 B
3	192.168.1.5	58164	45.33.32.1	4444	TCP	2	204.0 B
4	192.168.1.5	57176	45.33.32.1	4444	TCP	2	204.0 B
5	192.168.1.5	56466	45.33.32.1	4444	TCP	2	204.0 B
6	192.168.1.5	53724	45.33.32.1	4444	TCP	2	204.0 B
7	192.168.1.5	52510	45.33.32.1	4444	TCP	2	204.0 B
8	192.168.1.5	52000	45.33.32.1	4444	TCP	2	204.0 B
9	192.168.1.5	62977	45.33.32.1	4444	TCP	2	204.0 B
10	192.168.1.5	50193	45.33.32.1	4444	TCP	2	204.0 B

`Evidence SHA-256: 3cdc1a9d7488484784f3ac11e07e33cf1d0a895ef2ba30faa2f426e9eb054ff7`

— End of Report —