DIGITAL FORENSICS ANALYSIS REPORT

test.pcap

Case: CLI-TEST-1776775643 · Analyst: Test

Generated	2026-04-21 12:47:26 UTC
Organisation	NFSU
Analyst	Test
Case Number	CLI-TEST-1776775643
Evidence File	test.pcap
File Size	0.0 B
SHA-256	7e315d4f2473b9a146bc4f72a92bf6c587226e1ab3bd1b14…

CONFIDENTIAL — This document contains sensitive forensic findings and is intended solely for authorised personnel.

Table of Contents

1. Chain of Custody
2. Executive Summary
3. Traffic Overview
4. Session Analysis
5. C2 Beacon Findings
6. DNS Analysis
7. Extracted Files
8. IOC Report
9. Evidence Appendix

1. Chain of Custody

The SHA-256 hash below serves as a cryptographic fingerprint confirming that the evidence file has not been altered since acquisition.

Evidence Identifier	test.pcap
File Path	/home/claude/pcap_engine/cases/cli/CLI-TEST-1776775643_b93aed11/test.pcap
File Size	0.0 B
SHA-256 Hash	7e315d4f2473b9a146bc4f72a92bf6c587226e1ab3bd1b147aaaecd8d9a31a6eCLI
Date of Analysis	2026-04-21 12:47:26 UTC
Analysing Tool	PCAP Engine v1.0
Analyst	Test
Organisation	NFSU
Case Reference	CLI-TEST-1776775643

■ Analysis was performed on a verified copy of the evidence. The original file was not modified.

2. Executive Summary

Overall: CRITICAL Critical threats detected. Immediate incident response recommended.

- Capture: **24 packets** / 2.0 KB / 5.5m
- **1** suspicious C2 beacon flow(s) — 1 CRITICAL, 0 HIGH
- **2** IOC(s) across MITRE tactics: C2

MITRE ATT&CK; Coverage

Tactic	Technique	IOCs
C2	T1571	2

3. Traffic Overview

First Packet	2023-11-14T22:13:20
Last Packet	2023-11-14T22:18:50.100000
Duration	5.5m
Total Packets	24
Total Bytes	2.0 KB
Unique IPs	2
Internal IPs	1
External IPs	1

Protocol Breakdown

Protocol	Packets	Bytes	Share
TCP	24	2.0 KB	100.0%

Top Source IPs

IP	Packets	Share
192.168.1.5	12	50.0%
45.33.32.1	12	50.0%

Top Destination Ports

Port	Service	Count	Proto
4444	unknown	12	TCP/UDP
57433	unknown	1	TCP/UDP
59831	unknown	1	TCP/UDP
55617	unknown	1	TCP/UDP
57032	unknown	1	TCP/UDP
55480	unknown	1	TCP/UDP
52922	unknown	1	TCP/UDP
58730	unknown	1	TCP/UDP
64757	unknown	1	TCP/UDP
56944	unknown	1	TCP/UDP

4. Session Analysis

12 bidirectional flows reconstructed. Top 30 by byte volume:

Source	Destination	Proto	Pkts	Bytes	Dur	Score
192.168.1.5:57433	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:59831	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:55617	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:57032	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:55480	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:52922	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:58730	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:64757	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:56944	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:53918	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:49231	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0
192.168.1.5:58325	45.33.32.1:4444	TCP	2	204.0 B	0.1s	0

5. C2 Beacon Findings

1 suspicious flow(s) with beaconing characteristics.

CRITICAL `192.168.1.5 → 45.33.32.1:4444 [TCP]` Score: 100/100

Interval mean	30.00s
Interval CV	0.0000
Packets	24

→ Tight beacon: 12 connections, mean=30.0s CV=0.0000 (CS/TrickBot/Dridex profile)
→ Repeated connections to known C2 port 4444 (12 connections)
→ High external connection count: 12 connections to 45.33.32.1:4444
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)
→ [SIG-001] Metasploit default port: TCP 4444 is Metasploit Meterpreter's default listener port (port=4444, MITRE T1571)

6. DNS Analysis

No suspicious DNS activity detected.

7. Extracted Files

No files extracted.

8. IOC Report

2 IOC(s) | CRITICAL:1 HIGH:1 MEDIUM:0

Sev	Score	Type	Value	Tactic	Technique
CRIT	100	IP	45.33.32.1	C2	T1071.001
HIGH	60	PORT	4444	C2	T1571

9. Evidence Appendix

Complete flow list:

#	Src IP	Src Port	Dst IP	Dst Port	Proto	Pkts	Bytes
1	192.168.1.5	57433	45.33.32.1	4444	TCP	2	204.0 B
2	192.168.1.5	59831	45.33.32.1	4444	TCP	2	204.0 B
3	192.168.1.5	55617	45.33.32.1	4444	TCP	2	204.0 B
4	192.168.1.5	57032	45.33.32.1	4444	TCP	2	204.0 B
5	192.168.1.5	55480	45.33.32.1	4444	TCP	2	204.0 B
6	192.168.1.5	52922	45.33.32.1	4444	TCP	2	204.0 B
7	192.168.1.5	58730	45.33.32.1	4444	TCP	2	204.0 B
8	192.168.1.5	64757	45.33.32.1	4444	TCP	2	204.0 B
9	192.168.1.5	56944	45.33.32.1	4444	TCP	2	204.0 B
10	192.168.1.5	53918	45.33.32.1	4444	TCP	2	204.0 B
11	192.168.1.5	49231	45.33.32.1	4444	TCP	2	204.0 B
12	192.168.1.5	58325	45.33.32.1	4444	TCP	2	204.0 B

`Evidence SHA-256: 7e315d4f2473b9a146bc4f72a92bf6c587226e1ab3bd1b147aaaecd8d9a31a6eCLI`

— End of Report —