

Masked Identity Card Test Artifact

Generated test sample adhering to standard tokenization & masking patterns for secure verification workflows.

MOCK PHOTO
PLACEHOLDER

NAME / FULL NAME

Sample Test User

DATE OF BIRTH / DOB

01/01/1990

GENDER

Not Specified / Mock

ADDRESS REFERENCE

123 QA Test Street, Tech Park, 400001

MASKED AADHAAR NUMBER (UIDAI STANDARD MOCK)

XXXX - XXXX - [Omitted]

Strictly for automated test runners, unit testing, and UI validation. Not valid for real-world identification.

Validation & Masking Specifications for Testing

Parameter	Value / Rule	Description
Format Structure	<code>XXXX-XXXX-XXXX</code> (or <code>XXXX-XXXX-dddd</code>)	Standard 12-digit representation with first 8 characters redacted.
Regex Pattern (Masked)	<code>^X{4}-X{4}-\d{4}\$</code>	Validates 8 uppercase 'X' characters followed by 4 final digits with hyphen delimiters.
Continuous Regex	<code>^X{8}\d{4}\$</code>	Validates unhyphenated 12-character masked token strings.
Storage Standard	Omit plain digits entirely	Production systems must store hash tokens or masked records rather than cleartext IDs.

Sample Test Vector (JSON Schema)

```
{
  "test_id": "TEST_AADHAAR_MASKED_001",
  "holder_name": "Sample Test User",
  "dob": "1990-01-01",
  "gender": "Not Specified",
  "aadhaar_masked": "XXXX-XXXX-[Omitted]",
  "masking_configuration": {
    "total_digits": 12,
    "mask_symbol": "X",
    "masked_length": 8,
    "unmasked_length": 4,
    "delimiter": "-"
  },
  "is_synthetic": true,
  "compliance_check": "PASSED"
}
```