POWER BI PROJECT REPORT

Telco Customer Churn Dashboard

A concise guide to the supplied Power BI report, its model references, visuals, and use.

Project	Platform	Report pages
Customer churn analysis	Microsoft Power BI	1 (1920 x 1080)

Overview

The supplied PBIX contains a single-page telco customer churn report. It summarizes customer and churn KPIs, compares churn rate across contract, tenure, internet service, and payment method, and provides Internet Service and Contract slicers for interactive exploration.

Project details

Prepared from the report definition embedded in the supplied PBIX. The file identifies the model table as **Telco_Churn**. No student name, roll number, organization, or dataset source was verifiable from the PBIX, so none is assigned here.

Objectives

- Summarize the customer base and churn using the report KPI cards.
- Compare churn rate across the categories included in the visuals.
- Let viewers filter the report by internet service and contract.
- Present the supplied report as an easy-to-review Power BI project.

Scope note: the descriptions below are based on the saved report structure. Values shown in the dashboard annotation are reported as existing on-canvas text, not as independently recalculated findings.

01 | DATASET, FIELDS & MEASURES

What the PBIX exposes

The report visuals refer to one model entity, **Telco_Churn**. The PBIX contains an embedded DataModel package. The original source file, source provider, row count, refresh date, and full table schema could not be verified from the inspectable report definition.

Fields bound to report visuals

Field	Where it appears
Contract	Slicer; churn-rate clustered bar chart
Internet Service	Slicer; churn-rate clustered column chart
Tenure Group	Churn-rate line chart
Payment Method	Churn-rate area chart

KPI cards and measure references

Name shown in report	Verification status
Total Customers	Measure reference confirmed; formula unavailable
Churned Customers	Measure reference confirmed; formula unavailable
Churn Rate	Measure reference confirmed; formula unavailable
Avg Monthly Charge	Measure reference confirmed; formula unavailable

DAX formulas are not discoverable in the readable report-definition files. The names above are confirmed because the visual cards bind to them; formula logic, aggregation details, and business definitions are not independently verified. No formulas are inferred in this report.

Tools & technologies

Microsoft Power BI Desktop is the file format and report environment. The PBIX also contains DAX measure references and an embedded model. The exact data-preparation steps and source system are not established by the report metadata.

02 | DASHBOARD OVERVIEW

One page, organized for quick review

The report page is named **Page 1** and is saved at 1920 x 1080 pixels. The visual structure below is a schematic reconstructed from the visual positions and bindings in the PBIX; it is not a screenshot and contains no dashboard values.

The report definition includes a large background image resource, a title text box, four card visuals, four charts, two slicers, and a key-insight text box. The title text in the PBIX appears as “Tetlco Customer Churn”; this report uses the normalized project name “Telco Customer Churn.”

Dashboard visuals

Visual	Report binding / purpose
KPI cards (4)	Total Customers; Churned Customers; Churn Rate; Avg Monthly Charge
Clustered bar	Churn Rate by Contract
Line chart	Churn Rate by Tenure Group
Clustered column	Churn Rate by Internet Service
Area chart	Churn Rate by Payment Method
Slicers (2)	Internet Service and Contract

03 | INSIGHTS & WORKFLOW

Reading the report carefully

A text box embedded on the dashboard states: “month-to-month customers churn at 43% versus 27% overall, and those in their first year reach 51%.” It also suggests an early contract-upgrade offer as a retention lever. This is a static annotation saved in the PBIX. The figures and recommendation are reproduced as dashboard content only; they could not be recalculated or validated against the compressed model in this inspection.

Questions the visuals support

• How does churn rate vary across Contract categories?

• How does the report compare churn rate across Tenure Group values?

• How does churn rate vary across Internet Service and Payment Method?

• How do KPI values change when Internet Service or Contract slicers are selected?

Workflow evidenced by the file

Embedded Telco_Churn model	Report visual bindings	KPI cards and charts	Filter with two slicers

This sequence describes the report structure, not a verified data-engineering history. Cleaning, transformation, relationship design, and refresh procedures cannot be confirmed from the exposed metadata.

Verification limits

The original data source and full schema are not documented in the supplied materials. DAX formulas and model values were not readable through the PBIX report definition. As a result, this report names only fields and measures directly bound to visuals, and does not introduce additional statistics.

04 | PROJECT FILES & USE

Open, explore, and share

Project files

Telco-Customer-Churn-Dashboard.pbix
Supplied Power BI report, copied into this project folder.

Telco-Customer-Churn-Project-Report.pdf
This project report, styled after the reference document.

README.md
Repository overview, contents, limits, and usage steps.

How to use

1. Open the PBIX in Microsoft Power BI Desktop.

2. Use the Internet Service and Contract slicers to filter the page.

3. Compare the four KPI cards and the four churn-rate charts.

4. Clear slicer selections to return to the unfiltered view.

5. Use the PDF and README for the report inventory and known verification limits.

Project purpose

This project packages the supplied Power BI report with documentation so its structure and intended use are clear. The dashboard is designed to help viewers explore churn measures by customer-service and tenure categories.

Conclusion

The PBIX presents a one-page churn dashboard with four headline KPIs, four category comparisons, and two interactive slicers. Its layout and visual bindings are identifiable, while the underlying measure formulas, source dataset provenance, and numeric results are not independently verifiable from the supplied file inspection. The report therefore documents the visible analysis without adding unsupported findings.

Published project: github.com/neeraj-gitthub/neeraj-gitthub/tree/main/projects/telco-customer-churn-dashboard. The repository is public.