

Closures

Prof. Sindhu R Pai

PCPS Theory Anchor - 2024

Department of Computer Science and Engineering

Functions - Closure



A closure is a nested function which has access to a free variable from an enclosing function that has finished its execution.

Three characteristics of a Python closure are:

- It is a nested function
- It has access to a free variable in outer scope
- It is returned from the enclosing function

A free variable - a variable that is not bound in the local scope.

Closures with immutable variables such as numbers and strings - use the nonlocal keyword.

Functions - Closure



1. Example:

```
def outer(msg): # This is the outer enclosing function
   def inner(): # This is the nested function
        print(msg)
   return inner # returns the nested function

# Now let's try calling this function.
different = outer("This is an example of closure")
different () #refers to inner()
```

Output:

This is an example of closure

Functions - Closure



2. Example:

Output:

f2= 2908823806840 Hello world c= 2908823806840

Functions - Closure



3. Example:

```
def division(y): #outer function
  def divide(x): #inner function
    return x/y
  return divide
```

```
d1=division(2) #refers to divide d2=division(3) #refers to divide
```

```
print(d1(20))
print(d2(96))
```

Output:

10.0

32.0

Functions - Closure



4. Example:

Output:

Hello world

Functions - Closure



```
5. Example:
```

```
def outer(msg):
    text = msg  #text is having the scope of outer function
    def inner():
        print(text)  #using non-local variable text
    return inner  #return inner function
```

```
func = outer('Hello')
func()
```

Output:

Hello

Functions - Closure



6. Example:

```
Output:
```

7

```
myfunc=outerfunc(7)
myfunc() #refers to innerfunc()
del outerfunc
myfunc() #still refers to innerfunc() retaining the value of enclosing scope of x
```

We are assigning the function outerfunc() to the variable myfunc. Even if we delete outerfunc() from the memory, the function outerfunc() can be called, using the referred variable myfunc.

Functions - Closure



7. Example:

```
def f1(): #outer function
 \mathbf{x} = \mathbf{0}
 def f2(): #inner function
   nonlocal x # x - that belongs to scope of outer function is made non-local
   x=x+1
   return x
 return f2
func = f1()
retval = func()
print ("x=", retval)
retval = func()
print ("x=", retval)
```

Output:

x=1

x=2

Functions - Closure



Function Closure vs. Nested function

- Not all nested functions are closures.
- For a nested function to be a closure, the following conditions need to be satisfied:
- 1. The inner function has access to the non-local variables or local variables of the outer function.
 - 2. The outer function must return the inner function.

Functions - Closure

PES UNIVERSITY

Function Closure vs. Nested function

<u>Example: Nested Function but not Closure</u> (When msg is passed to inner(), msg ends up belonging to inner() function's local scope. So, the 1st condition is not satisfied)

```
def outer(msg): # This is the outer enclosing function
  def inner(m=msg): # This is the nested function
    print(m,"World")
  return inner # returns the nested function
```

```
<u>Output</u>
Hello World
```

```
different = outer(msg="Hello")
different() #refers to inner()
```

Functions - Closure



Function Closure: Summary

- A function object that remembers values in enclosing scopes even when the variable goes out of scope.
- Python closures help avoiding the usage of global values and provide some form of data hiding. They are used in Python decorators.



THANK YOU

Department of Computer Science and Engineering

Dr. Shylaja S S, Director, CDSAML & CCBD, PESU Prof. Sindhu R Pai – sindhurpai@pes.edu Prof. Sowmya Shree P