

### **Unit 4 – DIGITAL ELECTRONICS**



# Introduction to Embedded Systems: Definition, Block Diagram of Embedded System

Department of Electronics and Communication.

### **Introduction to Embedded System**

- Embedded means something that is attached to another thing
- ❖ A system is an arrangement in which all its unit assemble work together according to a set of rules

'An embedded system is a special-purpose system in which the computer is completely encapsulated by the device it controls'

Unlike a general-purpose computer, such as a personal computer, an embedded system performs pre-defined tasks, usually with very specific requirements







### **Introduction to Embedded System**

- ❖ An embedded system can be thought of as a computer hardware system having software embedded in it
- An embedded system can be an independent system or it can be a part of a large system
- ❖ An embedded system is a microcontroller or microprocessor based system which is designed to perform a specific task
- ❖ For example, a fire alarm is an embedded system; it will sense only smoke





### What is an Embedded Systems

An Embedded System is an integrated system including both hardware and software is not enough

An embedded system is a dedicated computer system, designed to work for single or few specific functions often within a larger system

Embedded Systems, therefore, are


- ❖ Built to function with little or no human intervention
- Specially designed keeping in consideration the tasks that need completion in the most efficient way

# **ELECTRONIC PRINCIPLES AND DEVICES Main Parts of an Embedded System**

# PESUNIVERSITY

#### An embedded system has three components

- It has hardware
- It has application software
- ❖ It has Real Time Operating system (RTOS) that supervises the application software and provide mechanism to let the processor run a process as per scheduling by following a plan to control the latencies



# PESUNIVERSITY

# **Main Parts of an Embedded System**

\*RTOS defines the way the system works. It sets the rules during the execution of application program. A small scale embedded system may not have RTOS


An embedded system as a Microcontroller based, software driven, and reliable, real-time control system



## **Basic Structure an Embedded System**



The following illustration shows the basic structure of an embedded system



# Basic Structure an Embedded System



- ❖ Sensor It measures the physical quantity and converts it to an electrical signal which can be read by an observer or by any electronic instrument like an A2D converter. A sensor stores the measured quantity to the memory
- ❖ A-D Converter an analog-to-digital converter converts the analog signal sent by the sensor into a digital signal
- ❖ Processor & ASICs Processors process the data to measure the output and store it to the memory
- ❖ D-A Converter A digital-to-analog converter converts the digital data fed by the processor to analog data
- ❖ Actuator An actuator compares the output given by the D-A Converter to the actual (expected) output stored in it and stores the approved output

# Features of an Embedded System



❖ Single-functioned – an embedded system usually performs a specialized operation and does the same repeatedly

For example: A pager always functions as a pager

- ❖ Tightly constrained All computing systems have constraints on design metrics, but those on an embedded system can be especially tight
  - Design metrics is a measure of an implementation's features such as its cost, size, power, and performance
  - It must be of a size to fit on a single chip, must perform fast enough to process data in real time and consume minimum power to extend battery life



# Features of an Embedded System Continued...



❖ Reactive and Real time – Many embedded systems must continually react to changes in the system's environment and must compute certain results in real time without any delay

Consider an example of a car cruise controller; it continually monitors and reacts to speed and brake sensors. It must compute acceleration or deaccelerations repeatedly within a limited time; a delayed computation can result in failure to control of the car


- ❖ Microprocessors based It must be microprocessor or microcontroller based
- ❖ Memory It must have a memory, as its software usually embeds in ROM. It does not need any secondary memories in the computer





# Features of an Embedded System Continued...

- Connected It must have connected peripherals to connect input and output
- devices
- **HW-SW systems** Software is used for more features and flexibility. Hardware is used for performance and security





### **THANK YOU**

Department of Electronics and Communication