databricks

Get Started with Databricks Data Science & Engineering Workspace



Module 01

Module Objectives

Get Started with Databricks Data Science and Engineering Workspace

- 1. Describe the core components of the Databricks Lakehouse Platform.
- 2. Navigate the Databricks Data Science & Engineering Workspace Ul.
- 3. Create and manage clusters using the Databricks Clusters UI.
- 4. Develop and run code in multi-cell Databricks notebooks using basic operations.
- 5. Integrate git support using Databricks Repos.

Module Overview

Get Started with Databricks Data Science and Engineering Workspace

<u>Databricks Workspace and Services</u>

Navigate the Workspace UI

Compute Resources

DE 1.1 - Create and Manage Interactive Clusters

Develop Code with Notebooks & Repos


DE 1.2 - Databricks Notebook Operations

DE 1.3L - Get Started with the Databricks Lakehouse Platform Lab


Databricks Workspace and Services



Databricks Workspace and Services



Demo: Navigate the Workspace UI



Compute Resources



Clusters


Overview

Collection of VM instances

Distributes workloads across workers

Two main types:

- 1. **All-purpose** clusters for interactive development
- 2. **Job** clusters for automating workloads



Cluster Types

All-purpose Clusters

Analyze data collaboratively using interactive notebooks

Create clusters from the Workspace or API

Configuration information retained for up to 70 clusters for up to 30 days

Job Clusters

Run automated jobs

The Databricks job scheduler creates job clusters when running jobs

Configuration information retained for up to 30 most recently terminated clusters



Cluster Configuration



Cluster Mode

Standard (Multi Node)

Default mode for workloads developed in any supported language (requires at least two VM instances)

Single node

Low-cost single-instance cluster catering to single-node machine learning workloads and lightweight exploratory analysis

Databricks Runtime Version

Standard

Apache Spark and many other components and updates to provide an optimized big data analytics experiences

Machine learning

Adds popular machine learning libraries like TensorFlow, Keras, PyTorch, and XGBoost.

Photon

An optional add-on to optimize SQL workloads

Access Mode

Access mode dropdown	Visible to user	Unity Catalog support	Supported languages
Single user	Always	Yes	Python, SQL, Scala, R
Shared	Always (Premium plan required)	Yes	Python (DBR 11.1+), SQL
No isolation shared	Can be hidden by enforcing user isolation in the admin console or configuring account-level settings	No	Python, SQL, Scala, R
Custom	Only shown for existing clusters <i>without</i> access modes (i.e. legacy cluster modes, Standard or High Concurrency); not an option for creating new clusters.	No	Python, SQL, Scala, R

Cluster Policies

Cluster policies can help to achieve the following:

- Standardize cluster configurations
- Provide predefined configurations targeting specific use cases
- Simplify the user experience
- Prevent excessive use and control cost
- Enforce correct tagging

Cluster Access Control

	No Permissions	Can Attach To	Can Restart	Can Manage
Attach notebook		✓	•	✓
View Spark Ul, cluster metrics, driver logs		✓	✓	✓
Start, restart, terminate			✓	✓
Edit				✓
Attach library				✓
Resize				✓
Change permissions				✓

DE 1.1: Create and Manage Interactive Clusters

Use the Clusters UI to configure and deploy a cluster Edit, terminate, restart, and delete clusters



Develop Code with Notebooks & Repos



Databricks Notebooks

Collaborative, reproducible, and enterprise ready

Multi-language

Use Python, SQL, Scala, and R, all in one Notebook

Collaborative


Real-time co-presence, co-editing, and commenting

Ideal for exploration

Explore, visualize, and summarize data with built-in charts and data profiles

Adaptable

Install standard libraries and use local modules



Reproducible

Automatically track version history, and use git version control with Repos

Get to production faster

Quickly schedule notebooks as jobs or create dashboards from their results, all in the Notebook

Enterprise-ready

Enterprise-grade access controls, identity management, and auditability

Notebook magic commands

Use to override default languages, run utilities/auxiliary commands, etc.

%python, %r, %scala, %sql Switch languages in a command cell

%sh Run shell code (only runs on driver node, not worker nodes)

%fs Shortcut for dbutils filesystem commands

%md Markdown for styling the display

%run Execute a remote notebook from a notebook

%pip Install new Python libraries

dbutils (Databricks Utilities)

Perform various tasks with Databricks using notebooks

Utility	Description	Example
fs	Manipulates the Databricks filesystem (DBFS) from the console	dbutils.fs.ls()
secrets	Provides utilities for leveraging secrets within notebooks	dbutils.secrets.get()
notebook	Utilities for the control flow of a notebook	dbutils.notebook.run()
widgets	Methods to create and get bound value of input widgets inside notebooks	<pre>dbutils.widget.text()</pre>
jobs	Utilities for leveraging jobs features	<pre>dbutils.jobs.taskValues.set()</pre>

Available within Python, R, or Scala notebooks

DE 1.2: Databricks Notebook Operations

Attach a notebook to a cluster to execute a cell in a notebook

Set the default language for a notebook

Describe and use magic commands

Create and run SQL, Python, and markdown cells

Export a single or collection of notebook



DE 1.3L: Get Started with the Databricks Platform

Rename a notebook and change the default language

Attach a cluster

Use the %run magic command

Run Python and SQL cells

Create a Markdown cell



databricks