```
const express = require('express');
const hbs = require('hbs');
var app = express();
const port = 3000;
app.set('resume', 'hbs');
app.use(express.static(__dirname + '/'));
app.get('/educational', (req, res) => {
res.render('qualification.html', {
pageTitle: 'educational page',
welcomeMessage: 'Welcome to my website',
});
});
app.get('/hobbies', (req, res) => {
res.render('hobbies.hbs', {
pageTitle: 'hobbies Page',
});
});
app.get('/achievements', (req, res) => {
    res.render('achievements.hbs', {
    pageTitle: ' achievements Page',
    });
    });
    app.get('/certificates', (req, res) => {
        res.render('certificates.hbs', {
        pageTitle: ' certificates Page',
        });
        });
app.get('/error', (req, res) => {
res.send({
errorMsg: 'Unable to find the page'
});
});
app.listen(port, () => {
console.log(`App listening on port number :- ${port}...!!!`);
});
```

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
```

```
<title> achievements Page</title>
</head>
<body>
<header>
{{welcomeMessage}}
</header>
<h1>{{pageTitle}}</h1>
achievements page
<footer>
Copyright {{currentYear}}
</footer>
</body>
</html>
```

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title> achievements Page</title>
</head>
<body>
<header>
{{welcomeMessage}}
</header>
<hl>>{{pageTitle}}</hl>

<pooter>

<pooter>

<pooter>
</pooter>
```

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title> achievements Page</title>
</head>
<body>
<header>
{{welcomeMessage}}
</header>
<h1>{{pageTitle}}</h1>
achievements page
```

```
<footer>
Copyright {{currentYear}}
</footer>
</body>
</html>
```

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title> hobbies Page</title>
</head>
<body>
<header>
{{welcomeMessage}}
</header>
<h1>{{pageTitle}}</h1>
hobbies page
<footer>
Copyright {{currentYear}}
</footer>
</body>
</html>
```