

# HUGE



Catalog  
**2019**

# INDEX

<b>HDT-HARDDAIL</b>			
<b>ALLOY FRAME/ MULTISPEED</b>		<b>STEEL FRAME/ SINGLE SPEED</b>	
<i>HFT-10</i>	<i>1-3</i>	<i>HDT-01</i>	<i>34-36</i>
<i>HDT-10</i>	<i>4-6</i>	<i>HDT-40</i>	<i>37-39</i>
<i>HDT-17</i>	<i>7-9</i>	<i>HDT-47</i>	<i>40-42</i>
<i>HDT-19</i>	<i>10-12</i>	<i>HDT-50</i>	<i>43-45</i>
<i>HDT-20</i>	<i>13-14</i>	<i>HDT-51</i>	<i>46-47</i>
<i>HDT-27</i>	<i>15-17</i>	<i>HDT-57</i>	<i>48-49</i>
<i>HDT-29</i>	<i>18-20</i>	<i>HDT-59</i>	<i>50-52</i>
<i>HDT-37</i>	<i>21-22</i>		
<i>HDT-39</i>	<i>23-25</i>		
<b>STEEL FRAME/ MULTISPEED</b>			
<i>HDT-11</i>	<i>26-28</i>		
<i>HDT-21</i>	<i>29-31</i>		
<i>HDT-52</i>	<i>32-33</i>		
<b>LADIES-MTB</b>			
<b>ALLOY FRAME/ MULTISPEED</b>			
<i>LHT-10</i>	<i>60-61</i>		
<b>STEEL FRAME/ SINGLE SPEED</b>			
<i>LHT-11</i>	<i>62-63</i>		
<b>SHK-SUSPENSION</b>			
<b>ALLOY FRAME/ MULTISPEED</b>			
<i>SHK-10</i>	<i>64-66</i>		
<i>SHK-20</i>	<i>67-69</i>		
<b>HYB-HYBRID</b>		<b>Size Chart</b>	<i>45-46</i>
<b>ALLOY FRAME/ MULTISPEED</b>			
<i>HYB-10</i>	<i>53-56</i>		
<b>STEEL FRAME/ SINGLE SPEED</b>			
<i>HYB-11</i>	<i>57-59</i>		

---

<i>Commuter Helmets</i>	<i>48-49</i>	<i>Mini Rachet Tool Pouch</i>	<i>55</i>
<i>Bottle Cages</i>	<i>50</i>	<i>Rear Light LED</i>	<i>56</i>
<i>Water bottle</i>	<i>51</i>	<i>Front Light/ Torch</i>	<i>57</i>
<i>Bicycle Computer</i>	<i>52</i>	<i>Bicycle Resettable Combination Lock</i>	<i>58</i>
<i>Gel Saddle Pad</i>	<i>53</i>	<i>Bicycle Spiral Cable Lock</i>	<i>59</i>
<i>Folding Multi Tool</i>	<i>54</i>		







	<b>Sizes</b>	: 17"
	<b>Frames</b>	: Alloy Hard tail with Specialized tubing
	<b>Fork</b>	: 26" Rigid Fork with Disc Brake mount
	<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: PROWHEEL Chain Wheel Crank set 24x34x42T x 170mm Cotter less
	<b>Pedal</b>	: NECO Half Alloy Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO TY500
	<b>Rear Derailleur</b>	: SHIMANO TY501
	<b>Left Shifter</b>	: SHIMANO EF501L, 3 Speed
	<b>Right Shifters</b>	: SHIMANO EF501R, 7 Speed
	<b>Freewheel</b>	: SHIMANO Tz21, 14-28T 7 Speed Index
	<b>Chain</b>	: TEC Steel, 1/2x3/32" 110L
	<b>Rims</b>	: 26"x4.0" Alloy, Double wall, W:80MM COLORED
	<b>Tires</b>	: 26"x 4.0" Nylon
	<b>Tube</b>	: 26"x4.0" Butyl Tube with Schrader valve. 48mm AV
	<b>Front Hub</b>	: SHUNFENG Steel 36H, Bolted Disc Mount, ED Black
	<b>Rear Hub</b>	: SHUNFENG Steel 36H, Bolted Disc Mount, ED Black
	<b>Brake Set</b>	: TEKTRO Front & Rear Bolted Disc Brake
	<b>Head Set</b>	: Threadless with 15mm Taper Spaces
	<b>Handle Bar</b>	: ATB Upswept Handle Bar, 31.8ø Alloy, 640mm
	<b>Grips</b>	: Soft Rubber Compound Dual Tone
	<b>Stem</b>	: Alloy Handle Stem oval type Extension H-40mm x L-70MM
	<b>Brake Levers</b>	: Part of Shifters
	<b>Brake Cable</b>	: Friction Free, 2P, Coloured
	<b>Saddle</b>	: ATB Vinyl Saddle With ED black Clamp and Rail.
	<b>Seat Post</b>	: Alloy Seat Post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Water Decals, 3 Coat premium paints, Bottle mounting Bolts on Frame.



# HDT-10

21-Speed, 26"



Colour Varients:



Blue & Yellow



Matte Black & Orange



Matte Grey & Yellow

**Sizes**  
 **Frames**

- : 18" & 19.5"  
: Alloy Hard tail, Disc Brake Compatible, Replaceable  
Derailleur Hanger

**Fork**  
 **Bottom Brackets**

- : ZOOM Suspension Fork, with Alloy ED Crown, 60mm  
: KENLI Friction Free Steel Sealed Cartridge

**Crank Set**  
 **Pedal**

- : 24-34-42T Steel CWC with 170mm Crank Set  
: Plastic Platform Pedal with ISO 6742-2 reflector

**Front Derailleur**  
 **Rear Derailleur**

- : SHIMANO FD-TZ500, ED Black  
: SHIMANO RD-TZ500 (7-Speed), Direct Mount, ED Black

**Left Shifter**  
 **Right Shifters**

- : SHIMANO EF-510, 3-Speed  
: SHIMANO EF-510, 7 Speed

**Freewheel**  
 **Chain**

- : SHIMANO TZ-21, 14-28T 7-Speed Index  
: TEC Steel, 1/2X3/32" 110L

**Rims**  
 **Tires**

- : Double Wall Alloy Rims, 36H, ED Black  
: DSI 26"X2.30", Nylon

- Tube**  
 **Front Hub**  
 **Rear Hub**  
 **Brake Set**  
 **Head Set**  
 **Handle Bar**  
 **Grips**  
 **Stem**  
 **Brake Levers**  
 **Brake Cable**  
 **Saddle**  
 **Seat Post**  
 **Seat Clamp**  
 **Spokes**  
 **Extra**
- : DSI Butyl, 26", A/V  
: Steel Friction Free, 36H, Disc Mount, ED Black  
: Steel Friction Free, 36H, Disc Mount, ED Black  
: Front & Rear Bolted Type Disc  
: Threadless with Spacers  
: Steel Over Sized (31.8 Dia), 30mm Raised, 580mm  
: Soft Rubber Compound in two Colors  
: Alloy Thread Less, ED Black  
: Part of SHIMANO Shifters  
: Friction Free Coloured, 2P  
: Comfortable PU  
: Steel seat post, with Min. Insertion mark  
: Alloy QR, ED Black  
: ED Black Twisted Spokes  
: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.

Also Available in Front & Rear V-Brake





	<b>Sizes</b>	: 18" & 19.5"
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM Suspension Fork, with Alloy ED Crown, 60mm
	<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TZ500, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TZ500 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed
	<b>Right Shifters</b>	: SHIMANO EF-510, 7 Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSi 26"X2.30", Nylon
	<b>Tube</b>	: DSi Butyl, 26", A/V
	<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Rear Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 580mm
	<b>Grips</b>	: Soft Rubber Compound in two Colors
	<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.







<b>Sizes</b>	: 18.5"	<b>Tube</b>	: DSI Butyl, 27.5", A/V
<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger	<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
<b>Fork</b>	: ZOOM Suspension Fork, with Alloy ED Crown, 60mm	<b>Rear Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set	<b>Head Set</b>	: Threadless with Spacers
<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 580mm
<b>Front Derailleur</b>	: SHIMANO FD-TZ500, ED Black	<b>Grips</b>	: Soft Rubber Compound in two Colors
<b>Rear Derailleur</b>	: SHIMANO RD-TZ500 (7-Speed), Direct Mount, ED Black	<b>Stem</b>	: Alloy Thread Less, ED Black
<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed	<b>Brake Levers</b>	: Part of SHIMANO Shifters
<b>Right Shifters</b>	: SHIMANO EF-510, 7-speed	<b>Brake Cable</b>	: Friction Free Coloured, 2P
<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index	<b>Saddle</b>	: Comfortable PU
<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black	<b>Seat Clamp</b>	: Alloy QR, ED Black
<b>Tires</b>	: DSI 27.5"X2.10", Nylon	<b>Spokes</b>	: ED Black Twisted Spokes
		<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots.





	<b>Sizes</b>	: 18.5"
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM Suspension Fork, with Alloy ED Crown, 60mm
	<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TZ500, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TZ500 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed
	<b>Right Shifters</b>	: SHIMANO EF-510, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSi 29"X2.10", Nylon
	<b>Tube</b>	: DSi Butyl, 29", A/V
	<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Rear Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 580mm
	<b>Grips</b>	: Soft Rubber Compound in two Colors
	<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.



	<b>Sizes</b>	: 18.5"
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM Suspension Fork, with Alloy ED Crown, 60mm
	<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TZ500, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TZ500 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed
	<b>Right Shifters</b>	: SHIMANO EF-510, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSi 29"X2.10", Nylon
	<b>Tube</b>	: DSi Butyl, 29", A/V
	<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Rear Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 580mm
	<b>Grips</b>	: Soft Rubber Compound in two Colors
	<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.





■ **Sizes** : 18.5"

■ **Frames** : Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger

■ **Fork** : ZOOM Suspension Fork, with Alloy ED Crown, 60mm

■ **Bottom Brackets** : KENLI Friction Free Steel Sealed Cartridge

■ **Crank Set** : 24-34-42T Steel CWC with 170mm Crank Set

■ **Pedal** : Plastic Platform Pedal with ISO 6742-2 reflector

■ **Front Derailleur** : SHIMANO FD-TZ500, ED Black

■ **Rear Derailleur** : SHIMANO RD-TZ500 (7-Speed), Direct Mount, ED Black

■ **Left Shifter** : SHIMANO EF-510, 3-Speed

■ **Right Shifters** : SHIMANO EF-510, 7-Speed

■ **Freewheel** : SHIMANO TZ-21, 14-28T 7-Speed Index

■ **Chain** : TEC Steel, 1/2X3/32" 110L

■ **Rims** : Double Wall Alloy Rims, 36H, ED Black

■ **Tires** : DSi 29" X2.10", Nylon

○ **Tube** : DSi Butyl, 29", A/V

■ **Front Hub** : Steel Friction Free, 36H, Disc Mount, ED Black

■ **Rear Hub** : Steel Friction Free, 36H, Disc Mount, ED Black

■ **Brake Set** : Front & Rear Bolted Type Disc

■ **Head Set** : Threadless with Spacers

■ **Handle Bar** : Steel Over Sized (31.8 Dia), 30mm Raised, 580mm

■ **Grips** : Soft Rubber Compound in two Colors

■ **Stem** : Alloy Thread Less, ED Black

■ **Brake Levers** : Part of SHIMANO Shifters

■ **Brake Cable** : Friction Free Coloured, 2P

■ **Saddle** : Comfortable PU

■ **Seat Post** : Steel seat post, with Min. Insertion mark

■ **Seat Clamp** : Alloy QR, ED Black

■ **Spokes** : ED Black Twisted Spokes

■ **Extra** : Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.

# HDT-27

21-Speed, 27.5"

Colour Varients:



Sea Green & Orange



Matte Black & Blue



Matte Black & Neon Green



- Sizes** : 18.5"
- Frames** : Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger
- Fork** : ZOOM Suspension Fork, with Mechanical Lockout, Alloy ED Crown, 60mm
- Bottom Brackets** : KENLI Friction Free Steel Sealed Cartridge
- Crank Set** : PROWHEEL 24-34-42T Steel CWC with 170mm Crank Set
- Pedal** : Half Alloy Pedal with ISO 6742-2 reflector
- Front Derailleur** : SHIMANO FD-TY300, ED Black
- Rear Derailleur** : SHIMANO RD-TY300 (7-Speed), Direct Mount, ED Black
- Left Shifter** : SHIMANO SL-EF51, 3-Speed
- Right Shifters** : SHIMANO SL-EF51, 7-Speed
- Freewheel** : SHIMANO TZ-21, 14-28T 7-Speed Index
- Chain** : TEC Steel, 1/2X3/32" 110L
- Rims** : Double Wall Alloy Rims, 36H, ED Black
- Tires** : DSI 27.5"X2.10", Nylon
- Tube** : DSI Butyl, 27.5", A/V
- Front Hub** : SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black, with QR
- Rear Hub** : SHUNFENG Steel Friction Free, Disc Mount ED Black
- Brake Set** : ZOOM Front & Rear Bolted Type Disc
- Head Set** : NECO Threadless with Conical Spacers
- Handle Bar** : ZOOM Alloy Over Sized (31.8 Dia), 30mm Raised, 580mm
- Grips** : Soft Rubber Compound with Alloy Lock Clamps
- Stem** : ZOOM Alloy Thread Less, ED Black
- Brake Levers** : Part of SHIMANO Shifters
- Brake Cable** : Friction Free Coloured, 2P
- Saddle** : Comfortable PU
- Seat Post** : Zoom Alloy Anodised seat post, with Min. Insertion mark
- Seat Clamp** : Alloy QR, ED Black
- Spokes** : ED Black Twisted Spokes
- Extra** : Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard, Front Wheel with Quick Release.



<b>Sizes</b>	: 18.5"	<b>Tube</b>	: DSI Butyl, 27.5", A/V
<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger	<b>Front Hub</b>	: SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black, with QR
<b>Fork</b>	: ZOOM Suspension Fork, with Mechanical Lockout, Alloy ED Crown, 60mm	<b>Rear Hub</b>	: SHUNFENG Steel Friction Free, Disc Mount ED Black
<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge	<b>Brake Set</b>	: ZOOM Front & Rear Bolted Type Disc
<b>Crank Set</b>	: PROWHEEL 24-34-42T Steel CWC with 170mm Crank Set	<b>Head Set</b>	: NECO Threadless with Conical Spacers
<b>Pedal</b>	: Half Alloy Pedal with ISO 6742-2 reflector	<b>Handle Bar</b>	: ZOOM Alloy Over Sized (31.8 Dia), 30mm Raised, 580mm
<b>Front Derailleur</b>	: SHIMANO FD-TY300, ED Black	<b>Grips</b>	: Soft Rubber Compound with Alloy Lock Clamps
<b>Rear Derailleur</b>	: SHIMANO RD-TY300 (7-Speed), Direct Mount, ED Black	<b>Stem</b>	: ZOOM Alloy Thread Less, ED Black
<b>Left Shifter</b>	: SHIMANO SL-EF51, 3-Speed	<b>Brake Levers</b>	: Part of SHIMANO Shifters
<b>Right Shifters</b>	: SHIMANO SL-EF51, 7-Speed	<b>Brake Cable</b>	: Friction Free Coloured, 2P
<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index	<b>Saddle</b>	: Comfortable PU
<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L	<b>Seat Post</b>	: Zoom Alloy Anodised seat post, with Min. Insertion mark
<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black	<b>Seat Clamp</b>	: Alloy QR, ED Black
<b>Tires</b>	: DSI 27.5"X2.10", Nylon	<b>Spokes</b>	: ED Black Twisted Spokes
		<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard, Front Wheel with Quick Release.









<b>Sizes</b>	: 18.5"	<b>Tube</b>	: DSI Butyl, 29", A/V
<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger	<b>Front Hub</b>	: SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black, with QR
<b>Fork</b>	: ZOOM Suspension Fork, with Mechanical Lockout, Alloy ED Crown, 60mm	<b>Rear Hub</b>	: SHUNFENG Steel Friction Free, Disc Mount ED Black
<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge	<b>Brake Set</b>	: ZOOM Front & Rear Bolted Type Disc
<b>Crank Set</b>	: PROWHEEL 24-34-42T Steel CWC with 170mm Crank Set	<b>Head Set</b>	: NECO Threadless with Conical Spacers
<b>Pedal</b>	: Half Alloy Pedal with ISO 6742-2 reflector	<b>Handle Bar</b>	: ZOOM Alloy Over Sized (31.8 Dia), 30mm Raised, 580mm
<b>Front Derailleur</b>	: SHIMANO FD-TY300, ED Black	<b>Grips</b>	: Soft Rubber Compound with Alloy Lock Clamps
<b>Rear Derailleur</b>	: SHIMANO RD-TY300 (7-Speed), Direct Mount, ED Black	<b>Stem</b>	: ZOOM Alloy Thread Less, ED Black
<b>Left Shifter</b>	: SHIMANO SL-EF51, 3-Speed	<b>Brake Levers</b>	: Part of SHIMANO Shifters
<b>Right Shifters</b>	: SHIMANO SL-EF51, 7-Speed	<b>Brake Cable</b>	: Friction Free Coloured, 2P
<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index	<b>Saddle</b>	: Comfortable PU
<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L	<b>Seat Post</b>	: Zoom Alloy Anodised seat post, with Min. Insertion mark
<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black	<b>Seat Clamp</b>	: Alloy QR, ED Black
<b>Tires</b>	: DSI 29"X2.10", Nylon	<b>Spokes</b>	: ED Black Twisted Spokes
		<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard, Front Wheel with Quick Release.

# HDT-37

21-Speed, 27.5"

Colour Varients:



Black & Orange



Misty Blue



Matte Blue & Orange



	<b>Sizes</b>	: 18.5"		<b>Frame</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM Suspension Fork, Alloy ED Crown, 80mm		<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: TOP WHEEL 24-34-42T Steel CWC with 170mm Crank Set		<b>Pedal</b>	: NECO Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TX 50, ED Black		<b>Rear Derailleur</b>	: SHIMANO RD-TY 300 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF 500, 3-Speed		<b>Right Shifters</b>	: SHIMANO SL-EF 500, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index		<b>Chain</b>	: YBN Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black		<b>Tires</b>	: 27.5"X2.10", Nylon
	<b>Tube</b>	: WANDA Butyl, 27.5", A/V		<b>Front Hub</b>	: SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Rear Hub</b>	: SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black		<b>Brake Set</b>	: ZOOM Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless with Spacers		<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	: Soft Rubber Compound		<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters		<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Saddle</b>	: Comfortable PU		<b>Seat Post</b>	: ZOOM Alloy Anodised seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black		<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.			



	<b>Sizes</b>	: 18.5"		<b>Tube</b>	: DSI Butyl, 29", A/V
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable		<b>Front Hub</b>	: SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black, with QR
	<b>Fork</b>	: ZOOM Suspension Fork, with Mechanical Lockout, Alloy ED Crown, 60mm		<b>Rear Hub</b>	: SHUNFENG Steel Friction Free, Disc Mount ED Black
	<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge		<b>Brake Set</b>	: ZOOM Front & Rear Bolted Type Disc
	<b>Crank Set</b>	: PROWHEEL 24-34-42T Steel CWC with 170mm Crank Set		<b>Head Set</b>	: NECO Threadless with Conical Spacers
	<b>Pedal</b>	: Half Alloy Pedal with ISO 6742-2 reflector		<b>Handle Bar</b>	: ZOOM Alloy Over Sized (31.8 Dia), 30mm Raised, 580mm
	<b>Front Derailleur</b>	: SHIMANO FD-TY300, ED Black		<b>Grips</b>	: Soft Rubber Compound with Alloy Lock Clamps
	<b>Rear Derailleur</b>	: SHIMANO RD-TY300 (7-Speed), Direct Mount, ED Black		<b>Stem</b>	: ZOOM Alloy Thread Less, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF51, 3-Speed		<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Right Shifters</b>	: SHIMANO SL-EF51, 7-Speed		<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index		<b>Saddle</b>	: Comfortable PU
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L		<b>Seat Post</b>	: Zoom Alloy Anodised seat post, with Min. Insertion mark
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black		<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Tires</b>	: DSI 29"X2.10", Nylon		<b>Spokes</b>	: ED Black Twisted Spokes
				<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard, Front Wheel with Quick Release.

# HDT-39

21-Speed, 29"

Colour Varients:



Blue



Black & Yellow



Black & Blue



Sizes	: 19"	Tube	: WANDA Butyl, 29", A/V
Frames	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger	Front Hub	: SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black
Fork	: ZOOM Suspension Fork, Alloy ED Crown, 80mm	Rear Hub	: SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black
Bottom Brackets	: Friction Free Steel Sealed Cartridge	Brake Set	: ZOOM Front & Rear Bolted Type Disc
Crank Set	: TOP WHEEL 24-34-42T Steel CWC with 170mm Crank Set	Head Set	: Threadless with Spacers
Pedal	: NECO Plastic Platform Pedal with ISO 6742-2 reflector	Handle Bar	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
Front Derailleur	: SHIMANO FD-TX 50, ED Black	Grips	: Soft Rubber Compound
Rear Derailleur	: SHIMANO RD-TY 300 (7-Speed), Direct Mount, ED Black	Stem	: Alloy Thread Less, ED Black
Left Shifter	: SHIMANO SL-EF 500, 3-Speed	Brake Levers	: Part of SHIMANO Shifters
Right Shifters	: SHIMANO SL-EF 500, 7-Speed	Brake Cable	: Friction Free Coloured, 2P
Freewheel	: SHIMANO TZ-21, 14-28T 7-Speed Index	Saddle	: Comfortable PU
Chain	: YBN Steel, 1/2X3/32" 110L	Seat Post	: ZOOM Alloy seat post, with Min. Insertion mark
Rims	: Double Wall Alloy Rims, 36H, ED Black	Seat Clamp	: Alloy QR, ED Black
Tires	: 29"X2.10", Nylon	Spokes	: ED Black Twisted Spokes
		Extra	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.



	<b>Sizes</b>	: 19"		<b>Tube</b>	: WANDA Butyl, 29", A/V
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger		<b>Front Hub</b>	: SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Fork</b>	: ZOOM Suspension Fork, Alloy ED Crown, 80mm		<b>Rear Hub</b>	: SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge		<b>Brake Set</b>	: ZOOM Front & Rear Bolted Type Disc
	<b>Crank Set</b>	: TOP WHEEL 24-34-42T Steel CWC with 170mm Crank Set		<b>Head Set</b>	: Threadless with Spacers
	<b>Pedal</b>	: NECO Plastic Platform Pedal with ISO 6742-2 reflector		<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Front Derailleur</b>	: SHIMANO FD-TX 50, ED Black		<b>Grips</b>	: Soft Rubber Compound
	<b>Rear Derailleur</b>	: SHIMANO RD-TY 300 (7-Speed), Direct Mount, ED Black		<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF 500, 3-Speed		<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Right Shifters</b>	: SHIMANO SL-EF 500, 7-Speed		<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index		<b>Saddle</b>	: Comfortable PU
	<b>Chain</b>	: YBN Steel, 1/2X3/32" 110L		<b>Seat Post</b>	: ZOOM Alloy seat post, with Min. Insertion mark
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black		<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Tires</b>	: 29"X2.10", Nylon		<b>Spokes</b>	: ED Black Twisted Spokes
				<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.



	<b>Sizes</b>	: 19"		<b>Tube</b>	: WANDA Butyl, 29", A/V
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger		<b>Front Hub</b>	: SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Fork</b>	: ZOOM Suspension Fork, Alloy ED Crown, 80mm		<b>Rear Hub</b>	: SHUNFENG Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge		<b>Brake Set</b>	: ZOOM Front & Rear Bolted Type Disc
	<b>Crank Set</b>	: TOP WHEEL 24-34-42T Steel CWC with 170mm Crank Set		<b>Head Set</b>	: Threadless with Spacers
	<b>Pedal</b>	: NECO Plastic Platform Pedal with ISO 6742-2 reflector		<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Front Derailleur</b>	: SHIMANO FD-TX 50, ED Black		<b>Grips</b>	: Soft Rubber Compound
	<b>Rear Derailleur</b>	: SHIMANO RD-TY 300 (7-Speed), Direct Mount, ED Black		<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF 500, 3-Speed		<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Right Shifters</b>	: SHIMANO SL-EF 500, 7-Speed		<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index		<b>Saddle</b>	: Comfortable PU
	<b>Chain</b>	: YBN Steel, 1/2X3/32" 110L		<b>Seat Post</b>	: ZOOM Alloy seat post, with Min. Insertion mark
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black		<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Tires</b>	: 29"X2.10", Nylon		<b>Spokes</b>	: ED Black Twisted Spokes
				<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivot, Derailleur Guard.

# HDT-II

21-Speed, 26"

Colour Varients:



Lemon Green & Blue



Matte Black & Orange



Matte Grey & Blue



	<b>Sizes</b>	: 18.5" & 13"
	<b>Frames</b>	: Steel Hard tail with Specialized tubing
	<b>Fork</b>	: Suspension Fork 38.10 with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 24x34x42T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TY300, 31.8 Top PulLED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TY-300 (7 Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF41, 3-Speed
	<b>Right Shifters</b>	: SHIMANO SL-EF41, 7-Speed
	<b>Freewheel</b>	: Imported 7 speed
	<b>Chain</b>	: Imported Steel, 1/2x3/32" 112L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, Black Anodized
	<b>Tires</b>	: 26" x 2.35" & 24" x 2.35" Nylon

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Disc Brake Imported
	<b>Head Set</b>	: Threadless Set of 6, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Part of Shifters
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: 12" ED Black Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes C-45
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Spoke Guard, Water Decals.



	<b>Sizes</b>	: 18.5" & 13"
	<b>Frames</b>	: Steel Hard tail with Specialized tubing
	<b>Fork</b>	: Suspension Fork 38.10 with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 24x34x42T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TY300, 31.8 Top PULLED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TY-300 (7 Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF41, 3-Speed
	<b>Right Shifters</b>	: SHIMANO SL-EF41, 7-Speed
	<b>Freewheel</b>	: Imported 7 speed
	<b>Chain</b>	: Imported Steel, 1/2x3/32" 112L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, Black Anodized
	<b>Tires</b>	: 26" x 2.35" & 24" x 2.35" Nylon
	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Disc Brake Imported
	<b>Head Set</b>	: Threadless Set of 6, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Part of Shifters
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: 12" ED Black Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes C-45
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Spoke Guard, Bottle Cage, Water Decals.



	<b>Sizes</b>	: 18.5" & 13"
	<b>Frames</b>	: Steel Hard tail with Specialized tubing
	<b>Fork</b>	: Suspension Fork 38.10 with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 24x34x42T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TY300, 31.8 Top PulLED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TY-300 (7 Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF41, 3-Speed
	<b>Right Shifters</b>	: SHIMANO SL-EF41, 7-Speed
	<b>Freewheel</b>	: Imported 7 speed
	<b>Chain</b>	: Imported Steel, 1/2x3/32" 112L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, Black Anodized
	<b>Tires</b>	: 26" x 2.35" & 24" x 2.35" Nylon
	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Disc Brake Imported
	<b>Head Set</b>	: Threadless Set of 6, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Part of Shifters
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: 12" ED Black Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes C-45
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Spoke Guard, Bottle Cage, Water Decals.

# HDT-21

Colour Variants:



Misty Blue  
& Orange



Neon Green  
& Black



Matte Black  
& Green



	<b>Sizes</b>	18.5"
	<b>Frames</b>	: Steel Hard tail with Specialized tubing
	<b>Fork</b>	: Suspension Fork 38.10 with Disc Brake mount, : Alloy Crown & Mechanical Lockout
	<b>Bottom Brackets</b>	: Friction free steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 24x34x42T x 170mm  FORCE ONE Cotter less
	<b>Pedal</b>	: Half Alloy Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TY500, 31.8 Top Pulled Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TY-300 (7 Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF 51 3-Speed
	<b>Right Shifters</b>	: SHIMANO SL-EF51
	<b>Freewheel</b>	: Imported 7 speed
	<b>Chain</b>	: Imported Steel, 1/2x3/32" 112L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, Black Anodized
	<b>Tires</b>	: 26" x 2.35" Nylon

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Shunfeng Steel 36H, Disc Mount, Black & Quick Release
	<b>Rear Hub</b>	: Shunfeng Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Disc Brake Imported
	<b>Head Set</b>	: Threadless Set of 6, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Part of Shifters
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: 12" ED Black Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes C-45
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Spoke Guard, Bottle Cage, Water Decals & Derailleur Guard



	<b>Sizes</b>	18.5"
	<b>Frames</b>	Steel Hard tail with Specialized tubing
	<b>Fork</b>	Suspension Fork 38.10 with Disc Brake mount, Alloy Crown & Mechanical Lockout
	<b>Bottom Brackets</b>	Friction free steel Sealed Cartridge
	<b>Crank Set</b>	Chain Wheel Crank set 24x34x42T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	Half Alloy Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	SHIMANO FD-TY500, 31.8 Top PulLED Black
	<b>Rear Derailleur</b>	SHIMANO RD-TY-300 (7 Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	SHIMANO SL-EF 51 3-Speed
	<b>Right Shifters</b>	SHIMANO SL-EF51
	<b>Freewheel</b>	Imported 7 speed
	<b>Chain</b>	Imported Steel, 1/2x3/32" 112L
	<b>Rims</b>	Double Wall Alloy Rims, 36H, Black Anodized
	<b>Tires</b>	26" x 2.35" Nylon

	<b>Tube</b>	Molded with American Longer Valve
	<b>Front Hub</b>	Shunfeng Steel 36H, Disc Mount, Black & Quick Release
	<b>Rear Hub</b>	Shunfeng Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	Front & Rear Disc Brake Imported
	<b>Head Set</b>	Threadless Set of 6, ED Black
	<b>Handle Bar</b>	Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	Soft Rubber Compound
	<b>Stem</b>	Alloy Stem, ED Black
	<b>Brake Levers</b>	Part of Shifters
	<b>Brake Cable</b>	Friction Free, 2P
	<b>Saddle</b>	Comfortable PU
	<b>Seat Post</b>	12" ED Black Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	Alloy QR, ED Black
	<b>Spokes</b>	ED Black Spokes C-45
<b>Extra</b>		Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Spoke Guard, Bottle Cage, Water Decals & Derailleur Guard



	<b>Sizes</b>	18.5"
	<b>Frames</b>	: Steel Hard tail with Specialized tubing
	<b>Fork</b>	: Suspension Fork 38.10 with Disc Brake mount, Alloy Crown & Mechanical Lockout
	<b>Bottom Brackets</b>	: Friction free steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 24x34x42T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Half Alloy Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TY500, 31.8 Top PulLED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TY-300 (7 Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF 51 3-Speed
	<b>Right Shifters</b>	: SHIMANO SL-EF51
	<b>Freewheel</b>	: Imported 7 speed
	<b>Chain</b>	: Imported Steel, 1/2x3/32" 112L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, Black Anodized
	<b>Tires</b>	: 26" x 2.35" Nylon
	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Shunfeng Steel 36H, Disc Mount, Black & Quick Release
	<b>Rear Hub</b>	: Shunfeng Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Disc Brake Imported
	<b>Head Set</b>	: Threadless Set of 6, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Part of Shifters
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: 12" ED Black Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes C-45
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Spoke Guard, Bottle Cage, Water Decals & Derailleur Guard

# HDT-52

21-Speed, 26"



Colour Variants:



Black & Red



Black & Lemon Green

	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Steel Hard tail, Disc Brake Compatible
	<b>Fork</b>	: Suspension Fork with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm Plastified Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: Shimano TY-300
	<b>Rear Derailleur</b>	: Shimano TY-300 Direct attachment, 7 Speed
	<b>Left Shifter</b>	: Shimano EF-41, 7 Speed
	<b>Right Shifters</b>	: Shimano EF-41, 3 Speed
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2" x 1/8" x 102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 26" x 2.10" Nylon Black

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless with Spacers, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Alloy Stem, Coloured
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Plastic Fender.

Also Available in two more variants: Single Speed Dual Disc & Single Speed V-Brake



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Steel Hard tail, Disc Brake Compatible
	<b>Fork</b>	: Suspension Fork with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm Plastified Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: Shimano TY-300
	<b>Rear Derailleur</b>	: Shimano TY-300 Direct attachment, 7 Speed
	<b>Left Shifter</b>	: Shimano EF-41, 7 Speed
	<b>Right Shifters</b>	: Shimano EF-41, 3 Speed
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2" x 1/8" x 102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 26" x 2.10" Nylon Black

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless with Spacers, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Alloy Stem, Coloured
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Plastic Fender.

# HDT-01

Colour Varients:



Neon Yellow & Black



Neon Orange & Black



Neon Green & Black



	<b>Sizes</b>	: 17"
	<b>Frames</b>	: Steel Hardtail with Specialized tubing
	<b>Fork</b>	: 26" Rigid fork with oval blade threaded
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Plastified Crank set 44T x 170mm Cotterless with black guard
	<b>Pedal</b>	: Pedal plastic with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball Noiseless
	<b>Chain</b>	: 1/2" X 1/8" X 100 Link IMP
	<b>Rims</b>	: 26" X 1.75" Single Wall Alloy, 36H
	<b>Tires</b>	: 26" X 1.75" Nylon

	<b>Tube</b>	: 26" X 1.75" Molded with American Short Valve, Black
	<b>Front Hub</b>	: Steel 36H, ED Black
	<b>Rear Hub</b>	: Steel 36H, ED Black
	<b>Brake Set</b>	: Front & Rear V-Brake
	<b>Head Set</b>	: Threaded Set of 6, ED Black
	<b>Handle Bar</b>	: Steel 25.4mm X 1.42mm X 620mm,Black
	<b>Grips</b>	: Soft Rubber Palm Type, Black
	<b>Stem</b>	: Steel Stem, Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: 12" Steel seat post, with Min. Insertion mark ED Black
	<b>Seat Clamp</b>	: Alloy QR, Black
	<b>Spokes</b>	: ED Black Spokes, C-45
	<b>Extra</b>	: ISO 6742-2 reflectors, Bracket Mounted Side Stand, Water Decals.



	<b>Sizes</b>	: 17"
	<b>Frames</b>	: Steel Hardtail with Specialized tubing
	<b>Fork</b>	: 26" Rigid fork with oval blade threaded
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Plastified Crank set 44T x 170mm Cotterless with black guard
	<b>Pedal</b>	: Pedal plastic with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball Noiseless
	<b>Chain</b>	: 1/2" X 1/8" X 100 Link IMP
	<b>Rims</b>	: 26" X 1.75" Single Wall Alloy, 36H
	<b>Tires</b>	: 26" X 1.75" Nylon

	<b>Tube</b>	: 26" X 1.75" Molded with American Short Valve, Black
	<b>Front Hub</b>	: Steel 36H, ED Black
	<b>Rear Hub</b>	: Steel 36H, ED Black
	<b>Brake Set</b>	: Front & Rear V-Brake
	<b>Head Set</b>	: Threaded Set of 6, ED Black
	<b>Handle Bar</b>	: Steel 25.4mm X 1.42mm X 620mm,Black
	<b>Grips</b>	: Soft Rubber Palm Type, Black
	<b>Stem</b>	: Steel Stem, Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: 12" Steel seat post, with Min. Insertion mark ED Black
	<b>Seat Clamp</b>	: Alloy QR, Black
	<b>Spokes</b>	: ED Black Spokes, C-45
	<b>Extra</b>	: ISO 6742-2 reflectors, Bracket Mounted Side Stand, Water Decals.



	<b>Sizes</b>	: 17"
	<b>Frames</b>	: Steel Hardtail with Specialized tubing
	<b>Fork</b>	: 26" Rigid fork with oval blade threaded
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Plastified Crank set 44T x 170mm Cotterless with black guard
	<b>Pedal</b>	: Pedal plastic with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball Noiseless
	<b>Chain</b>	: 1/2" X 1/8" X 100 Link IMP
	<b>Rims</b>	: 26" X 1.75" Single Wall Alloy, 36H
	<b>Tires</b>	: 26" X 1.75" Nylon

	<b>Tube</b>	: 26" X 1.75" Molded with American Short Valve, Black
	<b>Front Hub</b>	: Steel 36H, ED Black
	<b>Rear Hub</b>	: Steel 36H, ED Black
	<b>Brake Set</b>	: Front & Rear V-Brake
	<b>Head Set</b>	: Threaded Set of 6, ED Black
	<b>Handle Bar</b>	: Steel 25.4mm X 1.42mm X 620mm,Black
	<b>Grips</b>	: Soft Rubber Palm Type, Black
	<b>Stem</b>	: Steel Stem, Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: 12" Steel seat post, with Min. Insertion mark ED Black
	<b>Seat Clamp</b>	: Alloy QR, Black
	<b>Spokes</b>	: ED Black Spokes, C-45
	<b>Extra</b>	: ISO 6742-2 reflectors, Bracket Mounted Side Stand, Water Decals.

# HDT-40

21-Speed, 26"

Colour Variants:



Matte Black  
& Red



Matte Black  
& Green



Matte Yellow



Sizes:	17.5"
Frames:	Steel hard tail with specialized tubing
Fork:	Suspension fork (38mm) with disc brake mount
Bottom Brackets:	KENLI Friction free steel sealed cartridge
Crank Set:	Chain wheel crank set 42T x 170mm, dual guard, cotter less
Pedal:	Plastic platform pedal with ISO 6742-2 reflector
Front Derailleur:	N/A
Rear Derailleur:	N/A
Left Shifter:	N/A
Right Shifters:	N/A
Freewheel:	18T full ball, golden
Chain:	FFC 1/2X1/8X100 link golden colour
Rims:	26"X1.95" alloy, double wall, 30mm ED
Tires:	26"x 2.125" nylon

Tube:	26"x2.125" Butyl Tube with schrader valve. 48mm AV
Front Hub:	SHUNFENG steel 36H, bolted disc mount, ED black
Rear Hub:	SHUNFENG steel 36H, bolted disc mount, ED black
Brake Set:	KATOUR front & rear bolted disc brake
Head Set:	Threadless with 15mm taper spaces
Handle Bar:	ATB upswept handle bar, 31.8ø steel, 660mm
Grips:	Soft Rubber Compound Dual Tone
Stem:	Alloy Handle Stem oval type Extension
Brake Levers:	SYPO four finger half alloy
Brake Cable:	Friction free, 2P, black
Saddle:	ATB vinyl saddle with ED black clamp and rail
Seat Post:	28.6 X 250 steel ED with Minimum Insertion mark
Seat Clamp:	Alloy QR, ED Black
Spokes:	ED Black Spokes



Sizes: 17.5"  
 Frames: Steel hard tail with specialized tubing  
 Fork: Suspension fork (38mm) with disc brake mount  
 Bottom Brackets: KENLI Friction free steel sealed cartridge  
 Crank Set: Chain wheel crank set 42T x 170mm, dual guard, cotter less  
 Pedal: Plastic platform pedal with ISO 6742-2 reflector  
 Front Derailleur: N/A  
 Rear Derailleur: N/A  
 Left Shifter: N/A  
 Right Shifters: N/A  
 Freewheel: 18T full ball, golden  
 Chain: FFC 1/2X1/8X100 link golden colour  
 Rims: 26"X1.95" alloy, double wall, 30mm ED  
 Tires: 26"x 2.125" nylon

Tube: 26"x2.125" Butyl Tube with schrader valve. 48mm AV  
 Front Hub: SHUNFENG steel 36H, bolted disc mount, ED black  
 Rear Hub: SHUNFENG steel 36H, bolted disc mount, ED black  
 Brake Set: KATOUR front & rear bolted disc brake  
 Head Set: Threadless with 15mm taper spaces  
 Handle Bar: ATB upswept handle bar, 31.8ø steel, 660mm  
 Grips: Soft Rubber Compound Dual Tone  
 Stem: Alloy Handle Stem oval type Extension  
 Brake Levers: SYPO four finger half alloy  
 Brake Cable: Friction free, 2P, black  
 Saddle: ATB vinyl saddle with ED black clamp and rail  
 Seat Post: 28.6 X 250 steel ED with Minimum Insertion mark  
 Seat Clamp: Alloy QR, ED Black  
 Spokes: ED Black Spokes



Sizes:	17.5"
Frames:	Steel hard tail with specialized tubing
Fork:	Suspension fork (38mm) with disc brake mount
Bottom Brackets:	KENLI Friction free steel sealed cartridge
Crank Set:	Chain wheel crank set 42T x 170mm, dual guard, cotter less
Pedal:	Plastic platform pedal with ISO 6742-2 reflector
Front Derailleur:	N/A
Rear Derailleur:	N/A
Left Shifter:	N/A
Right Shifters:	N/A
Freewheel:	18T full ball, golden
Chain:	FFC 1/2X1/8X100 link golden colour
Rims:	26"X1.95" alloy, double wall, 30mm ED
Tires:	26"x 2.125" nylon

Tube:	26"x2.125" Butyl Tube with schrader valve. 48mm AV
Front Hub:	SHUNFENG steel 36H, bolted disc mount, ED black
Rear Hub:	SHUNFENG steel 36H, bolted disc mount, ED black
Brake Set:	KATOUR front & rear bolted disc brake
Head Set:	Threadless with 15mm taper spaces
Handle Bar:	ATB upswept handle bar, 31.8ø steel, 660mm
Grips:	Soft Rubber Compound Dual Tone
Stem:	Alloy Handle Stem oval type Extension
Brake Levers:	SYPO four finger half alloy
Brake Cable:	Friction free, 2P, black
Saddle:	ATB vinyl saddle with ED black clamp and rail
Seat Post:	28.6 X 250 steel ED with Minimum Insertion mark
Seat Clamp:	Alloy QR, ED Black
Spokes:	ED Black Spokes

# HDT-47

21-Speed, 26"

Colour Variants:



Matte Blue



Matte Black  
& Red



Cool Grey



Sizes:	17.5"
Frames:	Steel hard tail with specialized tubing
Fork:	Suspension fork (38mm) with disc brake mount
Bottom Brackets:	KENLI Friction free steel sealed cartridge
Crank Set:	Chain wheel crank set 42T x 170mm, dual guard, cotter less
Pedal:	Plastic platform pedal with ISO 6742-2 reflector
Front Derailleur:	N/A
Rear Derailleur:	N/A
Left Shifter:	N/A
Right Shifters:	N/A
Freewheel:	18T full ball, golden
Chain:	FFC 1/2X1/8X104 link golden colour
Rims:	27.5"X1.95" alloy, double wall, 30mm ED
Tires:	27.5"x 2.125" nylon

Tube:	27.5"x2.125" Butyl Tube with schrader valve. 48mm AV
Front Hub:	SHUNFENG steel 36H, bolted disc mount, ED black
Rear Hub:	SHUNFENG steel 36H, bolted disc mount, ED black
Brake Set:	KATOUR front & rear bolted disc brake
Head Set:	Threadless with 15mm taper spaces
Handle Bar:	ATB upswept handle bar, 31.8ø steel, 660mm
Grips:	Soft Rubber Compound Dual Tone
Stem:	Alloy Handle Stem oval type Extension
Brake Levers:	SYPO four finger half alloy
Brake Cable:	Friction free, 2P, black
Saddle:	ATB vinyl saddle with ED black clamp and rail
Seat Post:	28.6 X 250 steel ED with Minimum Insertion mark
Seat Clamp:	Alloy QR, ED Black
Spokes:	ED Black Spokes



Sizes:	17.5"
Frames:	Steel hard tail with specialized tubing
Fork:	Suspension fork (38mm) with disc brake mount
Bottom Brackets:	KENLI Friction free steel sealed cartridge
Crank Set:	Chain wheel crank set 42T x 170mm, dual guard, cotter less
Pedal:	Plastic platform pedal with ISO 6742-2 reflector
Front Derailleur:	N/A
Rear Derailleur:	N/A
Left Shifter:	N/A
Right Shifters:	N/A
Freewheel:	18T full ball, golden
Chain:	FFC 1/2X1/8X104 link golden colour
Rims:	27.5"X1.95" alloy, double wall, 30mm ED
Tires:	27.5"x 2.125" nylon

Tube:	27.5"x2.125" Butyl Tube with schrader valve. 48mm AV
Front Hub:	SHUNFENG steel 36H, bolted disc mount, ED black
Rear Hub:	SHUNFENG steel 36H, bolted disc mount, ED black
Brake Set:	KATOUR front & rear bolted disc brake
Head Set:	Threadless with 15mm taper spaces
Handle Bar:	ATB upswept handle bar, 31.8ø steel, 660mm
Grips:	Soft Rubber Compound Dual Tone
Stem:	Alloy Handle Stem oval type Extension
Brake Levers:	SYPO four finger half alloy
Brake Cable:	Friction free, 2P, black
Saddle:	ATB vinyl saddle with ED black clamp and rail
Seat Post:	28.6 X 250 steel ED with Minimum Insertion mark
Seat Clamp:	Alloy QR, ED Black
Spokes:	ED Black Spokes



Sizes:	17.5"
Frames:	Steel hard tail with specialized tubing
Fork:	Suspension fork (38mm) with disc brake mount
Bottom Brackets:	KENLI Friction free steel sealed cartridge
Crank Set:	Chain wheel crank set 42T x 170mm, dual guard, cotter less
Pedal:	Plastic platform pedal with ISO 6742-2 reflector
Front Derailleur:	N/A
Rear Derailleur:	N/A
Left Shifter:	N/A
Right Shifters:	N/A
Freewheel:	18T full ball, golden
Chain:	FFC 1/2X1/8X104 link golden colour
Rims:	27.5"X1.95" alloy, double wall, 30mm ED
Tires:	27.5"x 2.125" nylon

Tube:	27.5"x2.125" Butyl Tube with schrader valve. 48mm AV
Front Hub:	SHUNFENG steel 36H, bolted disc mount, ED black
Rear Hub:	SHUNFENG steel 36H, bolted disc mount, ED black
Brake Set:	KATOUR front & rear bolted disc brake
Head Set:	Threadless with 15mm taper spaces
Handle Bar:	ATB upswept handle bar, 31.8ø steel, 660mm
Grips:	Soft Rubber Compound Dual Tone
Stem:	Alloy Handle Stem oval type Extension
Brake Levers:	SYPO four finger half alloy
Brake Cable:	Friction free, 2P, black
Saddle:	ATB vinyl saddle with ED black clamp and rail
Seat Post:	28.6 X 250 steel ED with Minimum Insertion mark
Seat Clamp:	Alloy QR, ED Black
Spokes:	ED Black Spokes

# HDT-50

Colour Varients:



Black & Yellow



Black & Red



Orange & Black



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Steel Hard tail, New Head Design, Disc Brake Compatible
	<b>Fork</b>	: Suspension Fork with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm Plastified Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2" x 1/8" x 102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 26" x 2.30" Nylon Coloured

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless with Spacers, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound, Dual Tone
	<b>Stem</b>	: Alloy Stem, Coloured
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Plastic Fender.

Also Available in V-Brake Variant



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Steel Hard tail, New Head Design, Disc Brake Compatible
	<b>Fork</b>	: Suspension Fork with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm Plastified Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2" x 1/8" x 102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 26" x 2.30" Nylon Coloured
	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless with Spacers, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound, Dual Tone
	<b>Stem</b>	: Alloy Stem, Coloured
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Plastic Fender.



	<b>Sizes</b>	: 18"		<b>Tube</b>	: Molded with American Longer Valve
	<b>Frames</b>	: Steel Hard tail, New Head Design, Disc Brake Compatible		<b>Front Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Fork</b>	: Suspension Fork with Disc Brake mount		<b>Rear Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge		<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm Plastified Cotter less		<b>Head Set</b>	: Threadless with Spacers, ED Black
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector		<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Front Derailleur</b>	: N/A		<b>Grips</b>	: Soft Rubber Compound, Dual Tone
	<b>Rear Derailleur</b>	: N/A		<b>Stem</b>	: Alloy Stem, Coloured
	<b>Left Shifter</b>	: N/A		<b>Brake Levers</b>	: Alloy four finger
	<b>Right Shifters</b>	: N/A		<b>Brake Cable</b>	: Friction Free, 2P
	<b>Freewheel</b>	: 18 Teeth Full Ball		<b>Saddle</b>	: Comfortable PU
	<b>Chain</b>	: 1/2" x 1/8" x 102 LINK		<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black		<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Tires</b>	: 26" x 2.30" Nylon Coloured		<b>Spokes</b>	: ED Black Twisted Spokes
				<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Plastic Fender.

# HDT-5I

Colour Varients:



Black & Sea Green

Blue & Yellow



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Steel Hard tail, Disc Brake Compatible
	<b>Fork</b>	: Suspension Fork with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank Set 44T x 170mm FORCE ONE Cotter Less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2" x 1/8" x 102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 26" x 2.10", Nylon

	<b>Tube</b>	: Moulded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless Set of 6, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Steel Stem, ED Black
	<b>Brake Levers</b>	: Alloy Four Finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Plastic Fender.

Also Available in Front Disc & Rear V-Brale Variant



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Steel Hard tail, Disc Brake Compatible
	<b>Fork</b>	: Suspension Fork with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank Set 44T x 170mm FORCE ONE Cotter Less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2" x 1/8" x 102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 26" x 2.10", Nylon

	<b>Tube</b>	: Moulded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless Set of 6, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Steel Stem, ED Black
	<b>Brake Levers</b>	: Alloy Four Finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Plastic Fender.

# HDT-57

Colour Varients:



Black & Blue



Black & Orange



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Steel Hard tail, Disc Brake Compatible
	<b>Fork</b>	: 27.5" Suspension Fork 34.5 with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2" x 1/8" x 102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 27.5" x 2.10" Nylon Skin Wall

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless with Spacers, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Steel Stem, ED Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Plastic Fender.

Also Available in V-Brake Variant



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Steel Hard tail, Disc Brake Compatible
	<b>Fork</b>	: 27.5" Suspension Fork 34.5 with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2" x 1/8" x 102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 27.5" x 2.10" Nylon Skin Wall

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Bolted Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless with Spacers, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Steel Stem, ED Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Plastic Fender.

# HDT-59

Colour Varients:



Black & Yellow



Orange & Black



Chrome & Red



	<b>Sizes</b>	: 17"
	<b>Frames</b>	: Steel Hard tail with Specialized tubing
	<b>Fork</b>	: 29" Suspension Fork 38.10 with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2" x 1/8" x 106 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 29" x 2.10" Nylon

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Disc Brake
	<b>Head Set</b>	: Threaded Set of 15, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	: Soft Rubber Compound Dual Tone
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes, C-45
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Water Decals.



	<b>Sizes</b>	: 17"
	<b>Frames</b>	: Steel Hard tail with Specialized tubing
	<b>Fork</b>	: 29" Suspension Fork 38.10 with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2" x 1/8" x 106 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 29" x 2.10" Nylon

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Disc Brake
	<b>Head Set</b>	: Threaded Set of 15, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	: Soft Rubber Compound Dual Tone
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes, C-45
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Cage, Water Decals.



	<b>Sizes</b>	: 17"
	<b>Frames</b>	: Steel Hard tail with Specialized tubing
	<b>Fork</b>	: 29" Suspension Fork 38.10 with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2" x 1/8" x 106 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 29" x 2.10" Nylon

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Disc Brake
	<b>Head Set</b>	: Threaded Set of 15, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	: Soft Rubber Compound Dual Tone
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes, C-45
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Cage, Water Decals.

# HYB-10

21-Speed, 29"



Colour Varients:



Orange



Matte Black & Violet



Black & Green



Matte Black & Red

	<b>Sizes</b>	: 19"
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM 700C Suspension Fork, ED Crown, 40mm travel
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: TOP WHEEL 28-38-48T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: NECO Half Alloy Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TY500, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TY300 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed
	<b>Right Shifters</b>	: SHIMANO EF-510, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index
	<b>Chain</b>	: YBN Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSI 700 x 35C, Nylon

	<b>Tube</b>	: DSI Butyl, 700, A/V
	<b>Front Hub</b>	: SHUNFENG Steel Friction Free, 36H
	<b>Rear Hub</b>	: SHUNFENG Steel Friction Free, 36H
	<b>Brake Set</b>	: Alloy Front & Rear V-Brake
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (25.4 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound Wide
	<b>Stem</b>	: ZOOM Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: DDK Comfortable PU
	<b>Seat Post</b>	: ZOOM Alloy seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.



	<b>Sizes</b>	: 19"
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM 700C Suspension Fork, ED Crown, 40mm travel
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: TOP WHEEL 28-38-48T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: NECO Half Alloy Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TY500, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TY300 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed
	<b>Right Shifters</b>	: SHIMANO EF-510, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index
	<b>Chain</b>	: YBN Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSI 700 x 35C, Nylon
	<b>Tube</b>	: DSI Butyl, 700, A/V
	<b>Front Hub</b>	: SHUNFENG Steel Friction Free, 36H
	<b>Rear Hub</b>	: SHUNFENG Steel Friction Free, 36H
	<b>Brake Set</b>	: Alloy Front & Rear V-Brake
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (25.4 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound Wide
	<b>Stem</b>	: ZOOM Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: DDK Comfortable PU
	<b>Seat Post</b>	: ZOOM Alloy seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.



	<b>Sizes</b>	: 19"
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM 700C Suspension Fork, ED Crown, 40mm travel
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: TOP WHEEL 28-38-48T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: NECO Half Alloy Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TY500, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TY300 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed
	<b>Right Shifters</b>	: SHIMANO EF-510, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index
	<b>Chain</b>	: YBN Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSI 700 x 35C, Nylon
	<b>Tube</b>	: DSI Butyl, 700, A/V
	<b>Front Hub</b>	: SHUNFENG Steel Friction Free, 36H
	<b>Rear Hub</b>	: SHUNFENG Steel Friction Free, 36H
	<b>Brake Set</b>	: Alloy Front & Rear V-Brake
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (25.4 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound Wide
	<b>Stem</b>	: ZOOM Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: DDK Comfortable PU
	<b>Seat Post</b>	: ZOOM Alloy seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.



	<b>Sizes</b>	: 19"
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM 700C Suspension Fork, ED Crown, 40mm travel
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: TOP WHEEL 28-38-48T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: NECO Half Alloy Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TY500, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TY300 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed
	<b>Right Shifters</b>	: SHIMANO EF-510, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index
	<b>Chain</b>	: YBN Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DS 700 x 35C, Nylon
	<b>Tube</b>	: DSI Butyl, 700, A/V
	<b>Front Hub</b>	: SHUNFENG Steel Friction Free, 36H
	<b>Rear Hub</b>	: SHUNFENG Steel Friction Free, 36H
	<b>Brake Set</b>	: Alloy Front & Rear V-Brake
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (25.4 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound Wide
	<b>Stem</b>	: ZOOM Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: DDK Comfortable PU
	<b>Seat Post</b>	: ZOOM Alloy seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Derailleur Guard.

# HYB-II

Colour Varients:



Black & Lemon Green



Black & Blue



Grey & Orange



	<b>Sizes</b>	: 16"
	<b>Frames</b>	: Steel HYBRID Hard tail, Disc Brake Compatible
	<b>Fork</b>	: Steel Rigid Fork with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2"X1/8"X102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 700 x 35c Nylon

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless Set of 6, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: ED Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Chain Guided Device, Freewheel Guard.



	<b>Sizes</b>	: 16"
	<b>Frames</b>	: Steel HYBRID Hard tail, Disc Brake Compatible
	<b>Fork</b>	: Steel Rigid Fork with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2"X1/8"X102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 700 x 35c Nylon

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless Set of 6, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: ED Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Chain Guided Device, Freewheel Guard.



	<b>Sizes</b>	: 16"
	<b>Frames</b>	: Steel HYBRID Hard tail, Disc Brake Compatible
	<b>Fork</b>	: Steel Rigid Fork with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm FORCE ONE Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2"X1/8"X102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 700 x 35c Nylon

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Rear Hub</b>	: Steel 36H, Disc Mount, Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless Set of 6, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 600mm
	<b>Grips</b>	: Soft Rubber Compound
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: ED Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots, Chain Guided Device, Freewheel Guard.

# LHT-10

21-Speed, 26"

Colour Varients:



Cactus Green



Ruby Pink



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM Suspension Fork, with Alloy ED Crown, 60mm
	<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: WP-201P Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TZ500, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TZ500 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed
	<b>Right Shifters</b>	: SHIMANO EF-510, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T, 7-Speed Index
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSI 26"X2.10", Nylon

	<b>Tube</b>	: DSI Butyl, 26", A/V
	<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Rear Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Brake Set</b>	: Front & Rear Disc Brake
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 580mm
	<b>Grips</b>	: Soft Rubber Compound in two colors
	<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Saddle</b>	: DDK Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots. Derailleur Guard.

Also Available in 6-Speed, Front & Rear V-Brake



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Alloy Hard tail, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM Suspension Fork, with Alloy ED Crown, 60mm
	<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: WP-201P Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TZ500, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TZ500 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed
	<b>Right Shifters</b>	: SHIMANO EF-510, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T, 7-Speed Index
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSi 26"X2.10", Nylon
	<b>Tube</b>	: DSi Butyl, 26", A/V
	<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Rear Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Brake Set</b>	: Front & Rear Disc Brake
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 580mm
	<b>Grips</b>	: Soft Rubber Compound in two colors
	<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Saddle</b>	: DDK Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Bottle Mounting Pivots. Derailleur Guard.

# LHT-II

Colour Varients:



Pink



Purple



Matte Black



	<b>Sizes</b>	: 17"
	<b>Frames</b>	: Steel Hard tail, Step Through Frame.
	<b>Fork</b>	: Suspension Fork 38.10 with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm FORCE ONE : Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2"X1/8"X102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 26" x 2.10" Nylon

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, V-Brake Mount, Black
	<b>Rear Hub</b>	: Steel 36H, V-Brake Mount, Black
	<b>Brake Set</b>	: Front & Rear V-Brake
	<b>Head Set</b>	: Threaded Set of 15, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	: Soft Rubber Compound Dual Tone
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes, C-45
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Spoke Guard, Water Decals.



	<b>Sizes</b>	: 17"
	<b>Frames</b>	: Steel Hard tail, Step Through Frame.
	<b>Fork</b>	: Suspension Fork 38.10 with Disc Brake mount
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: Chain Wheel Crank set 44T x 170mm FORCE ONE : Cotter less
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: N/A
	<b>Rear Derailleur</b>	: N/A
	<b>Left Shifter</b>	: N/A
	<b>Right Shifters</b>	: N/A
	<b>Freewheel</b>	: 18 Teeth Full Ball
	<b>Chain</b>	: 1/2"X1/8"X102 LINK
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: 26" x 2.10" Nylon

	<b>Tube</b>	: Molded with American Longer Valve
	<b>Front Hub</b>	: Steel 36H, V-Brake Mount, Black
	<b>Rear Hub</b>	: Steel 36H, V-Brake Mount, Black
	<b>Brake Set</b>	: Front & Rear V-Brake
	<b>Head Set</b>	: Threaded Set of 15, ED Black
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 620mm
	<b>Grips</b>	: Soft Rubber Compound Dual Tone
	<b>Stem</b>	: Alloy Stem, ED Black
	<b>Brake Levers</b>	: Alloy four finger
	<b>Brake Cable</b>	: Friction Free, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Spokes, C-45
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Side Stand, Spoke Guard, Bottle Cage, Water Decals.

# SHK-10

21-Speed, 26"

Colour Varients:



Lumi Green



Matte Black & Blue



Matte Black & Red



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Alloy Dual Shox, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM Suspension Fork, with ED Crown, 60mm
	<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TZ500, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TZ500 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed
	<b>Right Shifters</b>	: SHIMANO EF-510, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Cassette
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSI 26"X2.30", Nylon

	<b>Tube</b>	: DSI Butyl, 26", A/V
	<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Rear Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 640mm
	<b>Grips</b>	: Soft Rubber Compound in two colors
	<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Alloy Side Stand, Bottle Mounting Pivots, Derailleur Guard.



	<b>Sizes</b>	: 18"		<b>Tube</b>	: DSI Butyl, 26", A/V
	<b>Frames</b>	: Alloy Dual Shox, Disc Brake Compatible, Replaceable Derailleur Hanger		<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Fork</b>	: ZOOM Suspension Fork, with ED Crown, 60mm		<b>Rear Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge		<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set		<b>Head Set</b>	: Threadless with Spacers
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector		<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 640mm
	<b>Front Derailleur</b>	: SHIMANO FD-TZ500, ED Black		<b>Grips</b>	: Soft Rubber Compound in two colors
	<b>Rear Derailleur</b>	: SHIMANO RD-TZ500 (7-Speed), Direct Mount, ED Black		<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed		<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Right Shifters</b>	: SHIMANO EF-510, 7-Speed		<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Cassette		<b>Saddle</b>	: Comfortable PU
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L		<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black		<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Tires</b>	: DSI 26"X2.30", Nylon		<b>Spokes</b>	: ED Black Twisted Spokes
				<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Alloy Side Stand, Bottle Mounting Pivots, Derailleur Guard.



	<b>Sizes</b>	: 18"		<b>Tube</b>	: DSI Butyl, 26", A/V
	<b>Frames</b>	: Alloy Dual Shox, Disc Brake Compatible, Replaceable Derailleur Hanger		<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Fork</b>	: ZOOM Suspension Fork, with ED Crown, 60mm		<b>Rear Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Bottom Brackets</b>	: KENLI Friction Free Steel Sealed Cartridge		<b>Brake Set</b>	: Front & Rear Bolted Type Disc
	<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set		<b>Head Set</b>	: Threadless with Spacers
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector		<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 640mm
	<b>Front Derailleur</b>	: SHIMANO FD-TZ500, ED Black		<b>Grips</b>	: Soft Rubber Compound in two colors
	<b>Rear Derailleur</b>	: SHIMANO RD-TZ500 (7-Speed), Direct Mount, ED Black		<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Left Shifter</b>	: SHIMANO EF-510, 3-Speed		<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Right Shifters</b>	: SHIMANO EF-510, 7-Speed		<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Cassette		<b>Saddle</b>	: Comfortable PU
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L		<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black		<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Tires</b>	: DSI 26"X2.30", Nylon		<b>Spokes</b>	: ED Black Twisted Spokes
				<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Alloy Side Stand, Bottle Mounting Pivots, Derailleur Guard.

# SHK-20

21-Speed, 26"

Colour Varients:



Lumi Red



Lumi Blue



Black



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Alloy Dual Shox, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM Suspension Fork, with ED Crown, 60mm
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TZ30, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TZ50 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF41, 3-Speed
	<b>Right Shifters</b>	: SHIMANO SL-EF41, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSI 26"X2.30", Nylon

	<b>Tube</b>	: DSI Butyl, 26", A/V
	<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Rear Hub</b>	: Steel Friction Free, 36H, ED Black
	<b>Brake Set</b>	: Front Bolted Type Disc & Rear V-Brake
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 580mm
	<b>Grips</b>	: Soft Rubber Compound in two colors
	<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Alloy Side Stand, Bottle Mounting Pivots, Derailleur Guard.



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Alloy Dual Shox, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM Suspension Fork, with ED Crown, 60mm
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TZ30, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TZ50 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF41, 3-Speed
	<b>Right Shifters</b>	: SHIMANO SL-EF41, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSI 26"X2.30", Nylon
	<b>Tube</b>	: DSI Butyl, 26", A/V
	<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Rear Hub</b>	: Steel Friction Free, 36H, ED Black
	<b>Brake Set</b>	: Front Bolted Type Disc & Rear V-Brake
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 580mm
	<b>Grips</b>	: Soft Rubber Compound in two colors
	<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Alloy Side Stand, Bottle Mounting Pivots, Derailleur Guard.



	<b>Sizes</b>	: 18"
	<b>Frames</b>	: Alloy Dual Shox, Disc Brake Compatible, Replaceable Derailleur Hanger
	<b>Fork</b>	: ZOOM Suspension Fork, with ED Crown, 60mm
	<b>Bottom Brackets</b>	: Friction Free Steel Sealed Cartridge
	<b>Crank Set</b>	: 24-34-42T Steel CWC with 170mm Crank Set
	<b>Pedal</b>	: Plastic Platform Pedal with ISO 6742-2 reflector
	<b>Front Derailleur</b>	: SHIMANO FD-TZ30, ED Black
	<b>Rear Derailleur</b>	: SHIMANO RD-TZ50 (7-Speed), Direct Mount, ED Black
	<b>Left Shifter</b>	: SHIMANO SL-EF41, 3-Speed
	<b>Right Shifters</b>	: SHIMANO SL-EF41, 7-Speed
	<b>Freewheel</b>	: SHIMANO TZ-21, 14-28T 7-Speed Index
	<b>Chain</b>	: TEC Steel, 1/2X3/32" 110L
	<b>Rims</b>	: Double Wall Alloy Rims, 36H, ED Black
	<b>Tires</b>	: DSI 26"X2.30", Nylon

	<b>Tube</b>	: DSI Butyl, 26", A/V
	<b>Front Hub</b>	: Steel Friction Free, 36H, Disc Mount, ED Black
	<b>Rear Hub</b>	: Steel Friction Free, 36H, ED Black
	<b>Brake Set</b>	: Front Bolted Type Disc & Rear V-Brake
	<b>Head Set</b>	: Threadless with Spacers
	<b>Handle Bar</b>	: Steel Over Sized (31.8 Dia), 30mm Raised, 580mm
	<b>Grips</b>	: Soft Rubber Compound in two colors
	<b>Stem</b>	: Alloy Thread Less, ED Black
	<b>Brake Levers</b>	: Part of SHIMANO Shifters
	<b>Brake Cable</b>	: Friction Free Coloured, 2P
	<b>Saddle</b>	: Comfortable PU
	<b>Seat Post</b>	: Steel seat post, with Min. Insertion mark
	<b>Seat Clamp</b>	: Alloy QR, ED Black
	<b>Spokes</b>	: ED Black Twisted Spokes
	<b>Extra</b>	: Ten ISO 6742-2 reflectors, Bracket Mounted Alloy Side Stand, Bottle Mounting Pivots, Derailleur Guard.


## **NOTE ➤**

All designs, models, graphics and trademarks are the exclusive property of **S.K. BIKES PVT. LTD.**


Colours, Specifications, availability and pricing are subject to change without prior notice. We do not encourage or endorse any riding activity such as racing, jumping & stunt or trick that may cause potential injury to the rider and any other involved parties. Any negligent and/or unlawful use voids the applicable warranty term and conditions. Always respect your locally enforced road regulations and wear a helmet and protective gear while using your bicycles.

# MEASUREMENT CHART FOR YOUR NEW BIKE ➤

*Your Inside Leg  
(A On Diagram)*



*The Frame Size Needed  
(B On Diagram)*



*(A) To ride your bike comfortably, you should be able to keep your foot flat on the pedal throughout its rotation. Most handlebars and saddles are adjustable but it is still important to pick right frame size.*

*(B) Check your leg length measurements against the chart to see which frame size is right for you.*



**HUGE**  
Accessories

**HUGE** Accessories-*Commuter Helmets*

**TURTLE**  
Series



*Green*



*Black*



*Camouflage*

**Model HMT-002**

**HUGE** Accessories-**Commuter Helmets**

**Aero+**  
Series



Black/Orange



Black/White



Black/Blue

**Model HMT-001**

# **HUGE** Accessories-*Bottle Cages*



➤ *Plastic Bottle Cage*



➤ *Alloy Bottle Cage*

**Model BTC-P01**

**Model BTC-A01**

# **HUGE** Accessories-Water Bottle



➤ Capacity 650 ml



➤ Capacity 600 ml

**Model BTL-P01**

**Model BTL-P02**

# **HUGE** Accessories-Bicycle Computer



- Current Speed
- Trip Distance
- Total Distance
- 12/24 Hour Clock
- Average Speed

Model CMP-005



Waterproof



Auto On/Off



Low Battery  
Indicator



Auto Scan



28/28  
Selectable  
Display Mode

# **HUGE** Accessories- *Gel Saddle Pad* with Comfort Cushioning

**RELIEVES  
PRESSURE  
POINTS!**

- *Memory Gel Foam Conforms to Rider's Shape*
- *Fits most Bicycle Saddle sizes and styles*
- *Easy drawstring fastening*
- *Rubberized Non-Slip base*
- *Durable Lycra Cover*



**Model GLC-001**

# **HUGE** Accessories-*Folding Multi Tool*

- *10 Features in one*
- *Lightweight aluminum body houses 10 steel tools*
- *Strong construction for tough durability*
- *Easy to Carry and Fix anywhere*
- *Hex wrenches: 2/2.5/3/4/5/6/8*
- *Screwdrivers: Philips and flat*
- *Torx: T-25*



**Model TLK-002**



*Daily or Temporary Maintenance*



*When in emergency*



*Perfect for outdoor cycling use*

# **HUGE** Accessories-*Mini Rachet Tool Pouch*



*Model TLK-001*

# HUGE

Accessories-**Rear Light LED**

*High Intensity*

## LASER SAFETY LIGHT

- Bulb : 3 Super bright red LED
- 2 Laser Launcher
- Steady Flash-Flash Off
- Waterproof Structure Design
- Battery Size: AAAX2



**Model LED-001**

# **HUGE** Accessories-*Front Light/Torch*

Flash Steady Off

## **9 SUPER BRIGHT WHITE LED**

- Bulb : 9 Super Bright white LED
- 3 Functions: Flash-steady-off
- Waterproof structure design
- Multi-functionals: bike light or torch
- Battery size : AAAx3



**Model LED-002**

**HUGE** Accessories-Bicycle Resettable Combination Lock

HD STEEL

## FIVE SAFETY COMBINATIONS



➤ 12mm Steel Cable

Model SLK-001

**HUGE** Accessories-Bicycle Spiral Cable Lock

**HD STEEL**

**SAFETY  
KEY LOCK**

➤ 12mm Steel Cable



**Model SLK-002**



SAY NO TO  
**LIMITS**