

Wamp2 HTTPS and SSL Setup Step-by-Step guide

You can follow my guided steps to create working https SSL:

STEP->1->

Create SSL Certificate and Key

1- a) Open the DOS command window and change directory to bin directory of wamp apache directory by using the DOS command without quotes: "cd /d c:\\" and then "cd wamp\bin\apache\apache2.2.8\bin". apache2.2.8 should be changed to what apache folder your wamp server has.

After done, the DOS prompt should look like: C:\wamp\bin\apache\apache2.2.8\bin>

1- b) Create a server private key with 1024 bits encryption. You should enter this command without quotes: "openssl genrsa -des3 -out server.key 1024".

It'll ask you a pass phrase (password), just enter any password you like '

1 – c) Remove the pass phrase from the RSA private key (while keeping a backup copy of the original file). Enter this command without quotes: "copy server.key server.key.org" and then "openssl rsa -in server.key.org -out server.key". It'll ask you the pass phrase, just type it.

1 – d) Create a self-signed Certificate (X509 structure) with the RSA key you just created. Enter the command without quotes: "openssl req -new -x509 -nodes -sha1 -days 365 -key server.key -out server.crt -config C:\wamp\bin\apache\apache2.2.8\conf\openssl.cnf".

You might combine step1b, 1c and 1d into one step by using this command, no quotes: "openssl req -new -x509 -nodes -out server.crt -keyout server.key" if you have trouble following through.

You'll fill in the information after entering this command. The correct location of config file, openssl.cnf may need to be changed. In windows, you won't see ".cnf" extension of the file openssl, but in DOS you'll see the full name openssl.cnf.

1 – e) Create a real SSL server certificate (Optional): if you don't want step 1a to 1d

A. Create a server RSA private key for your Apache server (Triple-DES encrypted and PEM formatted):
Type command: `openssl genrsa -des3 -out server.key 1024`

You might keep the backup of server private key in a maximum secure place and guard it well (e.g your digital wallet).

B. Create a Certificate Signing Request (CSR) for public (output will be PEM formatted). A CSR is a file containing your certificate application information, including your Public Key. Generate your CSR and then copy and paste the CSR file into the webform in the enrollment process at your certificate authority website:

Type the command: `openssl req -new -key server.key -out server.csr`

You will now be asked to enter details to be entered into your CSR. What you are about to enter is what is called a Distinguished Name or a DN. For some fields there will be a default value, If you enter '.', the field will be left blank. Use the name of the webserver as Common Name (CN). If the domain name (Common Name) is mydomain.com append the domain to the hostname (use the fully qualified domain name).

Depending on a specific certifying authority (CA) you might have to enter the details as specified by them. Normally, the CA authority will provide specific instructions for you.

C. Now all you have to do is sending this Certificate Signing Request (CSR) to a Certifying Authority (CA) to be signed. A trusted CA means all major web browsers recognize it without giving you a warning when you install your CA-signed SSL certificate on your webserver. Once the CSR has been signed, you will have a REAL Certificate, which can be used by Apache. You can have a CSR signed by a commercial CA (fees are required). Then they will send you the signed certificate which you can store in a server.crt file

D. Once, your CSR certificate has been signed and returned to you, you can view the details by using this command: `openssl x509 -noout -text -in server.crt`

STEP->2->

Copy the server.key and server.crt files.

2 – a) In the conf folder of apache2.2.8 folder, create two folders named as ssl.key and ssl.crt

2 – b) copy the server.key file to ssl.key folder and server.crt file to ssl.crt

STEP->3->

Edit the httpd.conf file and php.ini

3 – a) In httpd.conf file, remove the comment '#' at the line which says: LoadModule ssl_module modules/mod_ssl.so

3 – b) In httpd.conf, remove the comment '#' at the line which says: Include conf/extra/httpd_ssl.conf
Then move that line after this block <IfModule ssl_module>.... </IfModule>

3 – c) open the php.ini file located in apache2.2....\bin folder, remove the comment ';' at the line which says: extension=php_openssl.dll

STEP->4->

Edit the httpd_ssl.conf file in the folder name, extra

4 – a) Find the line which says "SSLMutex" and change it to "SSLMutex default" without quotes

4 – b) Find the line which says: <VirtualHost _default_:443>. Right after it, change the line which says "DocumentRoot ..." to DocumentRoot "C:/wamp/www/" with quotes. Change the line "ErrorLog...." to Errorlog logs/sslerror_log. Change the line "TransferLog" to TransferLog logs/sslaccess_log

4 – c) SSL crt file: Change the line "SSLCertificateFile" to SSLCertificateFile "conf/ssl.crt/server.crt"

4 – d) SSL key file: Change the line "SSLCertificateKeyFile" to SSLCertificateKeyFile "conf/ssl.key/server.key"

4 – e) Change the line which says <Directory "C:/Program Files/Apache Software Foundation/Apache2.2/cgi-bin"> or something similar to <Directory "C:/wamp/www/"> and add the following lines inside those <Directory ... >...</Directory> tags:

Options Indexes FollowSymLinks MultiViews
AllowOverride All
Order allow,deny
allow from all

4 – f) Make sure the line CustomLog "logs/ssl_request_log" \ is uncommented (remove the #). This step is suggested by wmorse1.

STEP->5->

In the previous DOS Command windows, enter httpd -t . If it displays Syntax is OK, then go to Step 6. If not, then correct the wrong syntax and redo Step 5

STEP->6->

Restart the Apache server

STEP->7->

if restart is successful, then open the browser and enter "[localhost]"; without quotes

STEP->8->

If you want to allow world wide web access to your HTTPS secure server, then in the httpd_ssl.conf file, change the line which says 'ServerName localhost:443' to 'ServerName www.yourwebsitename.com:443' without quotes. yourwebsitename is your registered internet domain name. If you don't have it, then just use your WAN IP address. For example 'ServerName 99.238.53.105:443'. Make sure these setups are correct to allow outside access to secured www server.

8 – a) The DocumentRoot you modified in step 4b points to the correct website folder on your computer.

8 – b) If your computer's connected to the router, setup the router to allow port 443 forwarding to your computer.

8 – c) If your computer has a firewall enabled or behind a network firewall, set up the firewall to allow incoming port 443 connection.

Entrust Certificate Services Support Knowledge Base

Audience: Administrator

Why do I receive [error] Init: SSLPassPhraseDialog builtin is not supported on Win32?

Applicable to: Windows 2000, 2003, XP running Apache win32

Problem:

Upon Apache startup with SSL, the log shows the following error:

[error] Init: SSLPassPhraseDialog builtin is not supported on Win32.

The SSLPassPhraseDialog is a directive within the Apache httpd.conf or ssl.conf that is not supported by Windows

Resolution:

Remove the encryption from the RSA private key (while preserving the original file)

Remark out - SSLPassPhraseDialog in the appropriate apache conf file with a # in front of the directive

1. Make a copy of the private key and call it "server.key.org"
2. Use the OpenSSL command to remove the passphrase such as;

```
openssl rsa -in server.key.org -out server.key
```

server.key will be your new private key with the passphrase removed.

3. Move this new key to the same path as where your original was kept. Verify that the directive called "SSLCertificateKeyFile" in your apache config file points to the new private key.

4. Find the directive "SSLPassPhraseDialog" and put a # in front to comment out the line.

You will now be able to startup Apache with SSL on Windows.

Affected Products:

- Entrust Certificate Services 1 Year Advantage SSL Certificate Version Not Applicable Language Not Applicable Platform Not Applicable
- Entrust Certificate Services 1 Year SSL Certificate Version Not Applicable Language Not Applicable Platform Not Applicable
- Entrust Certificate Services 2 Year Advantage SSL Certificate Version Not Applicable Language Not Applicable Platform Not Applicable
- Entrust Certificate Services 2 Year SSL Certificate Version Not Applicable Language Not Applicable Platform Not Applicable

- Entrust Certificate Services Enhanced Service Account Version Not Applicable Language Not Applicable Platform Not Applicable
- Entrust Certificate Services Web Host Service Account Version Not Applicable English Platform Not Applicable

Some fix solutions:

Wampserver with apache 2.4.4 released with wrong openssl files. All the things to do is: download and install the 1.0.1e openssl from here: <http://slproweb.com/products/Win32OpenSSL.html>
Then find these files in the installed directory:

bin\openssl.cfg

bin\libeay32.dll

bin\ssleay32.dll

bin\openssl.exe

Stop the apache server. overwright these files in your apache directory:

conf\openssl.cnf->rename the cfg here

bin\libeay32.dll

bin\ssleay32.dll

bin\openssl.exe