

AI Generated Report

Generated on: 2026-02-06 23:05:25

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Crypto Dashboard</title>

    <link rel='stylesheet' href='http://127.0.0.1:8000/static/global_bundle.css'>

    <style>

        .crypto-dashboard {

            display: flex;

            flex-direction: column;

            align-items: center;

            padding: 2rem;

        }

    </style>

</head>

<body>

    <div id="root"></div>

    <script>

        const { useState } = React;

        const Header = ({ searchQuery, setSearchQuery }) => {


```

```
return (

  <header className="wui-apex">

    <div className="wui-apex-orbit">

      <a href="/" className="wui-crown-group">

        

        <span className="wui-crown">Crypto Dashboard</span>

      </a>

      <div className="wui-showcase-search-global">

        <svg className="wui-search-icon" width="16" height="16" viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round" strokeLinejoin="round">

          <circle cx="11" cy="11" r="8"></circle>

          <line x1="21" y1="21" x2="16.65" y2="16.65"></line>

        </svg>

        <input

          type="text"

          placeholder="Search cryptocurrencies..." 

          value={searchQuery}

          onChange={(e) => setSearchQuery(e.target.value)}

          className="wui-showcase-portal-header"

        />

      </div>

    </div>

  </header>

);

};
```

```
const GlowButton = ({ variant, children }) => {
  return (
    <button className={`glow-button-outer glow-button-$\{variant\}`}>
      <div className={`glow-button-outer-glow`} />
      <div className={`glow-button-blob`} />
      <div className="glow-button-inner">
        <div className="glow-button-inner-glow" />
        <span className="glow-button-text">{children}</span>
      </div>
    </button>
  );
};
```

```
const ThreeDCard = ({ title, value }) => {
  return (
    <div className="three-d-card">
      <div className="card-background" />
      <div className="card-border" />
      <div className="card-content">
        <h3>{title}</h3>
        <p>{value}</p>
      </div>
    </div>
  );
};
```

```
const MasonryGrid = ({ transactions }) => {
  return (
    <div className="masonry-grid-wrapper">
      <div className="masonry-columns">
        {transactions.map((item, index) => (
          <div className="masonry-item" key={index}>
            <div className="masonry-image-container">
              <img src={item.imageUrl} alt={item.title} className="masonry-image" />
              <div className="masonry-overlay">
                <div className="masonry-overlay-content">
                  <h4 className="masonry-item-title">{item.title}</h4>
                  <GlowButton variant="blue">View Details</GlowButton>
                </div>
              </div>
            </div>
          </div>
        )));
      </div>
    </div>
  );
};
```

```
const PurpleGlowBackground = ({ children }) => {
  return (
    <div className="background-container">
      <div className="purple-glow-wrapper" />
    </div>
```

```
<div className="background-content">
  {children}
</div>
</div>

);

};

const App = () => {
  const [searchQuery, setSearchQuery] = useState("");
  const transactions = [
    { title: 'Bitcoin', imageUrl: 'https://via.placeholder.com/400' },
    { title: 'Ethereum', imageUrl: 'https://via.placeholder.com/400' },
    { title: 'Litecoin', imageUrl: 'https://via.placeholder.com/400' },
  ];
}

return (
  <PurpleGlowBackground>
    <Header searchQuery={searchQuery} setSearchQuery={setSearchQuery} />
    <div className="crypto-dashboard">
      <ThreeDCard title="Wallet Balance" value="$10,000" />
      <ThreeDCard title="Live Prices" value="BTC: $50,000 | ETH: $3,500" />
      <MasonryGrid transactions={transactions} />
      <GlowButton variant="pink">Add Transaction</GlowButton>
    </div>
  </PurpleGlowBackground>
);

};
```

```
};

ReactDOM.render(<App />, document.getElementById('root'));

</script>

<script src="https://unpkg.com/react/umd/react.development.js" crossorigin></script>
<script src="https://unpkg.com/react-dom/umd/react-dom.development.js" crossorigin></script>

</body>

</html>
```