

# AI Generated Report

Generated on: 2026-02-06 23:10:27

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Crypto Dashboard</title>
```

```
  <link rel='stylesheet' href='http://127.0.0.1:8000/static/global_bundle.css'>
```

```
  <style>
```

```
    .dashboard-header {
```

```
      padding: 1rem;
```

```
      text-align: center;
```

```
      color: #1e293b;
```

```
    }
```

```
    .dashboard-content {
```

```
      padding: 2rem;
```

```
    }
```

```
  </style>
```

```
</head>
```

```
<body>
```

```
  <div id="root"></div>
```

```
<script>
```

```
  const { useState } = React;
```

```

const GlowButton = ({ variant, children }) => {
  return (
    <button className={` glow-button-outer glow-button-${variant}`}>
      <div className="glow-button-outer-glow"></div>
      <div className="glow-button-inner">
        <div className="glow-button-inner-glow"></div>
        <span className="glow-button-text">{children}</span>
      </div>
    </button>
  );
};

```

```

const ThreeDCard = ({ title, value }) => {
  return (
    <div className="three-d-card">
      <div className="card-background"></div>
      <div className="card-border"></div>
      <div className="card-content">
        <h3>{title}</h3>
        <p>{value}</p>
      </div>
    </div>
  );
};

```

```

const MasonryGrid = ({ items }) => {

  return (

    <div className="masonry-grid-wrapper">

      <div className="masonry-columns">

        {items.map((item, index) => (

          <div className="masonry-item" key={index}>

            <div className="masonry-image-container">

              <img src={item.imageUrl} alt={item.title} className="masonry-image" />

              <div className="masonry-overlay">

                <div className="masonry-overlay-content">

                  <h4 className="masonry-item-title">{item.title}</h4>

                  <button className="masonry-action-btn">

                    <HeartIcon />

                  </button>

                </div>

              </div>

            </div>

          </div>

        ))}

      </div>

    </div>

  );

};

const HeartIcon = () => (

  <svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" fill="none"

```

```

stroke="currentColor"      strokeWidth="2"      strokeLinecap="round"      strokeLinejoin="round"
className="masonry-heart-icon">

      <path d="M19 14c1.49-1.46 3-3.21 3-5.5A5.5 5.5 0 0 0 16.5 3c-1.76 0-3 .5-4.5
2-1.5-1.5-2.74-2-4.5-2A5.5 5.5 0 0 0 2 8.5c0 2.3 1.5 4.05 3 5.5l7 7Z" />

    </svg>

  );

```

```

const PurpleGlowBackground = ({ children }) => {

  return (

    <div className="background-container">

      <div className="purple-glow-wrapper" />

      <div className="background-content">

        {children}

      </div>

    </div>

  );

};

```

```

const App = () => {

  const [searchQuery, setSearchQuery] = useState("");

  const walletBalance = "0.75 BTC";

  const livePrice = "$40,000";

  const recentTransactions = [

    { title: "Transaction 1", imageUrl: "https://placeholder.co/400x300" },

    { title: "Transaction 2", imageUrl: "https://placeholder.co/400x300" },

    { title: "Transaction 3", imageUrl: "https://placeholder.co/400x300" },

  ];

```

```
];
```

```
return (
```

```
  <PurpleGlowBackground>
```

```
    <header className="dashboard-header">
```

```
      <h1>Crypto Dashboard</h1>
```

```
      <input
```

```
        type="text"
```

```
        placeholder="Search..."
```

```
        value={searchQuery}
```

```
        onChange={(e) => setSearchQuery(e.target.value)}
```

```
      />
```

```
    </header>
```

```
    <div className="dashboard-content">
```

```
      <ThreeDCard title="Wallet Balance" value={walletBalance} />
```

```
      <ThreeDCard title="Live Price" value={livePrice} />
```

```
      <MasonryGrid items={recentTransactions} />
```

```
      <GlowButton variant="blue">Add Transaction</GlowButton>
```

```
    </div>
```

```
  </PurpleGlowBackground>
```

```
);
```

```
};
```

```
ReactDOM.render(<App />, document.getElementById('root'));
```

```
</script>
```

```
<script src="https://unpkg.com/react/umd/react.development.js" crossorigin></script>
```

```
<script src="https://unpkg.com/react-dom/umd/react-dom.development.js" crossorigin></script>
```

```
</body>
```

```
</html>
```