
PORTFOLIO FEEDBACK SHEET

neerav-git.github.io

An honest review of the portfolio: what works, what doesn't, and how to fix each problem

I reviewed 14 live pages at desktop (1440 × 900) and phone (390 × 844) widths. Every problem below links to the live page and the source file that produces it, and visual problems include an annotated screenshot. Each problem has a concrete improvement next to it.

> The work is stronger than most portfolios: evaluated products, a peer-reviewed paper, public code and runnable notebooks. The presentation undersells it. The writing is dense, the case studies are very long, nothing moves, and the first screen doesn't say who you are or where you've worked.



REVIEWED
October 14, 2026
Live site, Chrome on macOS

SCOPE
Home, Products, 6 case studies, About, Methods, a methods note, Evidence, Resume, References

BRANCH READ
feature/portfolio-guide
Source refs use repo-relative paths

01 · SUMMARY

Scorecard

Ten criteria, each scored out of 5. 5 means a hiring manager would single it out as a strength; 3 is typical for a good portfolio; 1 actively costs you interviews. The scores are my judgment, informed by the measurements in section 2.

CRITERION	SCORE	/5	WHY	ISSUES
Substance of the work	●●●●◐	4.5	Four built products, held-out evaluation, an IEEE paper, public repos and Colab.	see §3
Evidence & credibility	●●●●○	4	Strong proof, but some claims are framed in ways a reviewer could question.	G1–G4
First impression & positioning	●●○○○	2	Generic headline, no employer or career stage, no visual proof on the first screen.	A1–A4
Writing clarity	●●○○○	2	Graduate-level reading difficulty on every page; a small vocabulary repeated hundreds of times.	B1–B4
Information architecture	●●◐○○	2.5	Vague nav labels, inconsistent naming, an empty References page.	C1–C4
Case-study structure	●●◐○○	2.5	1,500–2,200 words each, the headline result is buried, no video.	D1–D4
Visual design	●●●◐○	3.5	Distinctive and consistent; let down by card layout, thumbnails and Mac-only fonts.	E1–E4
Mobile experience	●●●○○	3	No horizontal overflow, but the guide button covers a link and the nav wraps.	F1–F3
Accessibility basics	●●●●○	4	No contrast failures found, alt text on every image, one h1 per page, skip link.	H3
Technical quality (SEO, sharing, weight)	●●○○○	2	Every page has the same title and description, no share image, 500 KB+ PNGs.	H1–H2
Overall		**3.0**	Strong work, under-presented. Most of the fixes are copy and layout changes, not rebuilds.	

The five changes that matter most

#	CHANGE	FIXES	EFFORT
1	**Rewrite the first screen.** One plain sentence about who you are and what you want, one about where you've worked, then three project cards with a number each.	A1–A4	SMALL
2	**Add a 45–90 second video to Relay and Birb Hangout**, and put the held-out result in each case study's summary box.	D2, D3	MEDIUM
3	**Hide References until you have a letter**, and make the Resume link open the resume itself.	C3, C4	SMALL

#	CHANGE	FIXES	EFFORT
4	**Edit the copy for plain language**: target grade 11–12, cut the repeated vocabulary, and move implementation detail into a collapsible "Engineering details" section.	B1–B4, D1	MEDIUM
5	**Give each page its own title, description and share image**, and convert images to WebP with responsive sizes.	H1, H2	SMALL

Contents

1. Summary and scorecard
2. Method, measurements and limits
3. Strengths
4. A · First impression & positioning
5. B · Writing clarity
6. C · Information architecture
7. D · Case-study structure
8. E · Visual design
9. F · Mobile experience
10. G · Evidence & credibility
11. H · Technical quality & accessibility
12. Action plan, in order

02 · METHOD

How this review was done

- **Live site.** I loaded 14 pages of neerav-git.github.io in Chrome through Playwright, at 1440 × 900 (desktop) and 390 × 844 (phone), and took full-page and cropped screenshots.
- **Source.** Each issue points to the file in this repo that produces it (content JSON, page components, `styles.css`), with line numbers.
- **Measurements.** These were scripted in the browser: words per page, page height, overlap between the guide button and links, how much of each card's image area is empty, a text-contrast check on every visible text element, image alt attributes, h1 count, page metadata, and response sizes.
- **Readability.** Flesch Reading Ease and Flesch–Kincaid grade, computed on sentences of eight words or more. These formulas are approximate, and headings that merge into sentences make some pages score worse than they read. Use them to compare pages, not as exact grades.

Page measurements

PAGE	WORDS	DESKTOP HEIGHT	PHONE HEIGHT	PHONE SCREENS	READING EASE	GRADE	AVG SENTENCE
Home	451	2,736 px	4,300 px	5.1	14	15.5	16.8
Products	324	2,131 px	4,876 px	5.8	2	20.6	30.6
About	528	2,248 px	3,520 px	4.2	20	15.6	20.5
Relay	1,766	10,414 px	15,465 px	18.3	25	15.3	22.2
Refract	1,987	11,441 px	17,715 px	21.0	18	16.4	22.8
Homeward	1,825	9,756 px	15,163 px	18.0	17	16.0	20.4
Birb Hangout	2,168	11,059 px	17,078 px	20.2	26	15.1	21.9
Brain atrophy	1,558	9,624 px	14,211 px	16.8	19	15.5	19.9
Alzheimer MRI	1,701	10,606 px	16,127 px	19.1	14	16.4	20.4
Methods note (research session)	473	5,227 px	6,335 px	7.5	37	11.5	13.9

Reading ease runs from 0 to 100, higher is easier. 60–70 is plain English; 0–30 is "very difficult", the range of academic papers. Grade is the US school grade needed to follow the text. "Phone screens" is phone height ÷ 844 px. The methods note is the easiest page to read on the site and makes a good model for the rest.

What this review does not cover

- **The voice guide ("Ask the guide") was not tested.** I only looked at its launcher button. A separate review should cover its first-use load time, answer quality and what happens without WebGPU.
- I didn't run Lighthouse or test on real Windows or Android devices. The font fallback in E4 is a simulation made by overriding the font stacks.
- Load-time numbers came from one Mac on one network, so I don't use them to judge performance, only response sizes.
- I didn't read the code in the linked repositories. I only checked that the links exist and where they point.

03 · STRENGTHS

What already works, and should stay

Keep these while you fix everything else. Several fixes later in the sheet are about making these strengths easier to see.

S1 · Real, checkable proof, which few portfolios have

Most AI portfolios stop at "built a RAG chatbot." Yours gives held-out evaluation results (Relay: 39/42 held-out rewordings; 21 OWASP-mapped safety runs with zero unsafe actions), a peer-reviewed paper with a DOI, public repositories, and a notebook that opens in Colab. A technical reviewer can check your claims, and that is the most valuable thing a portfolio can offer.

LIVE /projects/relay/ · doi.org/10.1109/ICRITO56286.2022.9964994 · github.com/neerav-git/Refract · Alzheimer notebook in Colab
SOURCE `content/projects/relay.json:12`

S2 · A visual identity of your own

The serif headings, monospace labels and warm dark palette look considered, and they're consistent on all 14 pages. The site doesn't look like a template, and that by itself signals taste and care.

SOURCE `app/(frontend)/styles.css:1–15` (color and type tokens)

S3 · One consistent idea

"Keep evidence attached / make control explicit / test the outcome" runs through every product. For an AI engineer, a clear stance on reliability is a strong position to take. The problems later in this sheet are about how often and how abstractly the idea is stated, not about the idea.

LIVE Home, right column
SOURCE `app/(frontend)/page.tsx:34`

S4 · Your role is stated up front

Each case study opens with a ROLE statement and the tech stack. Reviewers always want to know what you did yourself, and you answer that first.

LIVE /projects/relay/ (first screen)

S5 · Limits are stated openly where it counts

The Alzheimer case study says what a clinical validation would still need: subject-level partitions, repeated seeds, external scanner data and calibration. Saying this up front builds trust with ML reviewers. (G2 suggests carrying this caveat everywhere the headline number appears.)

LIVE /projects/alzheimers-disease-research/ (about 1,640 px down)
SOURCE `content/projects/alzheimers-disease-research.json:50, 369`

S6 · Solid accessibility basics

The scripted check found **no contrast failures** on any of the 14 pages. Every image has an alt attribute, each page has exactly one `<h1>`, `lang="en"` is set, there's a skip-to-content link, and no page scrolls sideways at 390 px.

SOURCE `components/SiteChrome.tsx:33` (skip link)

S7 · Quality checks are built into the site

The build runs a copy audit and a guide-knowledge audit before every deploy, and there's a Playwright suite. Most portfolios have nothing like this, and it's worth mentioning briefly on the About page.

SOURCE `package.json` → `prebuild`, `scripts/audit-copy.mjs`, `e2e/`

CRITERION A

Score **2 / 5**

First impression & positioning

Test: in 10 seconds on the first screen, can a recruiter tell who you are, what level you're at, what you've shipped, and why you stand out?

A1 The headline could describe any AI engineer

HIGH SMALL FIX

PROBLEM

"I design and build AI products that turn complex work into clear, verifiable outcomes." Swap in another name and it still reads true. It has no domain, no product, no number and no employer. The largest text on the site carries the least information.

"Clear" and "verifiable" are claims. The paragraph under the headline is where the reader expects proof, and it's the hardest text on the page to read (A2).

IMPROVEMENT

Say concretely what you build and add one result that proves it:

OPTION 1: LEAD WITH ROLE AND DOMAIN

I build LLM and voice products end to end: interface, backend and evaluation. My latest, Relay, completed 39 of 42 unseen test conversations.

OPTION 2: LEAD WITH THE RELIABILITY STANCE

I build AI assistants that show their sources and ask before they act, and I measure whether they work.

Keep "AI engineer" in the label above it. Use the right-hand column for proof (A4).

LIVE neerav-git.github.io (first screen)

SOURCE `content/settings/home.json:3` (heroTitle)




Fig A1. Home page headline and intro paragraph, desktop.

A2 The intro packs five projects into one paragraph

HIGH SMALL FIX

PROBLEM

The 76-word intro covers Relay, Refract, Homeward, Birb Hangout and two imaging studies in five sentences, each with its own vocabulary ("grounded answer to confirmed action", "source-linked recovery tasks"). A reader can't hold five unfamiliar product names at once, so they remember none. The same list appears again in the header tagline, the About page and the Resume page.

IMPROVEMENT

Cut the paragraph to one or two sentences about *you*. Introduce the projects only in the cards below, where each has a screenshot and a title. If you keep a project line here, name just your three strongest:

> **EXAMPLE**
> Previously at Deep Strat, building LLM workflows for customer operations. Engineering Management graduate. Looking for AI engineering roles.

Change the header tagline at `content/settings/site.json:3` too, so the same list doesn't appear twice on the first screen.

SOURCE `content/settings/home.json:4` (heroBody) · `content/settings/site.json:3` (siteTagline)

A3 Your career stage and employer are hidden

HIGH SMALL FIX

PROBLEM

Your one industry role, Deep Strat (a 25% cut in false churn alarms, a 50-page AI-safety reference, work presented at Nullcon), appears only in **paragraph 4 of the About page**, 678 px down. "Engineering Management graduate" appears **only on the Resume page**. The home page never says whether you're a student, a new graduate or experienced, or what role you want. Recruiters sort candidates by exactly this.

IMPROVEMENT

- Add a short line on the first screen: "*AI Engineer · previously Deep Strat · MEng, Engineering Management*", or similar.
- Move Deep Strat to the first paragraph of About and give it its own short section ("Experience") with the three results as bullets.
- Add a line about what you're looking for (for example "Open to AI engineering roles, 2026"), with your email next to it.

LIVE /about/ · /resume/

SOURCE `content/settings/site.json:59` (biographyMarkdown, paragraph 3 of the markdown, the 4th <p> on the page)




Fig A3. Full About page. The red outline marks the only description of your industry experience: the 4th paragraph, after two paragraphs that rep

A4 The first screen has no visual proof

MEDIUM MEDIUM FIX

PROBLEM

The first desktop screen is entirely text: three label lines, a headline, a paragraph, and a right column of three *principles* ("Keep evidence attached…"). The principles say what you value, not what you've done. "SELECTED WORK · 2026" floats alone in the middle with nothing under it, and there's empty space above the principles column. The first product screenshot appears only after scrolling.

IMPROVEMENT

- Replace the principles column with **a looping 10–15 second muted clip of Relay** (voice question → confirmation card → created case), or a still screenshot if you don't make a clip.
- Or use a row of three results: *39/42 held-out tasks · 0 unsafe actions in 21 safety runs · IEEE-published*.
- Move the principles to About under "How I work", where they explain your approach.
- Remove the floating "SELECTED WORK · 2026" label, or place it directly above the products.

SOURCE `app/(frontend)/page.tsx:20–46` (home-intro, home-principles)




Fig A4. Home page, first screen at 1440 × 900. No image, number or employer is visible.

CRITERION B

Score **2 / 5**

Writing clarity

Test: can a smart reader from outside your field understand each sentence on first reading, and does each one tell them something new?

B1 Every page reads at graduate level

HIGH · MEDIUM FIX

PROBLEM

Reading-ease scores run from **2 to 26** on the main pages, with grade levels from **15 to 20** (table in section 2), the range of academic papers. Average sentences run 20–30 words, and 22–29% of words have three or more syllables. The Products page scores worst (reading ease 2, average sentence 30.6 words). It's a page people skim, so it should be the easiest.

The one easy page is the research-session methods note (reading ease 37, grade 11.5), which shows you can write this way.

IMPROVEMENT

- Aim for **grade 11–12 and sentences under 18 words** on Home, Products and About. Case-study engineering sections can be denser.
- Give each sentence one idea. When a sentence lists more than three items, make it a bulleted list.
- Add a readability check to `scripts/audit-copy.mjs` that fails the build when a summary or intro sentence goes over 25 words.

BEFORE (PRODUCTS INTRO)

~~Each dossier explains the problem, built workflow, engineering method, differentiating decisions, evaluation, and achieved result.~~

AFTER

Each case study covers the problem, what I built, how I tested it, and the result.

SOURCE `content/settings/site.json:29` (Products intro) · the summary and outcome fields in `content/projects/*.json`

B2 A small set of words is repeated until it stops meaning anything

MEDIUM · MEDIUM FIX

PROBLEM

Counts across the 14 pages:

record / records	**116**	evidence	**62**
workflow(s)	**67**	grounded	**22**
confirmation	**16**	verified / verify	**15**
deterministic	**13**	provenance	**11**
typed	**9**	idempotency	**8**

The Relay page alone uses "record(s)" 29 times and "confirmation" 12 times. Repeated this often, the words become background noise, and every product starts to sound the same: Relay, Refract and Homeward are all described as "source-linked, grounded, verified".

IMPROVEMENT

Say concretely what happens, in the user's terms:

INSTEAD OF	TRY
grounded answer	an answer that cites the record it used
confirmation-gated action	it asks before it changes anything
source-linked recovery tasks	each task links to the line in the discharge notes it came from
verified application state	it checks that the change actually happened
evidence (as a general noun)	name the thing: screenshot, test run, paper, notebook

Give each product its own description. Relay's is "acts on your behalf, safely"; Refract's is "remembers how you read"; Homeward's is "turns discharge notes into a plan."

B3 Implementation terms appear in text meant for every reader

MEDIUM · SMALL FIX

PROBLEM

The main narrative of the Relay case study includes terms like:

- "submit an **opaque confirmation token**" (line 95)
- "use a **stable idempotency key**, re-read application state" (line 96)
- "returns a **typed abstention**" and "**allowlisted anchor**" (line 75)

These are good engineering choices, but they're written for a code reviewer. A hiring manager or designer stops reading at "opaque confirmation token."

IMPROVEMENT

Write the main text for the outcome and put the mechanism in a collapsible section:

BEFORE

~~Use a stable idempotency key, re-read application state, and report success only when the expected record is present.~~

AFTER (MAIN TEXT)

Relay reports success only after it sees the new case in the system. Retrying never creates a duplicate.

UNDER "ENGINEERING DETAILS"

Writes carry a stable idempotency key; confirmation uses an opaque, session-bound token.

LIVE /projects/relay/ (sections "Conversation-to-action lifecycle" and "Implemented product")

SOURCE `content/projects/relay.json:75, 95, 96`

B4 Role statements are single 60–76-word sentences

LOW · SMALL FIX

PROBLEM

The longest sentences on the site are the role statements at the bottom of the case studies: Birb Hangout 76 words, Relay 74, Refract 61, Alzheimer 61. They chain many verbs ("I defined…; built…; designed…; executed…; converted…") with semicolons, so the reader can't tell which part was hardest or which you're proudest of.

IMPROVEMENT

Turn each into 3–5 bullets, each starting with a verb and ending with a result. Put the most impressive item first.

EXAMPLE (RELAY)

- Designed the product and the five-step approval flow
- Built the React/Fastify app and the Deepgram voice layer
- Ran the evaluation: 39/42 held-out, 0 unsafe actions
- Turned failures into fixes and a CI release gate

SOURCE `content/projects/*.json` → `role` and the closing "Product design, implementation…" section

CRITERION C

Score **2.5 / 5**

Information architecture

Test: can a visitor guess what's behind each link before clicking it, and does each page earn its place?

C1 "Methods" and "Methods" and "Evidence" don't say what's behind them

MEDIUM · SMALL FIX

PROBLEM

"Methods" goes to your **writing** (four technical notes). "Evidence" goes to an **archive** of a paper, a notebook and two diagrams. Both are abstract nouns that could mean almost anything, so visitors won't click them, and your writing is one of the better parts of the site.

IMPROVEMENT

Use labels people already know:

SUGGESTED NAV

Work · Writing · Papers & notebooks · About · Resume ↗

You could also merge "Evidence" into each case study's links and drop it from the nav. Five items fit on one line on a phone (see F2).

SOURCE `content/settings/site.json:16–24` (navigation labels)

C2 The same section has four different names

LOW · SMALL FIX

PROBLEM

The nav says **Products**. The page it opens is titled **Products & Systems**, has a "**6 case studies**" pill, and contains a "**ML studies**" section. The home tabs say "Products & Systems / **ML & AI Studies**". Two of the six "products" are research papers. Small inconsistencies like these make readers work out whether they're seeing the same thing.

IMPROVEMENT

Choose one term for the whole section ("Work") and one for each kind of item ("Products" and "Research"), then use them everywhere: nav, page title, pill, home tabs.

SOURCE `content/settings/site.json:18, 28` · `app/(frontend)/projects/page.tsx:55, 63–64, 75–76`

C3 An empty References page is public, and the Resume page repeats it

HIGH SMALL FIX

PROBLEM

`/recommendations/` shows a "**0 RECORDS**" pill and the line "Published reference documents **will appear on this page**." The Resume page then repeats a "References" block with the same empty state. An unfinished page makes a reader wonder what else is unfinished, which is the opposite of what a portfolio about verified outcomes should signal.

IMPROVEMENT

- Hide the route and the Resume block while `letters.length === 0`. Render nothing instead of an empty state.
- Add one line to About or the footer: "References available on request".
- Bring the page back when you have one letter, even a short quote with name and title.

LIVE /recommendations/ · /resume/#references

SOURCE `app/(frontend)/recommendations/page.tsx:28, 64–68` · `app/(frontend)/resume/page.tsx:91–130`




Fig C3a. The References page as a visitor sees it.




Fig C3b. The same empty state repeated on the Resume page.

C4 The Resume page doesn't show the resume

MEDIUM SMALL FIX

PROBLEM

"Resume" is the highlighted nav item, the one recruiters click most. The page it opens shows a card titled "Resume PDF" with a two-sentence summary, two buttons, a "What this covers" box that repeats the project list for the fourth time, "Related pages" links, and the empty References block. Seeing the resume takes one more click.

IMPROVEMENT

- **Simplest:** point the nav link straight at the PDF (`/uploads/references/Resume_Neerav_Chaudhary.pdf`), opened in a new tab.
- **Or:** keep the page but render the resume itself: an image of page 1 or an inline `<object>`, with a download button. Drop "What this covers" and "Related pages."

LIVE /resume/

SOURCE `app/(frontend)/resume/page.tsx` · `content/recommendations/resume-neerav-chaudhary.json`




Fig C4. Resume page, first screen. No part of the resume is visible.

CRITERION D

Score **2.5 / 5**

Case-study structure

Test: someone who reads only the first screen of a case study should know what you built, what you did yourself, how well it worked, and what it looks like in use.

D1 Each case study is 17–21 phone screens long

HIGH MEDIUM FIX

PROBLEM

The six case studies are **1,558–2,168 words** each, 9,600–11,400 px on desktop and 14,200–17,700 px on a phone, which is **17 to 21 screens**. All of it is at the same level of detail: product outcome, implementation, lifecycle, capabilities, evaluation, architecture, impact and role all get equal weight. Most readers won't get past the first few screens, so the material lower down rarely gets read.

IMPROVEMENT

Split each case study into three levels:

1. **The 60-second version**, on the first screen: problem (1 sentence), what you built (1 sentence), your role (3 bullets), result (1 number), a demo video, links.
2. **How it works**: 3–4 annotated screenshots, each with a one-sentence caption.
3. **Engineering details**, collapsed by default: architecture, evaluation method, limits, decisions.

Target: **about 600 words visible** by default. The rest stays on the page for anyone who expands it.

LIVE all six `/projects/*/` pages

SOURCE `components/ProjectDossier.tsx`, `components/ProjectMethodology.tsx`, `content/projects/*.json`



Fig D1. The whole Relay page at 1440 px wide, scaled down. The red band shows where the held-out result first appears (6,441 px, 62% of the way down).

Relay's sections, in order:

1. Product outcome
2. Implemented product
3. Read and navigate
4. Conversation-to-action lifecycle (5 stages)
5. Confirmation-gated workflow
6. Visible result
7. Capability system (5 capabilities)
8. **Measured results** ← first numbers
9. Evaluation surface
10. Evaluation methodology
11. Architecture
12. Impact (employees, service teams, product teams, engineering)
13. My contribution
14. Evaluated scope

Sections 2–7 describe the same request → confirm → verify loop from six angles. One annotated diagram plus a video would cover them.

D2 The summary box gives a status, not a result

HIGH SMALL FIX

PROBLEM

The first screen of Relay is well laid out: title, a one-sentence description, a role statement, the stack, and a screenshot. But the **SUMMARY** box says "Evaluated product system. Core workflows have recorded task, voice, tool, safety, groundedness, recovery, and held-out evaluations." That tells the reader evaluations *exist*, not how they turned out.

The text comes from a generic status label shared across projects, not from anything specific to Relay.

IMPROVEMENT

Give each project a `headlineResult` field and show it in the summary box:

> **RELAY**
> 39/42 unseen rewordings completed · 0 unsafe actions in 21 OWASP-mapped attack runs

> **ALZHEIMER MRI**
> 78% → 85% accuracy from ensembling (image-level split)

> **BRAIN ATROPHY**
> Published at IEEE ICRITO 2022 · 66% → 71% with hippocampal crop

LIVE /projects/relay/

SOURCE `lib/projectStatus.ts:4` (generic "Evaluated product system" label) · `content/projects/relay.json:12` (the real result)




Fig D2. First screen of the Relay case study. The layout works; the summary box needs a number.

D3 No video anywhere, including for a voice-first product

HIGH · MEDIUM FIX

PROBLEM

All six case studies have **0 videos and 0 embeds**. The site uses still screenshots to show a *voice-first* assistant (Relay), a *realtime 3D social world* with flight (Birb Hangout), and a multi-step agent workflow (Homeward). For products whose value is in how they behave over time, a still image hides that value.

IMPROVEMENT

- **Relay:** a 60–90 second screen recording *with audio*. Ask a question by voice, open the task, file the VPN ticket, confirm, see the case. Add captions.
- **Birb Hangout:** 30–45 seconds: two players in a room, shared video, then flight.
- **Homeward / Refract:** 30–second silent clips of the main flow.
- Use `<video controls preload="none" poster="…">` with an MP4/WebM under about 8 MB, or an unlisted YouTube embed. Show it on the first screen.

LIVE all `/projects/*/` pages (scripted count of `<video>` / `<iframe>` = 0)

D4 Links to running code are uneven

MEDIUM · SMALL FIX

PROBLEM

PROJECT	REPO	LIVE / DEMO
Relay (the lead project)	**none**	**none**
Refract	✓	none
Homeward	✓ (other account, see G3)	none
Birb Hangout	✓	✓ about page
Brain atrophy	—	✓ DOI
Alzheimer MRI	✓	✓ Colab

Your lead project has the fewest links.

IMPROVEMENT

- If Relay's repo is private, say so ("Code available on request; walkthrough on a call") so the missing link looks deliberate.
- Better: publish a cut-down repo or a read-only hosted demo with the synthetic "Maya" data.
- Show a consistent row of links on every case study's first screen: *Video* · *Code* · *Live* · *Paper*, with any that don't apply greyed out.

SOURCE `content/projects/*.json` → `links`

CRITERION E

Score **3.5 / 5**

Visual design

Test: does the layout make the work look as good as it is, and does it look the same for everyone?

E1 Card images leave half the card empty

MEDIUM · SMALL FIX

PROBLEM

On the Products page each card's image column stretches to the height of the text (359–476 px), but the image is drawn at its natural ratio and pinned to the top. Measured empty space in the image column:

Relay	49%	Refract	61%
Homeward	57%	Birb Hangout	57%
Brain atrophy	66%	Alzheimer MRI	49%

The result is a grid of dark empty rectangles under each screenshot, which looks unfinished.

IMPROVEMENT

Fill the column with the image, or stack image over text:

CSS OPTION 1: FILL

```
.case-index-media img { height:100%; object-fit:cover; object-position:left top; }
```

CSS OPTION 2: STACKED CARD

```
.case-index-card-link { grid-template-columns:1fr }
.case-index-media { aspect-ratio:16/10; min-height:0 }
```

Option 2 also gives the screenshot full card width, which fixes E2.

LIVE /projects/

SOURCE `app/(frontend)/styles.css:2841–2853` (`object-fit: contain`, `min-height: 250px`)




Fig E1a. Refract card.




Fig E1b. Brain-atrophy card.

E2 Thumbnails can't be read at card size

MEDIUM SMALL FIX

PROBLEM

Full-window screenshots (about 1,430 px wide) are shrunk into 261 px wide slots, about one-sixth size. Refract's thumbnail is a page of tiny text with nothing recognizable. The brain-atrophy thumbnail is a 240 × 150 px generated diagram scaled *up*, so it's soft on high-resolution screens, and it isn't a figure from the paper.

IMPROVEMENT

- Make dedicated thumbnails **cropped to one recognizable moment**: Relay's confirmation card, Refract's highlighted passage with its cited answer, Birb's two characters on the couch.
- Export them at 2× the display size (about 600 × 400) as WebP.
- For the paper, use a real figure from it (for example the mask overlay), if the publisher allows reuse.

SOURCE `content/projects/*.json` → `thumbnailImage` / `coverImage`




Fig E2. Refract thumbnail at 2× zoom. Even enlarged, nothing in it can be read.

E3 Section headings on Products are right-aligned while their labels are on the left

LOW SMALL FIX

PROBLEM

"PRODUCTS" sits at the far left and its 2-line heading at the far right, with empty space between. Every other heading on the site is left-aligned, so the eye has to jump across the page, and the label and heading look unrelated.

IMPROVEMENT

Stack the label above a left-aligned heading, as elsewhere on the site:

```css
.compact-index-heading { display:block }
.compact-index-heading h2 { text-align:left }
```

SOURCE `app/(frontend)/styles.css:2803–2816` · `app/(frontend)/projects/page.tsx:62–64, 74–76`



Fig E3. Products page section heading.

E4 The typography depends on fonts only Macs have

MEDIUM SMALL FIX

PROBLEM

The site loads **no web fonts**: no `@font-face`, `next/font` or Google Fonts. The stacks start with **Avenir Next** and **Iowan Old Style**, which ship only on Apple devices. On Windows (most corporate recruiters) visitors get Segoe UI and Palatino Linotype; on Android and Linux, the system's default sans and serif. The design you see on your Mac isn't what most reviewers see.

IMPROVEMENT

Load your fonts yourself with `next/font` (subset, `display: swap`) so everyone sees the same design. Close open-licensed equivalents:

- Serif: **Newsreader**, **Source Serif 4** or **Fraunces** (close to Iowan)
- Sans: **Figtree** or **Nunito Sans** (close to Avenir's geometric feel)
- Mono: **IBM Plex Mono**. It's already first in your stack but never loaded, so even Mac visitors get SF Mono or Menlo.

SOURCE `app/(frontend)/styles.css:11–13` (font stacks) · `app/(frontend)/layout.tsx` (no font loading)




Fig E4a. As intended (macOS).




Fig E4b. Simulated fallback with generic system serif and sans, roughly what Linux and Android show. Spacing, weight and character all change.

CRITERION F

Score **3 / 5**

Mobile experience

Test: recruiters often first open a portfolio link on their phone, from LinkedIn or email. Does the first screen there work?

F1 The "Ask the guide" button covers the "About my role" link

HIGH SMALL FIX

PROBLEM

At 390 × 844 the fixed guide button (153 × 45 px, bottom-right) covers **65% of the "About my role →" link** on the very first screen, so a tap there opens the guide. Sampling the home page every 200 px of scroll, the button covered a link at **5 of 22 positions**.

IMPROVEMENT

- On phones, shrink the button to a 48 px round icon (keep `aria-label="Ask the guide"`).
- Add bottom padding to `.site-main` on mobile (about 72 px) so the last content can scroll clear of it.
- Or show the button only after the visitor scrolls past the first screen.

LIVE Home at 390 px wide

SOURCE `app/(frontend)/styles.css:3296–3312` (.guide-launcher) · `:3353–3356` (mobile override) · `components/PortfolioGuide.tsx:543–545`




Fig F1. Home page, first phone screen (390 × 844).

Also visible on this screen (F3): the header (name, a 3-line tagline, a nav on 2 rows) takes up the top **~25%**. Then two lines of small caps, the headline, and the 76-word paragraph fill the rest. No image or project appears on the first phone screen.

Suggested phone first screen: name + one-line role → headline → one sentence → [See work] button → the top of the first project card's image showing at the bottom edge, which invites scrolling.

F2 The mobile nav wraps and leaves "Resume" alone on a second row

MEDIUM SMALL FIX

PROBLEM

Six monospace nav items don't fit in 390 px, so "Resume", the link recruiters want most, drops to its own row and looks like an afterthought. Tap targets are 27 px tall. That passes the WCAG 2.2 AA minimum (24 px) but is well under the 44 px Apple recommends, and "Home" is only 31 px wide.

IMPROVEMENT

- Cut the nav to 5 items (C1) and drop "Home", since the name already links home.
- On phones, use a single row that scrolls sideways, or a menu button, with Resume pinned to the right.
- Give links at least `min-height: 44px` on touch devices.

SOURCE `components/PrimaryNavigation.tsx:48–55` · `content/settings/site.json:16–24`




Fig F2. Phone header, 390 px wide.

F3 The header takes a quarter of the first phone screen

LOW SMALL FIX

PROBLEM

The header card (name, the 3-line tagline, a 2-row nav) ends about 215 px down an 844 px screen. The tagline repeats what the hero says right below it.

IMPROVEMENT

Hide `.brand-tagline` under 720 px and keep the name and nav. Together with F2, this saves about 120 px and brings the headline up.

SOURCE `components/SiteChrome.tsx:40` (.brand-tagline)

CRITERION G

Score **4 / 5**

Evidence & credibility

Test: if a skeptical ML engineer reads the claims closely, does each one hold up as stated, wherever it appears?

G1 A development-set number is presented next to the held-out one

MEDIUM · SMALL FIX

PROBLEM

"Completed **103/110 post-fix development conversations** and 39/42 held-out rewordings." The 103/110 was measured on the conversations you fixed the system against. It shows the fixes worked, but it isn't evidence that the system generalizes. Listing it first and next to the held-out result invites the question "is 94% the real number?" The same pair appears on Home, About and the case study.

IMPROVEMENT

AFTER

Completed **39 of 42 held-out rewordings** it had never seen, across seven multi-turn workflows. (On the development set used to fix failures: 103/110.)

Lead with the held-out number everywhere, and label the development number as such in the evaluation section.

SOURCE `content/projects/relay.json:12` · `content/settings/site.json:59` (About, "What I built")

G2 The MRI accuracy gain loses its caveat when it's repeated

MEDIUM · SMALL FIX

PROBLEM

"Improved held-out accuracy from 78% to 85%" appears in **six places** (Home, About, the Products card, the Evidence page, the case study and the notebook record). The case study itself says the split was by image and that subject-level partitions are future work. But that caveat appears only inside the case study, about 1,640 px down.

With an image-level split, slices from the same patient can be in both training and test data. ML reviewers know this public 6,400-image set and will ask about it. On the summary pages, without the caveat, the 85% looks overstated even though the case study handles it well.

IMPROVEMENT

- Add two words wherever the number appears: "*78% → 85% (image-level split)*".
- Frame the result as the ensembling gain (+7 points) rather than as a diagnostic accuracy.
- Best: rerun with a subject-level split if patient IDs can be recovered, and report both. That would make a strong methods note.

SOURCE `content/settings/site.json:59` · `content/settings/home.json:74` · `content/projects/alzheimers-disease-research.json:12, 50, 292, 369` · `content/archive/alzheimers-notebook-record.json:6`

G3 Homeward's code is in someone else's GitHub account, without explanation

MEDIUM SMALL FIX

PROBLEM

The Homeward "Repository" link goes to `github.com/pruhnav/homeward`. The About page credits you with "the product direction, patient journey, interface, backend, synthetic data strategy…" When a reviewer clicks through and sees another account name, they'll wonder who built it. Leaving that unanswered costs credibility on a project that otherwise looks very strong.

IMPROVEMENT

- Add one line under the repo link that says why the code lives there (for example, a hackathon organization or a co-owner's account) and that you're the author.
- Or fork or transfer the repo to `neerav-git` and link to that, with the commit history intact.

LIVE /projects/homeward/ → github.com/pruhnav/homeward

SOURCE `content/projects/homeward.json:43`



Fig G3. The link text says nothing about where the code lives.

G4 The paper is represented by a generated diagram

LOW SMALL FIX

PROBLEM

The brain-atrophy card and case study use a stylized 240 × 150 diagram ("MRI at time 1 → Align & measure → Quantify change"). For your only peer-reviewed work, a real figure from the paper or your pipeline's actual mask output would be stronger proof, and it would match the "keep evidence attached" idea.

IMPROVEMENT

Use a real output image: an MRI slice with your intensity masks overlaid, or the cohort-bounds plot. Check the publisher's terms before reusing a published figure; an image you regenerate from your own code is always fine to use.

LIVE /projects/brain-atrophy-computer-vision/ (see Fig E1b)

CRITERION H

Score **2 / 5** (technical) · **4 / 5** (accessibility)

Technical quality & accessibility

Test: how does the site look in search results, browser tabs and link previews on LinkedIn or Slack, and how much does each page download?

H1 Every page has the same title and description, and there's no share image

HIGH · SMALL FIX

PROBLEM

All 14 pages report `<title>Neerav Chaudhary</title>` and the same description ("A public record of work, projects, research, and technical writing…"). There's **no `og:image`** and no canonical URL. As a result:

- A recruiter with Relay, Refract and About open in three tabs sees three identical tab titles.
- A case-study link shared on LinkedIn, Slack or email shows a plain preview with no image and no project name.
- Search results can't tell the pages apart.

IMPROVEMENT

- Add `generateMetadata` to `projects/[slug]`, `writing/[slug]` and `archive/[slug]`: "*Relay: voice-first employee services · Neerav Chaudhary*", with the project summary as the description.
- Use a title template in the layout: `title: {"{ template: '%s · Neerav Chaudhary' }"}`.
- Add a 1200 × 630 `og:image` per project (the cropped thumbnail from E2 works) and a default one for the site.
- Set `metadataBase` to `https://neerav-git.github.io` so the image URLs resolve.

SOURCE `app/(frontend)/layout.tsx:9–12` (single static `metadata`) · no `generateMetadata` anywhere in `app/`

H2 Large PNG screenshots, served at full size and loaded all at once

MEDIUM · SMALL FIX

PROBLEM

The screenshots are PNGs of 230–560 KB each. The Relay page loads three at about 550 KB each; the Products page loads 1,425 px-wide images into 261 px slots. **None of the 28 images found uses `loading="lazy"`**, so a phone on a slow connection downloads every screenshot on the page before it has scrolled to them.

IMPROVEMENT

- Convert to WebP or AVIF at build time. `sharp` is already a dependency, and screenshots usually shrink by 70–85%.
- Generate 2–3 widths and serve them with `srcset` / `sizes`.
- Add `loading="lazy" decoding="async"` to every image below the first screen.

SOURCE `public/uploads/**` · `app/(frontend)/projects/page.tsx:23` · `components/ProjectRail.tsx:88` (plain `<img>`, no lazy/srcset)

H3 Some labels are smaller than 12 px

LOW SMALL FIX

PROBLEM

Each case study has 5–13 visible text elements under 12 px, mostly the monospace labels and metric captions. Contrast is fine everywhere, but small uppercase monospace text with wide letter spacing is hard to read, especially in Windows fonts (E4).

IMPROVEMENT

Set a 12 px minimum for every label and a 13 px minimum for any metric caption that carries a number.

SOURCE `app/(frontend)/styles.css` (`.panel-eyebrow`, card meta and metric caption rules)

ACTION PLAN

What to do, in order

Ordered by impact per hour of work. Items 1–7 are mostly content and CSS changes, about a day's work in total, and fix most of what a recruiter notices.

#	ACTION	ISSUES	SEVERITY	EFFORT	WHERE
1	Hide References (page and Resume block) while there are no letters	C3	HIGH	15 min	`recommendations/page.tsx`, `resume/page.tsx`, `site.json`
2	Shrink the guide button on phones and add bottom padding	F1	HIGH	15 min	`styles.css:3353`
3	Rewrite the headline and intro; add a role, employer and degree line	A1–A3	HIGH	1–2 h	`home.json:3–4`, `site.json:3`
4	Per-page titles, descriptions and share images	H1	HIGH	1–2 h	`layout.tsx`, `[slug]/page.tsx`
5	Put each project's headline result in its summary box; lead with held-out numbers; add "(image-level split)"	D2, G1, G2	HIGH	1 h	`projectStatus.ts`, `projects/*.json`
6	Rename the nav; point Resume at the PDF; make section names consistent	C1, C2, C4, F2	MED	45 min	`site.json:16–24`, `PrimaryNavigation.tsx`
7	Fix card image fit, crop thumbnails, left-align section headings	E1–E3	MED	1–2 h	`styles.css:2803–2853`, `public/uploads`
8	Explain the Homeward repo location, or move it	G3	MED	10 min	`homeward.json:43`
9	Record a Relay video with audio and a Birb Hangout video; show them on the first screen	D3, A4	HIGH	half a day	new `video` field in `ProjectDossier.tsx`
10	Restructure the case studies into 60-second, how-it-works and engineering-details levels	D1, B3, B4	HIGH	1–2 days	`ProjectDossier.tsx`, `projects/*.json`
11	Plain-language pass on all copy; add a sentence-length check to the copy audit	B1, B2	HIGH	1 day	`content/**`, `scripts/audit-copy.mjs`
12	Load the fonts yourself with next/font	E4	MED	1 h	`layout.tsx`, `styles.css:11–13`
13	WebP images with srcset and lazy loading	H2	MED	2 h	build script with `sharp`
14	Make Relay's code or a demo available, or say it's available on request	D4	MED	varies	`relay.json` links
15	Reorder About: experience first, principles under "How I work"	A3, A4	MED	30 min	`site.json:57–60`

#	ACTION	ISSUES	SEVERITY	EFFORT	WHERE
16	Real figure for the paper; 12 px minimum label size	G4, H3	LOW	1 h	`styles.css`, `public/uploads`

How to check the fixes worked

- **5-second test:** show the home page on a phone to someone outside the field for 5 seconds. Ask what you do, what level you are, and name one project. They should get all three.
- **Readability:** rerun the measurements. Home, Products and About should score 45 or more for reading ease (grade 12 or below).
- **Link preview:** paste `/projects/relay/` into LinkedIn's Post Inspector. It should show the Relay title and image.
- **First screen of each case study:** the video, the headline number, your role and the links should all be visible without scrolling at 1440 × 900.